

cpoisson postestimation — Postestimation tools for cpoisson

[Postestimation commands](#)
[predict](#)
[margins](#)
[Remarks and examples](#)
[Methods and formulas](#)
[Also see](#)

Postestimation commands

The following postestimation commands are available after `cpoisson`:

Command	Description
<code>contrast</code>	contrasts and ANOVA-style joint tests of estimates
<code>estat ic</code>	Akaike's, consistent Akaike's, corrected Akaike's, and Schwarz's Bayesian information criteria (AIC, CAIC, AICc, and BIC)
<code>estat summarize</code>	summary statistics for the estimation sample
<code>estat vce</code>	variance–covariance matrix of the estimators (VCE)
<code>estat (svy)</code>	postestimation statistics for survey data
<code>estimates</code>	cataloging estimation results
<code>etable</code>	table of estimation results
* <code>forecast</code>	dynamic forecasts and simulations
* <code>hausman</code>	Hausman's specification test
<code>lincom</code>	point estimates, standard errors, testing, and inference for linear combinations of coefficients
* <code>lrtest</code>	likelihood-ratio test
<code>margins</code>	marginal means, predictive margins, marginal effects, and average marginal effects
<code>marginsplot</code>	graph the results from <code>margins</code> (profile plots, interaction plots, etc.)
<code>nlcom</code>	point estimates, standard errors, testing, and inference for nonlinear combinations of coefficients
<code>predict</code>	number of events, incidence rates, probabilities, etc.
<code>predictnl</code>	point estimates, standard errors, testing, and inference for generalized predictions
<code>pwcompare</code>	pairwise comparisons of estimates
<code>suest</code>	seemingly unrelated estimation
<code>test</code>	Wald tests of simple and composite linear hypotheses
<code>testnl</code>	Wald tests of nonlinear hypotheses

*`forecast`, `hausman`, and `lrtest` are not appropriate with `svy` estimation results.

predict

Description for predict

`predict` creates a new variable containing predictions such as numbers of events, incidence rates, conditional means, probabilities, conditional probabilities, linear predictions, standard errors, and the equation-level score.

Menu for predict

Statistics > Postestimation

Syntax for predict

```
predict [type] newvar [if] [in] [, statistic nooffset]
```

<i>statistic</i>	Description
------------------	-------------

Main	
n	number of events; the default
ir	incidence rate
cm	conditional mean, $E(y_j y_j > L_j)$, $E(y_j y_j < U_j)$, or $E(y_j L_j < y_j < U_j)$
pr(<i>n</i>)	probability $\Pr(y_j = n)$
pr(<i>a</i>,<i>b</i>)	probability $\Pr(a \leq y_j \leq b)$
cpr(<i>n</i>)	conditional probability $\Pr(y_j = n y_j > L_j)$, $\Pr(y_j = n y_j < U_j)$, or $\Pr(y_j = n L_j < y_j < U_j)$
cpr(<i>a</i>,<i>b</i>)	conditional probability $\Pr(a \leq y_j \leq b y_j > L_j)$, $\Pr(a \leq y_j \leq b y_j < U_j)$, or $\Pr(a \leq y_j \leq b L_j < y_j < U_j)$
xb	linear prediction
stdp	standard error of the linear prediction
score	first derivative of the log likelihood with respect to $\mathbf{x}_j\beta$

These statistics are available both in and out of sample; type `predict ... if e(sample) ...` if wanted only for the estimation sample.

Options for predict

Main

n, the default, calculates the predicted number of events, which is $\exp(\mathbf{x}_j\beta)$ if neither `offset()` nor `exposure()` was specified when the model was fit; $\exp(\mathbf{x}_j\beta + \text{offset}_j)$ if `offset()` was specified; or $\exp(\mathbf{x}_j\beta) \times \text{exposure}_j$ if `exposure()` was specified.

ir calculates the incidence rate $\exp(\mathbf{x}_j\beta)$, which is the predicted number of events when exposure is 1. This is equivalent to specifying both the **n** and the **nooffset** options.

`cm` calculates the conditional mean,

$$E(y_j | \Omega_j) = \frac{E(y_j)}{\Pr(\Omega_j)}$$

where Ω_j represents $y_j > L_j$ for a left-censored model, $y_j < U_j$ for a right-censored model, and $L_j < y_j < U_j$ for an interval-censored model. L_j is the left-censoring point found in `e(llopt)`, and U_j is the right-censoring point found in `e(ulopt)`.

`pr(n)` calculates the probability $\Pr(y_j = n)$, where n is a nonnegative integer that may be specified as a number or a variable.

`pr(a,b)` calculates the probability $\Pr(a \leq y_j \leq b)$, where a and b are nonnegative integers that may be specified as numbers or variables;

`b missing (b ≥ .)` means $+\infty$;

`pr(20, .)` calculates $\Pr(y_j \geq 20)$;

`pr(20, b)` calculates $\Pr(y_j \geq 20)$ in observations for which $b \geq .$ and calculates $\Pr(20 \leq y_j \leq b)$ elsewhere.

`pr(., b)` produces a syntax error. A missing value in an observation of the variable a causes a missing value in that observation for `pr(a, b)`.

`cpr(n)` calculates the conditional probability $\Pr(y_j = n | \Omega_j)$, where Ω_j represents $y_j > L_j$ for a left-censored model, $y_j < U_j$ for a right-censored model, and $L_j < y_j < U_j$ for an interval-censored model. L_j is the left-censoring point found in `e(llopt)`, and U_j is the right-censoring point found in `e(ulopt)`. n is an integer in the noncensored range.

`cpr(a,b)` calculates the conditional probability $\Pr(a \leq y_j \leq b | \Omega_j)$, where Ω_j represents $y_j > L_j$ for a left-censored model, $y_j < U_j$ for a right-censored model, and $L_j < y_j < U_j$ for an interval-censored model. L_j is the left-censoring point found in `e(llopt)`, and U_j is the right-censoring point found in `e(ulopt)`. a and b must fall in the noncensored range if they are not missing. A missing value in an observation of the variable a causes a missing value in that observation for `cpr(a, b)`.

`xb` calculates the linear prediction, which is $\mathbf{x}_j\beta$ if neither `offset()` nor `exposure()` was specified when the model was fit; $\mathbf{x}_j\beta + \text{offset}_j$ if `offset()` was specified; or $\mathbf{x}_j\beta + \ln(\text{exposure}_j)$ if `exposure()` was specified; see `nooffset` below.

`stdp` calculates the standard error of the linear prediction.

`score` calculates the equation-level score, $\partial \ln L / \partial (\mathbf{x}_j\beta)$.

`nooffset` is relevant only if you specified `offset()` or `exposure()` when you fit the model. It modifies the calculations made by `predict` so that they ignore the offset or exposure variable; the linear prediction is treated as $\mathbf{x}_j\beta$ rather than as $\mathbf{x}_j\beta + \text{offset}_j$ or $\mathbf{x}_j\beta + \ln(\text{exposure}_j)$. Specifying `predict ... , nooffset` is equivalent to specifying `predict ... , ir`.

margins

Description for margins

`margins` estimates margins of response for numbers of events, incidence rates, conditional means, probabilities, and linear predictions.

Menu for margins

Statistics > Postestimation

Syntax for margins

```
margins [marginlist] [, options]
```

```
margins [marginlist] , predict(statistic ...) [predict(statistic ...) ...] [options]
```

<i>statistic</i>	Description
<code>n</code>	number of events; the default
<code>ir</code>	incidence rate
<code>cm</code>	conditional mean, $E(y_j y_j > L_j)$, $E(y_j y_j < U_j)$, or $E(y_j L_j < y_j < U_j)$
<code>pr(<i>n</i>)</code>	probability $\Pr(y_j = n)$
<code>pr(<i>a,b</i>)</code>	probability $\Pr(a \leq y_j \leq b)$
<code>cpr(<i>n</i>)</code>	conditional probability $\Pr(y_j = n y_j > L_j)$, $\Pr(y_j = n y_j < U_j)$, or $\Pr(y_j = n L_j < y_j < U_j)$
<code>cpr(<i>a,b</i>)</code>	conditional probability $\Pr(a \leq y_j \leq b y_j > L_j)$, $\Pr(a \leq y_j \leq b y_j < U_j)$, or $\Pr(a \leq y_j \leq b L_j < y_j < U_j)$
<code>xb</code>	linear prediction
<code>stdp</code>	not allowed with <code>margins</code>
<code><u>score</u></code>	not allowed with <code>margins</code>

Statistics not allowed with `margins` are functions of stochastic quantities other than `e(b)`.

For the full syntax, see [R] [margins](#).

Remarks and examples

[stata.com](http://www.stata.com)

► Example 1: Obtaining marginal effects

Continuing with [example 1](#) of [R] [poisson](#), we estimate the effect of having another child on the uncensored number of trips to amusement parks. We use `margins` to estimate the average number of trips when each household has its actual number of children and when each household has one additional child. We include the `post` option so that we can use the results in subsequent commands.

```
. use https://www.stata-press.com/data/r18/trips
(Visits to the ABC amusement park)
. cpoisson trips income children, ul(3)
(output omitted)
```

```
. margins, at(children = generate(children))
>       at(children = generate(children+1)) post
Predictive margins                                     Number of obs = 500
Model VCE: OIM
Expression: Predicted number of events, predict()
1._at: children =   children
2._at: children = children+1
```

	Delta-method				[95% conf. interval]	
	Margin	std. err.	z	P> z		
_at						
1	2.525517	.0836237	30.20	0.000	2.361618	2.689417
2	2.889658	.1337997	21.60	0.000	2.627416	3.151901

An average of 2.53 trips are taken when each household has its observed number of children. If each household has one additional child, then the average number of trips increases to 2.89.

We now use `contrast` to compute the effect of having an additional child. The Wald test, in this case, is superfluous, so we suppress it with the `nowald` option.

```
. contrast r._at, nowald
Contrasts of predictive margins                       Number of obs = 500
Model VCE: OIM
Expression: Predicted number of events, predict()
1._at: children =   children
2._at: children = children+1
```

	Delta-method			[95% conf. interval]
	Contrast	std. err.		
_at				
(2 vs 1)	.3641407	.0849951	.1975535	.530728

Adding one child to each household increases the average by 0.36 trips.

◀

Methods and formulas

Using the notation under *Methods and formulas* of [R] **cpoisson**, we see that the equation-level score is given by

$$\text{score}(\mathbf{x}\beta)_j = d_j \{-\exp(\xi_j) + y_j\} + (1 - d_j) \frac{\Psi_1(L_j|\mathbf{x}_j) - \Psi_1(U_j - 1|\mathbf{x}_j)}{1 - F(U_j - 1|\mathbf{x}_j) + F(L_j|\mathbf{x}_j)}$$

where $\Psi_1(C) = \sum_{k=0}^C f(k|\mathbf{x}_j)\{k - \exp(\xi_j)\}$; $f(y_j|\mathbf{x}_j)$ and $F(y_j|\mathbf{x}_j)$ denote the probability mass function and the cumulative distribution function of the Poisson, respectively. L_j is the left-censoring point found in `e(llopt)`, and U_j is the right-censoring point found in `e(ulopt)`.

Also see

[R] [cpoisson](#) — Censored Poisson regression

[U] [20 Estimation and postestimation commands](#)

Stata, Stata Press, and Mata are registered trademarks of StataCorp LLC. Stata and Stata Press are registered trademarks with the World Intellectual Property Organization of the United Nations. StataNow and NetCourseNow are trademarks of StataCorp LLC. Other brand and product names are registered trademarks or trademarks of their respective companies. Copyright © 1985–2023 StataCorp LLC, College Station, TX, USA. All rights reserved.



For suggested citations, see the FAQ on [citing Stata documentation](#).