

bmagraph msize — Model-size distribution plots after BMA regression

[Description](#)
[Options](#)
[Also see](#)

[Quick start](#)
[Remarks and examples](#)

[Menu](#)
[Methods and formulas](#)

[Syntax](#)
[References](#)

Description

`bmagraph msize` provides a graphical summary for the posterior and prior model-size distributions after the `bmaregress` command.

Quick start

Plot posterior and prior model-size distributions after fitting a Bayesian model averaging (BMA) linear regression

```
bmagraph msize
```

Same as above, but plot the posterior model-size distribution only

```
bmagraph msize, noprior
```

Menu

Statistics > Bayesian model averaging > Model-size distributions

Syntax

```
bmagraph msize [ , options ]
```

<i>options</i>	Description
Main	
<code>constant</code>	include constant term in model-size computations; default is no constant
<code>noprior</code>	suppress prior model-size distribution shown by default
<code>priorlineopts(<i>cline_options</i>)</code>	affect rendition of prior line
<code>anlineopts(<i>cline_options</i>)</code>	affect rendition of analytical posterior line; ignored with random g
<code>frequlineopts(<i>cline_options</i>)</code>	affect rendition of frequency posterior line; ignored with model enumeration
<code>postlineopts(<i>cline_options</i>)</code>	affect rendition of all posterior lines
Line options	
<code>cline_options</code>	affect rendition of all plotted lines
Y axis, X axis, Titles, Legend, Overall	
<code>twoway_options</code>	any options other than <code>by()</code> documented in [G-3] twoway_options

Options

Main

`constant` specifies that the constant term be included in model-size computations. By default, the constant term is not included.

`noprior` specifies that the prior model-size distribution not be shown on the plot. It is shown by default.

`priorlineopts(cline_options)` affects the rendition of the prior line; see [G-3] [cline_options](#).

`anlineopts(cline_options)` affects the rendition of the analytical posterior line; see [G-3] [cline_options](#). This option is ignored for BMA models with a random g .

`freqlineopts(cline_options)` affects the rendition of the frequency posterior line; see [G-3] [cline_options](#). The frequency model-size distribution is plotted whenever sampling is used. This option is ignored with model enumeration.

`postlineopts(cline_options)` affects the rendition of the analytical and frequency posterior lines; see [G-3] [cline_options](#).

Line options

`cline_options` affects the rendition of all plotted lines; see [G-3] [cline_options](#).

Y axis, X axis, Titles, Legend, Overall

`twoway_options` are any of the options documented in [G-3] [twoway_options](#), excluding `by()`. These include options for titling the graph (see [G-3] [title_options](#)) and for saving the graph to disk (see [G-3] [saving_option](#)).

Remarks and examples

[stata.com](http://www.stata.com)

See [Remarks and examples](#) in [BMA] [bmastats msize](#) for a general discussion of a BMA model size.

A model-size distribution is used to explore model complexity. The prior model-size distribution describes our a priori assumption about model size. The posterior model-size distribution describes the effect of the data on the BMA model. For this purpose, we compare the posterior and prior model-size distributions. If the posterior is skewed to the left with respect to the prior, then the data favor smaller models than assumed by the prior. If the posterior is skewed to the right, then the data favor larger models than assumed by the prior.

For the prior model-size distribution, `bmagraph msize` always uses analytical computation. In the case of sampling, it is conditional on the visited models. For the posterior model-size distribution, it plots the analytical distribution for a fixed g and the MCMC frequency-based or simply frequency distribution for a random g and whenever sampling is used.

► Example 1: Model-size distributions for BMA models using enumeration

We consider the performance dataset (Chatterjee and Hadi 2012, sec. 3.3) analyzed in [example 1](#) of [BMA] [bmastats msize](#). In that example, we explored only a few summaries of the model-size distributions. Here we describe the entire distributions.

The rating variable is regressed on all predictors from `complaints` to `advance`. By default, because of the small number of predictors, six, the model space is explored fully by using enumeration.

```

. use https://www.stata-press.com/data/r18/performance
(Data on employee satisfaction with supervisor)
. bmaregress rating complaints-advance

Enumerating models ...
Computing model probabilities ...

Bayesian model averaging
Linear regression
Model enumeration
No. of obs           = 30
No. of predictors    = 6
                    Groups = 6
                    Always = 0
Priors:
Models: Beta-binomial(1, 1)
Cons.: Noninformative
Coef.: Zellner's g
      g: Benchmark, g = 36
      sigma2: Noninformative
No. of models       = 64
For CPMP >= .9     = 10
Mean model size     = 1.699
Shrinkage, g/(1+g) = 0.9730
Mean sigma2        = 52.302
    
```


rating	Mean	Std. dev.	Group	PIP
complaints	.7052859	.1224289	1	.99973
learning	.0603014	.1285281	3	.25249
advance	-.0167921	.073883	6	.13148
privileges	-.0074174	.0488635	2	.10998
raises	.0070789	.0670475	4	.10642
critical	.0009713	.0437848	5	.098534
<hr/>				
Always				
_cons	14.8472	7.874219	0	1

Note: Coefficient posterior means and std. dev. estimated from 64 models.
 Note: Default priors are used for models and parameter g.

There is a total of $2^6 = 64$ models in the fully explored model space. Let's use `bmagraph msize` to draw the posterior and prior model-size distributions.

```

. bmagraph msize
note: frequency posterior model-size distribution not available.
    
```



The reported model size does not include the constant, so its range is between 0 and 6. You may include the constant by specifying the `constant` option. By default, an uninformative uniform prior is assumed for the model size. The posterior model-size distribution is skewed to the left. Its mode is 1, so the posterior favors smaller models.

A frequency-based posterior estimate of the model-size distribution is not available in this example because there is no MCMC sample with model enumeration.



▷ **Example 2: Model-size distributions for BMA models using MCMC model composition (MC3) sampling**

Continuing with [example 1](#), we fit the same BMA model, but this time we use the MC3 sampling algorithm by specifying the `sampling` option. We also specify the `rseed()` option for reproducibility.

```
. bmaregress rating complaints-advance, sampling rseed(18)
Burn-in ...
Simulation ...
Computing model probabilities ...
Bayesian model averaging          No. of obs          = 30
Linear regression                 No. of predictors   = 6
MC3 sampling                      Groups              = 6
                                   Always                 = 0
                                   No. of models       = 32
                                   For CPMP >= .9      = 10
Priors:                           Mean model size    = 1.699
  Models: Beta-binomial(1, 1)      Burn-in            = 2,500
  Cons.: Noninformative           MCMC sample size   = 10,000
  Coef.: Zellner's g              Acceptance rate     = 0.2417
    g: Benchmark, g = 36          Shrinkage, g/(1+g) = 0.9730
    sigma2: Noninformative        Mean sigma2        = 52.292
Sampling correlation = 0.9990
```


rating	Mean	Std. dev.	Group	PIP
complaints	.705479	.1218881	1	1
learning	.0601919	.1282869	3	.25234
advance	-.0167514	.0737415	6	.13141
privileges	-.0074265	.048844	2	.10996
raises	.0069949	.0666406	4	.10629
critical	.0009699	.0437742	5	.098526
Always				
_cons	14.84478	7.871046	0	1

Note: Coefficient posterior means and std. dev. estimated from 32 models.

Note: Default priors are used for models and parameter *g*.

Instead of enumerating models (fully exploring the space), `bmaregress` explored only half the model space. It visited 32 out of the total 64 models. We inspect the effect of this on the prior and posterior model-size distributions.

```
. bmagraph msize
```



Although we used the same model prior as in [example 1](#), the prior model-size distribution looks different. This is because our explored model space now contains 32 models instead of all 64, and the prior model-size distribution is conditional on the visited models.

The model of size 1, the one that includes `complaints`, has the highest posterior probability of about 0.56.

With a fixed g when we fit a BMA model using MC3 sampling, in addition to the analytical model-size distribution, the frequency posterior model-size distribution is available. Provided that the model-space sampling converges, the analytical and frequency distributions should be close. In our example, the analytical and frequency model-size distributions are nearly identical.

▷ Example 3: Model-size distributions for BMA models with random g

Both [example 1](#) and [example 2](#) used a fixed g . Let's explore the case of a random g . (An in-depth coverage of the effects of the g -prior on model complexity can be found in, for example, [Ley and Steel \[2012\]](#).)

To demonstrate, we will use a robust prior for g .

```
. bmargin rating complaints-advance, gprior(robust) rseed(18)
Burn-in ...
Simulation ...
Computing model probabilities ...
Bayesian model averaging                No. of obs      =    30
Linear regression                       No. of predictors =     6
MC3 and adaptive MH sampling            Groups         =     6
                                         Always         =     0
                                         No. of models  =    34
                                         For CPMP >= .9 =    12
                                         Mean model size =  1.734
Priors:                                  Burn-in        =  2,500
Models: Beta-binomial(1, 1)              MCMC sample size = 10,000
Cons.: Noninformative                   Acceptance rate =  0.4232
Coef.: Zellner's g
g: Robust
sigma2: Noninformative                   Mean sigma2     = 53.095
Sampling correlation = 0.9994
```

rating	Mean	Std. dev.	Group	PIP
complaints	.7000463	.1273543	1	.9998
learning	.0594904	.1286095	3	.25
advance	-.0192712	.0797935	6	.1503
raises	.0079416	.0727859	4	.1201
privileges	-.0072591	.0487009	2	.1069
critical	.0014397	.0466476	5	.1067
Always				
_cons	15.24911	7.988166	0	1


Note: Coefficient posterior means and std. dev. estimated from 34 models.

Note: Default prior is used for models.

	Mean	Std. dev.	MCSE	Median	Equal-tailed [95% cred. interval]	
g	152.668	1968.132	43.5265	33.81024	8.205076	610.6026
Shrinkage	.9656427	.0276071	.001234	.9712728	.8913639	.9983649

`bmaregress` now uses MC3 sampling for the models and adaptive Metropolis–Hastings sampling for g .

```
. bmagraph msize
note: analytical posterior model-size distribution not available.
```



◀

The analytical posterior model-size distribution is not available with a random g . The frequency posterior model-size distribution is similar to that in [example 2](#) for fixed $g = 36$. Particularly, the null model was not visited by the MC3 sampler, and models of size 1 and 2 have the highest posterior probabilities (both above 0.2), but the mode of the posterior distribution here is 1.

Methods and formulas

See [Methods and formulas](#) in [\[BMA\] bmastats msize](#).

References

- Chatterjee, S., and A. S. Hadi. 2012. *Regression Analysis by Example*. 5th ed. New York: Wiley.
- Ley, E., and M. F. J. Steel. 2012. Mixtures of g -priors for Bayesian model averaging with economic applications. *Journal of Econometrics* 171: 251–266. <https://doi.org/10.1016/j.jeconom.2012.06.009>.

Also see

- [\[BMA\] bmastats msize](#) — Model-size summary after BMA regression
- [\[BMA\] bmagraph](#) — Graphical summary for models and predictors after BMA regression
- [\[BMA\] bmaregress](#) — Bayesian model averaging for linear regression
- [\[BMA\] BMA postestimation](#) — Postestimation tools for Bayesian model averaging
- [\[BMA\] Glossary](#)

Stata, Stata Press, and Mata are registered trademarks of StataCorp LLC. Stata and Stata Press are registered trademarks with the World Intellectual Property Organization of the United Nations. Other brand and product names are registered trademarks or trademarks of their respective companies. Copyright © 1985–2023 StataCorp LLC, College Station, TX, USA. All rights reserved.

