

count — Count observations satisfying specified conditions

[Description](#)

[Quick start](#)

[Menu](#)

[Syntax](#)

[Remarks and examples](#)

[Stored results](#)

[References](#)

[Also see](#)

Description

`count` counts the number of observations that satisfy the specified conditions. If no conditions are specified, `count` displays the number of observations in the data.

Quick start

Count the number of observations

```
count
```

Same as above, but where `catvar` equals 3

```
count if catvar==3
```

Count observations for each value of `catvar`

```
by catvar: count
```

Menu

Data > Data utilities > Count observations satisfying condition

Syntax

```
count [if] [in]
```

`by` and `collect` are allowed; see [\[U\] 11.1.10 Prefix commands](#).

Remarks and examples

stata.com

`count` may strike you as an almost useless command, but it can be one of Stata's handiest.

▶ Example 1

How many times have you obtained a statistical result and then asked yourself how it was possible? You think a moment and then mutter aloud, "Wait a minute. Is income ever *negative* in these data?" or "Is sex ever equal to 3?" `count` can quickly answer those questions:

```
. use https://www.stata-press.com/data/r18/countxmpl
(1980 Census data by state)
. count
    641
. count if income<0
```

```
0
. count if sex==3
1
. by division: count if sex==3

-----
-> division = New England
0

-----
-> division = Mountain
0

-----
-> division = Pacific
1
```

We have 641 observations. `income` is never negative. `sex`, however, takes on the value 3 once. When we decompose the count by `division`, we see that it takes on that odd value in the Pacific division.

◀

Stored results

`count` stores the following in `r()`:

```
Scalars
  r(N)      number of observations
```

References

- Cox, N. J. 2007a. [Speaking Stata: Counting groups, especially panels](#). *Stata Journal* 7: 571–581.
- . 2007b. [Speaking Stata: Making it count](#). *Stata Journal* 7: 117–130.
- . 2007c. [Stata tip 51: Events in intervals](#). *Stata Journal* 7: 440–443.

Also see

[\[R\] tabulate oneway](#) — One-way table of frequencies

Stata, Stata Press, and Mata are registered trademarks of StataCorp LLC. Stata and Stata Press are registered trademarks with the World Intellectual Property Organization of the United Nations. Other brand and product names are registered trademarks or trademarks of their respective companies. Copyright © 1985–2023 StataCorp LLC, College Station, TX, USA. All rights reserved.

