

[Contents](#)[Also see](#)

## Contents

[M-5] Manual entry	Function	Purpose
<b>Argument and caller-preference processing</b>		
<b>args()</b>	args()	number of arguments
<b>isfleeting()</b>	isfleeting()	whether argument is temporary
<b>callersversion()</b>	callersversion()	obtain version number of caller
<b>favorspeed()</b>	favorspeed()	whether speed or space is to be favored
<b>Advanced parsing</b>		
<b>tokenget()</b>	tokeninit() tokeninitstata() tokenset() tokengetall() tokenget() tokenpeek() tokenrest() tokenoffset() tokenwchars() tokenpchars() tokenqchars() tokenallownum() tokenallowhex()	initialize parsing environment initialize environment as Stata would set/reset string to be parsed parse entire string parse next element of string peek at next tokenget() result return yet-to-be-parsed portion query/reset offset in string query/reset whitespace characters query/reset parsing characters query/reset quote characters query/reset number parsing query/reset hex-number parsing
<b>Accessing externals</b>		
<b>findexternal()</b>	findexternal() crexternal() rmexternal() nameexternal()	find global create global remove global name of external
<b>direxternal()</b>	direxternal()	obtain list of existing globals
<b>valofexternal()</b>	valofexternal()	obtain value of global

### Break key

<b>setbreakintr()</b>	<code>setbreakintr()</code> <code>querybreakintr()</code> <code>breakkey()</code> <code>breakkeyreset()</code>	turn off/on break-key interrupt whether break-key interrupt is off/on whether break key has been pressed reset break key
-----------------------	---	---

### Associative arrays

<b>asarray()</b>	<code>asarray()</code> <code>asarray_*</code>	store or retrieve element in array utility routines
<b>AssociativeArray()</b>	<code>A.put()</code> <code>A.get()</code> etc.	class interface into <code>asarray()</code> store element get element
<b>hash1()</b>	<code>hash1()</code>	Jenkins's one-at-a-time hash

### Miscellaneous

<b>assert()</b>	<code>assert()</code> <code>asserteq()</code>	abort execution if not true abort execution if not equal
<b>c()</b>	<code>c()</code>	access <code>c()</code> value
<b>sizeof()</b>	<code>sizeof()</code>	number of bytes consumed by object
<b>swap()</b>	<code>swap()</code>	interchange contents of variables

### System info

<b>byteorder()</b>	<code>byteorder()</code>	byte order used by computer
<b>stataversion()</b>	<code>stataversion()</code> <code>statasetversion()</code>	version of Stata being used version of Stata set

### Exiting

<b>exit()</b>	<code>exit()</code>	terminate execution
<b>error()</b>	<code>error()</code> <code>_error()</code>	issue standard Stata error message issue error message with traceback log

---

## Also see

[M-4] **Intro** — Categorical guide to Mata functions

Stata, Stata Press, and Mata are registered trademarks of StataCorp LLC. Stata and Stata Press are registered trademarks with the World Intellectual Property Organization of the United Nations. StataNow and NetCourseNow are trademarks of StataCorp LLC. Other brand and product names are registered trademarks or trademarks of their respective companies. Copyright © 1985–2023 StataCorp LLC, College Station, TX, USA. All rights reserved.



For suggested citations, see the FAQ on [citing Stata documentation](#).