

Subject index

A

abbreviations 9
ado-files 642
aggregate data, binary outcome models
..... 473
AIC ... see Akaike information criterion
Akaike information criterion 346
 count-data example 584, 591
AME see marginal effects, average
 marginal effect
append command 56
areg command 253
arithmetic operators 9
asclogit command 491
asmprobit command 505
average marginal effect ... see marginal
 effects

B

batch mode for Stata 11
Bayesian information criterion 346
 count-data example 584, 591
BIC see Bayesian information
 criterion
binary outcome models 445–475
 Bernoulli trial 445
 binomial regression 445
 classification test 459
 coefficient interpretation 451
 complementary log-log model . 446
 endogenous regressors 465
 generalized logit model 454
 goodness-of-fit measures 457
 goodness-of-fit test 458
 grouped-data analysis 472
 heteroskedastic probit model .. 455

binary outcome models, *continued*

 hypothesis tests 452
 instrumental-variables probit .. 466
 latent-variable model 447
 linear probability model .. 446, 448
 logit model 446, 450
 marginal effects 462
 maximum likelihood estimation ...
 447
 model comparison 451, 456
 panel-data estimators 607
 predicted outcome 459
 predicted probabilities 460
 probit model 446
 pseudo- R^2 457
 robust variance estimation 448
 specification analysis 454
 two-stage least squares 471
biprobit command 515
bootstrap command 424
bootstrap methods 415–443
 asymptotic refinement ... 416, 431
 asymptotically pivotal statistic ...
 431
 BCa confidence interval ... 422, 431
 bias estimation 423
 bias-corrected confidence interval ..
 422
 bootstrap pairs 417
 bootstrap- t method 431
 case bootstrap 418
 clustered bootstrap 420
 confidence-intervals example .. 423
 Hausman test 429
 jackknife 441
 misuse of bootstrap 416
 nonparametric bootstrap 418

- bootstrap methods, *continued*
 - normal-based confidence interval 421
 - number of bootstraps 419
 - paired bootstrap 418
 - parametric bootstrap 438
 - percentile-*t* confidence interval 422, 433
 - percentile-*t* method 431
 - percentile-*t* Wald test 432
 - quantile regression variance matrix 208
 - residual bootstrap 439
 - standard-error estimation 415, 418
 - subsampling 441
 - two-step estimator 427
 - variance of standard error 426
 - wild bootstrap 440
- boxcox command 95
- bsample command 434
- bsqreg command 208
- by prefix command 47
- bysort prefix command 47
- C**
- capture command 638
- case sensitivity 9
- cd command 11
- censored data see tobit model
- centile command 209
- chi-squared goodness-of-fit test see specification tests
- cii command 407
- clad command 530
- clear command 21, 32
- clogit command 491
- cloglog command 448
- clustered data 306–311
- cluster-robust variance matrix 82, 328
- coefficient interpretation
 - in marginal effects 334
 - in multinomial outcome models 486, 493
- coefficient interpretation, *continued*
 - in single-index models 336
- comma-separated values data 30, 35
- comments in Stata commands 13
- condivreg command 197
- confidence intervals
 - asymmetric confidence interval 398
 - bootstrap confidence intervals 421
 - bootstrap confidence-intervals example 423
 - percentile-*t* confidence interval 433
 - Wald confidence-interval definition 396, 397
 - Wald confidence-interval example 398
- constraint command 87, 162
- constraints() option 87
- continue command 24
- correlate command 84, 246
- count-data models 553–599
 - comparison of four distributions 575
 - endogenous regressors 591
 - equidispersion 554
 - excess zeros 570
 - finite-mixture model 575
 - fitted probabilities 565, 580
 - frequency distribution 557
 - generalized negative binomial regression 567
 - goodness of fit 565
 - hurdle model 569
 - interpretation of coefficients 562
 - main features of count data 553
 - marginal effects 562, 564, 573, 580, 587
 - model selection 584, 590
 - NB1 model 555
 - NB2 model 555
 - negative binomial (NB) model 555, 562
 - nonlinear least squares 568

- count-data models, *continued*
 - overdispersion.....555
 - overfitting.....585
 - panel-data estimators.....619
 - Poisson model.....315, 554
 - quantile regression.....220
 - robust variance estimation for Poisson.....560
 - test of endogeneity.....595
 - test of overdispersion.....561
 - two-part model.....569
 - unobserved heterogeneity.....555
 - zero-inflated models.....585
 - zero-truncated models.....572
- countfit** command.....565, 590
- creturn** command.....15
- critical values
 - chi-squared compared with F ..386
 - computation of.....388
 - standard normal compared with t386
- D**
 - data-generating process.....113
 - data management.....29–57
 - appending datasets.....56
 - common pitfalls.....38
 - data transformations.....45
 - data types.....29
 - demeaned variables.....50
 - dictionary file.....37
 - imputing missing values.....45
 - indicator variables.....47
 - inputting data.....32
 - interaction variables.....49
 - labeling variables.....41
 - long form.....54
 - merging datasets.....54
 - missing values.....43
 - naming variables.....41
 - ordering data.....53
 - preserving and restoring data...53
 - PSID example.....38
 - saving data.....51
 - selecting sample.....51
 - data management, *continued*
 - special data formats.....35
 - wide form.....54
 - dataset description
 - fishing-mode multinomial data....480
 - HRS private health insurance..449
 - MEPS 2001 ambulatory
 - expenditures.....524
 - MEPS 2002 doctor visits.....314
 - MEPS 2003 doctor visits.....557
 - MEPS emergency room visits..586
 - MEPS drug expenditures..158, 178
 - MEPS medical expenditures....71
 - NHANES II survey design data..164
 - PSID earnings example.....38
 - PSID panel wage data.....234
 - Rand Health Insurance
 - Experiment.....604
 - U.S. state panel cigarette data....265
 - Vietnam clustered village data....306
- delimit** command.....14
- describe** command.....72
- descriptive statistics.....73–79
- destring** command.....31
- do** command.....11
- do-file.....10
- drawnorm** command.....129
- drop** command.....52
- E**
 - e-class commands.....17, 427, 640
 - egen** command.....46
 - elasticities
 - in linear regression model.....102
 - in nonlinear models.....335, 340
 - endogeneity test.....see specification tests
 - endogenous regressors.....*also see* instrumental variables
 - binary outcome model.....465
 - definition.....172
 - dynamic panel-data model....289

- endogenous regressors, *continued*
- fixed-effects model.....231, 251
 - Hausman test.....412, 429
 - Hausman–Taylor model.....284
 - in count-data models.....591
 - in tobit model.....530
 - instrumental-variables regression..
 -174
 - nonlinear instrumental-variables
 - regression.....379
 - panel instrumental variables...282
 - simulation example.....142
 - tobit model.....530
- ereturn** command.....637
- ereturn display** command.....111
- ereturn list** command.....17
- error messages.....10, 644
- estadd** command.....89
- estat abond** command.....294
- estat alternatives** command...494
- estat bootstrap** command.....422
- estat classification** command..459
- estat commands**.....403
- estat correlation** command.....507
- estat covariance** command.....507
- estat endogenous** command..183, 185
- estat firststage** command.....191
- estat gof** command.....412, 458
- estat hettest** command.....96, 153
- estat ic** command.....347
- estat imtest** command.....97, 412
- estat mfx** command.....494, 507
- estat override** command.....412
- estat ovtest** command.....95
- estat sargan** command.....295
- estat vce** command.....391
- estimates drop** command.....90
- estimates stats** command.....87
- estimates store** command.....87
- estimates table** command.....87
- estimation commands
 - summary of linear panel
 - commands.....234
 - summary of multinomial
 - commands.....480
- estimation commands, *continued*
- summary of nonlinear panel
 - commands.....604
 - summary of Stata commands..313
- estout** command.....90
- eststo** command.....90
- esttab** command.....89
- F**
- findit** command.....5
- finite-mixture model...see count-data models
- fixed effects.....see panel data
- floating-point data.....30
- fmm** command.....578
- foreach** command.....23, 343, 536
- formats to display data.....31
- forvalues** command.....23, 125, 246
- fsun** command.....75
- G**
- generalized least squares.....147–163
 - cluster–robust variance matrix....
 -149
 - efficient estimation.....148
 - feasible GLS estimation.....147
 - FGLS heteroskedastic errors exam-
 - ple.....154
 - FGLS systems example.....158
 - GLS estimation.....147
 - heteroskedastic errors example...
 -150
 - robust variance matrix.....149
 - seemingly unrelated regressions...
 -156
 - weighted LS estimator...149, 156
 - working matrix.....149
- generalized linear models
 - definition.....321
 - Poisson example.....322
- generalized method of moments
 - count-data example.....596
 - nonlinear example.....379, 380
 - panel Arellano–Bond estimator...
 -289

- generate** command 46
gettoken command 641
 Gibbs sampler 131
 GLM see generalized linear models
glm command 321
global command 19
 global macros 19, 21
glogit command 475
gnbreg command 568
gologit command 514
 goodness-of-fit measures 345
graph box command 60
graph combine command .. 59, 78, 152
graph export command 59
graph matrix command 67
graph save command 58
graph twoway command 57
 graphs 57–68
 binary outcome plot 460
 box-and-whisker plot 60
 combining graphs 59, 152
 graph formats 59
 graphing commands 57
 histogram 61
 kernel density plot 62, 78
 line plot 64
 multiple scatterplots 67
 nonparametric regression 65
 outlier detection 92
 panel-data plots 241
 plotting known density 386
 residual plots 91, 152
 scatterplot 64
 Stata Graph Editor 59
 grouped data, binary outcome models
 472
grqreg command 215
- H**
- hausman** command 183, 260, 413
 Hausman test see specification tests
heckman command 543
help command 3
help mata command 649
hetprob command 455
 hierarchical models 310
histogram command 61
hnblogit command 573
hplogit command 571
hsearch command 5
 hurdle model see count-data models
 hypothesis tests 385–414
 auxiliary regression computation ..
 403
 binary outcome models 452
 bootstrap methods 415
 chi-squared compared with F
 386, 389
 computation of p -values 388
 computation of critical values .. 388
 delta method 395
 invariance under transformation ..
 399
 Lagrange multiplier statistic defini-
 tion 402
 Lagrange multiplier test example ..
 97, 454
 likelihood-ratio statistic definition
 399
 likelihood-ratio statistic direct
 computation 402
 likelihood-ratio statistic example ..
 401
 linear hypotheses 389
 linear regression model 86
 nonlinear hypotheses 395
 one-sided tests 394
 percentile- t Wald test 432
 power definition 407
 power in more than one direction
 98
 power using noncentral chi-squared
 410
 power using simulation ... 140, 408
 score test 402
 size definition 406
 size using simulation 139
 standard normal compared with t
 386, 389

- hypothesis tests, *continued*
- test of cross-equation restrictions ..
..... 161
 - test of heteroskedasticity 152,
213
 - Wald statistic definition .. 391, 395
 - Wald statistic examples .. 392, 395
- I**
- `idcluster()` option 421
- `if` qualifier 6
- `in` qualifier 6
- indicator variables 47
- `infile` command 36
- `infix` command 36
- influential observations 92
- information matrix test *see*
specification tests
- `input` command 34
- `insheet` command 35
- instrumental variables 171–204
- 2SLS example 180
 - 3SLS example 202
 - basic theory 171
 - bias due to weak instruments .. 190
 - binary outcome model 465
 - diagnostics for weak instruments ..
..... 189
 - finite-sample properties 188
 - first-stage F statistic 190, 193
 - first-stage equation 173
 - generalized method of moments
(GMM) estimator 175
 - Hansen test 185
 - in binary outcome models 471
 - in count-data models 591
 - inconsistency of OLS 172
 - IV estimator 174
 - jackknife IV (JIVE) estimator .. 199,
200
 - just-identified model 174, 180,
191
 - limited-information ML (LIML) es-
timator 199,
200
- instrumental variables, *continued*
- optimal GMM estimator .. 175, 177
 - optimal GMM example 181
 - overidentified model 174, 181,
193
 - panel Arellano–Bond estimator ...
..... 287
 - panel Hausman–Taylor estimator ..
..... 284
 - panel IV estimator 281
 - partial R^2 190, 193
 - robust variance matrix 176
 - Sargan test 185
 - simple example 173
 - size distortion due to weak instru-
ments 191
 - structural equation 173
 - test of endogeneity 182
 - test of overidentifying restrictions
..... 185
 - test of weak instruments .. 190, 193
 - three-stage least-squares (3SLS) es-
timator 201
 - two-stage least-squares (2SLS) esti-
mator 174, 177,
289
 - underidentified model 174
 - valid instruments 175
 - weak instruments ... 175, 188, 197
- interaction variables 49
- interactive use of Mata 648
- interactive use of Stata 1
- intraclass correlation 247
- `intreg` command 530
- `invnormal()` function 116
- `ipshin` command 273
- `iqreg` command 208
- iterative methods 351–384
- checking analytical derivatives
..... 366
 - checking program 364
 - generalized method-of-moments
example in Mata 381
 - gradient methods 356

- iterative methods, *continued*
 linear program simplex method ...
 207
 Mata example..... 353
 Mata optimization 376
 maximization options 355
 messages during iterations 357
 ml method d0 373
 ml method d1 374
 ml method d2 375
 ml method lf 360
 multicollinearity 367
 multiple optimums 357, 368
 Newton–Raphson algorithm... 352
 Newton–Raphson example in Mata
 353
 NLIV example in Mata 381
 NLS example 363
 numerical derivatives..... 358
 optimize() method d2 382
 optimize() method v2 377
 Poisson example in Mata..... 377
 Poisson gradient and Hessian. 352
 robust estimate of the VCE.... 374
 single-index model example ... 361
 stopping criteria 357
 two-index model example 362
ivprobit command 467
ivreg2 command 200, 203
ivregress command 177, 471
ivtobit command 530
- J**
jackknife
 IV estimator 199
 definition 441
jackknife command 442
jive command 200
- K**
kdensity command 62, 78
keep command 52
kernreg command 66
- knnreg command 66
lpoly command 66
kurtosis measure 74
- L**
label command 41
Lagrange multiplier test see
 hypothesis tests
latent-class model ... see finite-mixture
 model
LEF see linear exponential family
levinlin command 273
likelihood-ratio test see hypothesis
 tests
lincom command 396
linear exponential family
 definition 321
 examples 316
 Poisson example 321
linear regression model 79–112
 basic theory 79
 Box–Cox transformation 94
 cluster–robust variance matrix. .82
 endogenous regressors 142, 171
 feasible GLS estimation 147
 FGLS heteroskedastic errors exam-
 ple 154
 FGLS system of equations example
 158
 GLS estimation 147
 hypothesis tests 78, 86
 influential observations 92
 information matrix test 97
 instrumental variables 171
 linear constraints 162
 linear versus log regression 83
 marginal effects 102
 measurement-error example ... 142
 omnibus test 97
 panel-data basics 229
 panel-data extensions 281
 prediction 100
 prediction in logs 103
 quantile regression 205
 regression in logs 83

- linear regression model, *continued*
- residual analysis.....91
 - retransformation problem.....103
 - robust variance matrix.....82
 - sampling weights.....105
 - simulations to verify properties...
.....135
 - specification analysis.....90
 - survey data.....167
 - test interpretation.....98
 - test of heteroskedasticity..96, 152
 - test of normality.....97
 - test of omitted variables.....94
 - three-stage least squares.....201
 - two-stage least squares.....174
 - using Mata.....109
 - variance matrix estimation.....82
 - weighted marginal effects.....109
 - weighted prediction.....109
 - weighted regression..106, 107, 167
- linktest** command.....96
- list** command.....34, 42
- local** command.....20
- local macros.....20, 21, 24, 639, 642
- log** command.....12
- log file.....12
- logical operators.....9
- logistic** command.....448
- logit** command.....448
- logit model.....see binary outcome models
- lognormal data
- linear regression model.....83
 - tobit model.....531
- long command lines.....13
- long-form data.....274, 277, 489
- longitudinal data.....see panel data
- looping commands
- foreach**.....23
 - forvalues**.....23
 - while**.....24
- lowess** command.....66
- lrtest** command.....401
- M**
- macros
- compared with scalars.....21
 - global.....19
 - local.....20
- margeff** command.....339, 464
- mf** command.....463
- marginal effects.....333–345
- average marginal effect.....339
 - binary outcome models.....462
 - calculus method.....334
 - comparison of calculus and finite-differences method.....338
 - count-data models.....562
 - elasticities.....335, 340
 - finite-differences method.....334
 - in linear regression model.....102
 - in multinomial outcome models...
.....488, 494
 - in panel logit model.....616
 - interacted regressors.....344
 - log model.....84
 - marginal effect at representative value.....338
 - marginal effect at the mean...337
 - polynomial regressors.....343
 - summary.....334
 - weighted.....109
- Mata.....647–660
- ado-files using Mata.....660
 - colon operators.....652
 - combining matrices.....655
 - commands in Mata.....647
 - commands in Stata.....648
 - declaration of program arguments.....658
 - element-by-element operators..652
 - generalized method of moments example.....381
 - Gibbs sampler example.....131
 - help** command.....649
 - identity matrix.....650
 - matrix cross products.....655
 - matrix functions.....653
 - matrix input.....649

- Mata, continued*
- matrix inversion 654
 - matrix of constants 650
 - matrix operators 652
 - matrix subscripts 655
 - Newton–Raphson iterative
 - example 353
 - Newton–Raphson Poisson
 - example 353
 - OLS regression example 109
 - optimization in Mata 376
 - overview 647
 - Poisson example 377
 - program example 658
 - programming in Mata 658
 - Stata commands in Mata 648
 - Stata interface functions 652
 - Stata matrix from Mata matrix...
 - 657
 - Stata variables from Mata matrix
 - 657
- mata** command 647
- matrices in Mata *see* Mata
- matrices in Stata 631–637
- combining matrices 634
 - matrix cross products 635
 - matrix functions 634
 - matrix input 631
 - matrix operators 634
 - matrix subscripts 633
 - OLS example 636
 - overview 631
- matrix accum** command 635
- matrix algebra definitions 80
- matrix** command 15, 631
- matrix define** command 631
- matrix rownames** command 632
- matrix vecaccum** command 635
- maximization options *see* iterative methods
- maximum likelihood estimator (MLE)
- definition 316
 - misspecified density 316
 - pseudo-MLE 316
 - quasi-MLE 316
- mean** command 137
- MEM *see* marginal effects, marginal effect at the mean
- MER *see* marginal effects, marginal effect at representative value
- merge** command 54
- mf** command 102, 337
- missing-value codes 43
- missing-values imputation 45
- mixed linear models *see* panel data
- mixlogit** command 508
- ml check** command 361, 365
- ml maximize** command 360
- ml model** command 360, 371
- ml search** command 362
- ml trace** command 365
- ml eval** command 372, 373
- mlmatbysum** command 376
- mlmatsum** command 372, 376
- mlogit** command 484
- mlsum** command 372, 373
- mlvecsum** command 372, 374
- model comparison 346
- model diagnostics 345–348
- moment-based tests 411
- Monte Carlo methods... *see* simulation
- mprobit** command 503
- multicollinearity 367
- multinomial outcome models .. 477–519
- additive random-utility model
 - (ARUM) 479, 496
 - alternative-specific regressors
 - 479, 481, 483
 - basic theory 477
 - bivariate probit model 515
 - case-specific regressors... 479, 481, 483, 490
 - coefficient interpretation.. 486, 493
 - conditional logit model 489
 - conditional versus multinomial
 - logit 493
 - GHK simulator 504
 - independence of irrelevant alternatives 497

multinomial outcome models, *continued*
 marginal effects 478, 488, 494,
 501, 507, 513
 maximum likelihood estimator . . .
 478
 model comparison 502
 multinomial logit model 484
 multinomial probit model 503
 multinomial regression 477
 multivariate outcomes 514
 nested logit model 496
 ordered logit model 512
 ordered outcome models 510
 ordered probit model 512
 predicted probabilities . . . 487, 494,
 501, 507, 513, 517
 prediction for new alternative . . 494
 probabilities 478
 random-parameters logit 508
 simulated maximum likelihood es-
 timator 504
 Stata commands summary 480

N

nbreg command 563
nl command 319
nlcom command 397
nlogit command 499
nlogitgen command 498
nlogittree command 499
nlsur command 517
 nonlinear instrumental variables . . 380
 count-data example 596
 nonlinear least-squares estimator
 definition 319
 example 320
 nonlinear regression 314–329
 nonlinear seemingly unrelated
 equations 517
 nonparametric methods
 kernel density estimation 62
 kernel regression 66
 local polynomial regression 66
 lowess regression 66
 nearest-neighbor regression 66

O

ologit command 512
 operators 9
oprobit command 514
optimize() Mata function 376
order command 53
outfile command 51
outsheet command 51
outsum command 75
 overidentifying restrictions test see
 specification tests

P

panel data . . 229–279, 281–305, 601–629
 Arellano–Bond estimator 287
 between estimator 254
 between variation 258, 606
 binary outcome models . . . 607, 617
 cluster–robust inference 233
 cointegration 273
 command summary 234
 comparison of estimators 257
 count-data models 619
 dynamic model 287, 298
 endogeneity 231, 607
 exogeneity 264
 first-difference estimator . . 263, 265
 first-difference model 288
 fixed versus random effects . . . 259
 fixed-effects estimator . . . 251, 613,
 624
 fixed-effects model . . 231, 251, 602
 generalized estimating equations . .
 603
 generalized method-of-moments es-
 timator 289
 Hausman test 260, 261
 Hausman–Taylor estimator . . 284,
 287
 individual-effects model . . 231, 251,
 271, 298
 individual-invariant regressor
 230, 239, 254
 instrumental-variables estimator . .
 281, 284, 288

- panel data, *continued*
- least-squares dummy-variable estimator 253
 - linear Stata commands summary ..
..... 234
 - logit model 609
 - long panel 230, 265, 273
 - management of data 274, 277
 - marginal effects 616
 - mixed linear models 233, 298,
305
 - mixed nonlinear model 616
 - multiplicative-effects model ... 601
 - negative binomial model 627
 - nonlinear models overview 601
 - nonlinear Stata commands
summary 604
 - Poisson model 619
 - pooled estimator 244, 245, 248,
250, 266, 270, 608, 620
 - pooled model 232, 248, 602
 - population-averaged estimator
..... 610, 621
 - population-averaged model ... 232,
249, 603
 - prediction 262, 616
 - R^2 258
 - random-coefficients estimator . 303
 - random-coefficients model ... 233,
303, 602
 - random-effects estimator 255,
257, 612, 622
 - random-effects model 232, 255,
300, 602, 617
 - random-intercept model 300
 - short panel 229, 287, 601
 - spatial correlation 268
 - summary of data 234, 247
 - time-invariant regressor . 230, 239,
244, 245, 251, 252, 257, 259,
264, 283, 284, 287, 292
 - time-series autocorrelations ... 245,
247
 - time-series plots 241
- panel data, *continued*
- two-stage least-squares estimator ..
..... 289
 - two-way-effects model ... 232, 266,
304, 305
 - unbalanced panel ... 230, 237, 258,
606
 - unit roots 273
 - variance components 257
 - within estimator ... *see* panel data,
fixed-effects estimator
 - within scatterplot 243
 - within variation 238, 240, 258,
606
- percentiles 74
- poisson** command 317, 559
- Poisson model .. *see* count-data models
- post** command 124
- postclose** command 124
- postestimation commands summary ...
..... 318
- postfile** command 124, 145
- prchange** command 464
- prcounts** command 588
- predict** command 100, 262, 329
- prediction 329–333
- at specified regressor value 332
 - binary outcome models 460
 - in count-data models 567
 - in levels from log model . 103, 548,
549
 - in linear panel-data model 262
 - in linear regression model 100
 - in panel logit model 616
 - of multinomial model probabilities
..... 487
 - out of sample 331
 - summary 329
 - weighted 109
- predictnl** command 330
- preserve** command . 53, 105, 332, 342
- probit** command 448
- probit model *see* binary outcome
models

- program define** command..... 637
program drop command..... 638
programs 637–645
 bootstrap example.. 427, 432, 435,
 436
 central limit theorem example.. 122
 checking 364
 checking parameter estimates.. 369
 checking standard-error estimates..
 370
 debugging..... 643
 in Mata..... 658
 Monte Carlo integration example..
 134
 named positional arguments... 639
 OLS with chi-squared errors... 135
 overview 637
 parsing syntax 641
 positional arguments..... 639
 r-class example..... 640
 temporary variables..... 639
prvalue command..... 462, 567
pseudo- R^2 345, 457
***p*-values**
 bootstrap 432
 chi-squared compared with F . 386
 computation of..... 388
 standard normal compared with t
 386
pwcorr command..... 85
- Q**
qcount command..... 222
qplot command..... 209
qreg command 208
 quadrature methods..... 133, 503, 611
 quantile regression 205–228
 bootstrap robust variance matrix..
 208
 coefficient comparison across quan-
 tiles 215
 coefficient interpretation 210
 computation 207
 conditional quantiles 205
 data example 209
- quantile regression, *continued*
 definition of quantiles 205
 for count data..... 220
 generated data example..... 216
 loss functions 206
 marginal effects 211
 QR estimator..... 207
 retransformation 211
 test of equality 214
 test of heteroskedasticity 213
 variance matrix estimation.... 207
query command..... 15
- R**
 R^2 345
 random effects see panel data
 random-number generation..... see
 simulation
rbeta() function..... 118
rbinomial() function 118
rchi2() function 117
 r-class commands 16, 122, 640
recode command..... 47
reformat command 90
reg3 command 202
regress command 7, 17, 85
 relational operators 9
rename command..... 41
replace command..... 43, 46
reshape command... 54, 274, 277, 489
 residuals
 definitions of various residuals
 347
 residual plots..... 91
restore command... 53, 105, 332, 342
 return code 10, 645
return command..... 136
return list command 16
rgamma() function 118, 555
_rmcoll command..... 368
rnbinomial() function 120, 556
rnormal() function..... 116
 robust variance matrix 82, 326
rpoisson() function..... 118, 554, 555
rt() function..... 117

- runiform()** function 114
rvfplot command 91
- S**
 sample-selection model....see selection model
 sampling weights in linear regression model 105
save command 51
saveold command 51
 scalars 15, 21
 score test see hypothesis tests, Lagrange multiplier test
search command 4
 seemingly unrelated regression
 equations 156–163
 feasible GLS estimation 157
 FGLS example 158
 imposing cross-equation restrictions 162
 robust variance matrix 160
 SUR estimator 157
 SUR model 156
 test of cross-equation restrictions ..
 161
 test of error independence 160
 selection model 541–550
 exclusion restrictions 546
 identification 543
 inverse of the Mills' ratio 545
 model definition 541
 model likelihood 542
 prediction 549
 two-step estimation 428, 545
set command 15
set memory command 32
set more off command 12
set seed command 114, 208, 417
simulate command 123
 simulated maximum likelihood estimator 504
 simulation 113–145
 bias of estimator 138
 bias of standard-error estimator ..
 138
- simulation, *continued*
 bootstrap example 435
 central limit theorem example .. 121
 Cholesky decomposition 130
 computing integrals 132
 direct transformation 127
 distribution of sample mean ... 121
 draws from multivariate normal ..
 129
 draws from negative binomial .. 555
 draws from normal 116
 draws from Poisson 554
 draws from truncated normal .. 128
 draws from uniform 114
 draws of continuous variates ... 117
 draws of discrete variates 118
 draws using Markov chain Monte Carlo method 130
 endogenous regressors example ...
 142
 FGLS heteroskedastic errors exam-
 ples 150
 Gibbs sampler example 131
 inconsistency of estimator 142
 interpreting simulation output
 138
 inverse probability transformation
 126
 measurement-error example ... 142
 mixture of distributions 127
 Monte Carlo integration example ..
 134
 Monte Carlo methods 113
 OLS with chi-squared errors ... 135
 power of test computation 140,
 408
 pseudorandom numbers 114
 size of test computation 139
 using **postfile** command 124,
 145
 using **simulate** command 135
- single-index model
 coefficient interpretation 336
 definition 336
 numerical derivatives for 359

- skewness measure 74
 - sort** command 53
 - specification tests 411–413
 - binary outcome models 454
 - chi-squared goodness-of-fit test ...
 - 412
 - classification test 459
 - for serially uncorrelated panel errors 294
 - goodness-of-fit test 458
 - Hausman test 260, 412, 429
 - information matrix test 411
 - moment-based tests 411
 - RESET test 95
 - test for fixed effects 260
 - test of endogeneity 182, 429
 - test of heteroskedasticity .. 96, 152
 - test of omitted variables 94
 - test of overidentifying restrictions
 - 185, 294, 412
 - test of weak instruments 190
 - sqreg** command 208
 - st_addvar()** Mata function 657
 - st_data()** Mata function 651
 - st_matrix()** Mata function .. 110, 651, 657
 - st_store()** Mata function 657
 - st_view()** Mata function 110, 651
 - standard errors *see* variance–covariance matrix
 - Stata Journal* 3
 - Stata manuals 2
 - Stata Technical Bulletin* 3
 - stata()** Mata function 648
 - statsby** prefix command 270
 - string data 31, 34
 - summarize** command 6, 16, 73
 - SUR model *see* seemingly unrelated regression equations
 - sureg** command 157
 - survey data 163–169
 - clustering 164
 - commands for survey data 165
 - complex survey data 163
 - stratification 164
 - survey data, *continued*
 - weighted mean 167
 - weighted regression 167
 - weighting 163
 - svy** prefix command 164
 - svy: regress** command 167
 - svydescribe** command 166
 - svymean** command 167
 - svyset** command 165
 - syntax
 - basic command syntax 5
 - parsing syntax 641
 - syntax** command 641
 - systems of equations
 - linear regressions 156
 - linear simultaneous equations .. 201
 - nonlinear regressions 517
- T**
- tab2** command 76
 - table** command 75
 - tables for data 75
 - tables of output 87
 - in Word or L^AT_EX 89
 - tabstat** command 77
 - tabulate** command 42, 48, 73
 - tempvar** command 639
 - test** command 86, 391
 - test of heteroskedasticity 152
 - test of overidentifying restrictions .. *see* specification tests
 - testnl** command 395
 - tobcm** command 537
 - tobit** command 524
 - tobit model 521–538
 - censored data 521
 - density 523
 - diagnostic tests 535
 - endogenous regressor 530
 - generalized residuals 534
 - lognormal data 531
 - marginal effects 527
 - panel-data estimators 617
 - partial observability 521
 - prediction 526, 548

- tobit model, *continued*
- selection model 541
 - test of heteroskedasticity 537
 - test of normality 536
 - truncated mean 522
 - two-limit tobit 534
 - unknown censoring point 523
- tobit regression, two-part model ... 538
- `tokens()` Mata function 110
- `tostring` command 31
- `trace` command 645
- `treatreg` command 187
- `tsset` command 115
- `ttest` command 78
- two-part model
- for count data see count-data models
 - for log expenditure data 538
 - prediction 548
- two-stage least-squares estimator ... see instrumental variables
- two-step estimator, bootstrap standard error 427
- `twoway` command 64
- U**
- `uniform()` function ... see `runiform()` function
- `update` command 2
- `use` command 33
- V**
- variance–covariance matrix... 323–329
- bootstrap estimate 417
 - cluster–robust variance matrix... 328
 - default estimate 81, 326
 - definition 323
 - jackknife estimate 441
 - of two-step estimator 427
 - panel data 233
 - robust 326
 - `vce(bootstrap)` option . 233, 328, 418
- variance–covariance matrix, *continued*
- `vce(cluster clustvar)` option... 82, 328
 - `vce(hac kernel)` option 328
 - `vce(jackknife)` option .. 329, 442
 - `vce(oim)` option 326
 - `vce(opg)` option 326
 - `vce(robust)` option .. 82, 233, 326
- VCE... see variance–covariance matrix
- `vce()` option .. see variance–covariance matrix
- W**
- Wald confidence intervals see confidence intervals
- Wald test see hypothesis tests
- weak instruments test see specification tests
- weight 6
- weighted mean 106
- weighted regression 107
- `while` command 24
- wide-form data 274, 277, 489
- wildcards 9
- X**
- `xi` prefix command 48, 254
- `xtabond` command 289, 295
- `xtabond2` command 295
- `xtcloglog` command 607
- `xtdata` command 243
- `xtdescribe` command 237, 309
- `xtdpd` command 297
- `xtdpdsys` command 295
- `xtfrontier` command 619
- `xtgee` command 250, 258, 610
- `xtgls` command 268, 269
- `xthtaylor` command 285, 286
- `xtintreg` command 618
- `xtivreg` command 282, 283
- `xtline` command 241
- `xtlogit` command 609
- `xtmixed` command 299, 305, 310
- `xtnbreg` command 619
- `xtpcse` command 267, 269

xtpmg command.....	273
xtpoisson command.....	619
xtpqml command.....	624
xtprobit command.....	607
xtrc command.....	303
xtreg command.....	251, 263, 272, 309
xtregar command.....	271, 272
xtscc command.....	268, 269, 272
xtset command.....	237, 308
xtsum command.....	238
xttab command.....	240
xttobit command.....	617
xttrans command.....	240

Z

zero-inflated models....	see count-data models
zero-truncated models..	see count-data models
zinb command.....	587
zip command.....	587
ztnb command.....	572
ztp command.....	572