

Subject index

A

ac.....422
acprplot.....420
added-variable plot see **avplot**
adding lines, Graph Editor.....see Graph Editor, adding lines
adding markers, Graph Editor see Graph Editor, adding markers
adding objects, Graph Editor see Graph Editor, adding objects
adding text, Graph Editor see Graph Editor, adding text
adjacent lines.....see **alsize**
alsize.....249
alternate 234
alternate axes see axes, alternate
angle 397–398
 axis labels.....see **xlabel()** and **ylabel()**
 label..... 30, 190, 208, 234, 245, 327
 marker labels.....see **mlabangle()**
angle0()284
area()138
area graphs.....see **twoway area**
 color.....119
 horizontal.....118
 setting the base.....118
 shading.....118
 sorting.....118
ascategory..168, 188–189, 232–234, 267
aspect ratio 391
aspectratio().....391
asyvars .. 30–32, 173, 184, 186, 194–200, 221, 223–224, 237, 239–242, 256, 259, 269
augmented component-plus-residual plot
 see **acprplot**
avplot 420, 426–427, 429–430
aweight.....89, 305

axes

 alternate....189, 190, 209, 234, 268, 274, 332
 bar graphs.....185–193, 205–210
 base 99
 box plots.....230–236, 242–246
 categorical
 bar graphs.....185–193
 box plots.....230–236
 dot plots.....266–268
 titles 31
 displaying for multiple graphs...343
 dot plots.....266–268, 271–274
 label gap.....192
 labels .. see **xlabel()** and **ylabel()**
 lines.....see **xline()** and **yline()**
 log scale333
 multiple 141, 149–150, 157–159, 321, 337–338, 370
 options319–321, 338
 reverse scale 332
 scale... see **xscale()** and **yscale()**
 scaling independently 342
 selecting.....337–338
 size 391–392
 suppressing.....209, 245, 331
 titles...see **xtitle()** and **ytitle()**
axis() 158, 321

B

b1title()31–32, 193, 236, 351, 383
b2title()193, 236, 383
bar()212
 bcolor()212
 fcolor() 212–213
 lcolor() 212–213
 lwidth() 212–213
bar graphs... see **graph bar** and **twoway bar**

- bar graphs, *continued*.....
 - axes.....see axes, bar graphs
 - bar height 203
 - bar width.....120
 - base.....120
 - by() 213–219
 - categorical axes.....see axes, categorical, bar graphs
 - color 211–213
 - confidence intervals 441
 - descending 181, 183, 185
 - excluding missing bars...see **nofill**
 - fill color 121
 - format 32
 - gaps.....175–180
 - horizontal see **graph hbar**
 - labels 31, 200
 - legend.....193–200
 - line color 121
 - lines 99
 - look.....210–213
 - ordering.....180–185
 - overlying.....176
 - placing labels inside bars... 204–205
 - reverse order.....185
 - sorting.....180–185
 - stacked 169, 173
 - titles.....206
 - vertical separators.....150–151
 - y* variables 165–169
- barwidth()**.....120, 130, 135
- base()** 99, 118, 120
- bcolor()** 109, 127, 130
- bexpand()** 373–375
- bin()** 132
- bins
 - lower limit 132
 - number.....132
- blabel()** 31–32, 190, 200–205
 - format()** 32
 - gap()**.....205
 - position()** 204–205
- box()**.....247–248
 - bcolor()** 247–248
 - blcolor()** 248
 - blwidth()** 248
- box**.....429
- box plots.....see **graph box**
 - adjacent lines see **alsize**
- box plots, *continued*
 - alphabetical order.....228
 - axes.....see axes, box plots
 - by()** see **by()**, box plots
 - categorical axes.....see axes, categorical, box plots
 - descending order.....227
 - excluding missing categories see **nofill**
 - horizontal see **graph hbox**
 - legend.....236–242
 - lines.....244
 - look.....246–250
 - median values.....see **medtype()**, **medmarker()**, and **medline()**
 - ordering.....227–230
 - over()** see **over()**, box plots
 - patterns 244
 - sorting.....228
 - titles.....243
 - whiskers customized.....see **cwhiskers**
 - y* variables 219–224
- boxgap()** 227, 247
- bubble plots 89, 305
- building a graph 28–32
- by()** 162–164, 252–253, 278–280, 296–298, 338–353, 364–366
 - alignment()** 379
 - bititle()** 353
 - bar graphs 213–219
 - box** 379–380
 - box plots.....250–254
 - caption()** 346
 - colfirst**.....340
 - cols()** 216, 253, 280, 341, 343
 - combining options.....352–353
 - compact** 96, 163–164, 341
 - dot plots 277–280
 - errors.....452
 - height()** 379
 - holes()** 340
 - iscale()** 341
 - ixaxes**.....344–345
 - ixtitle** 345, 353
 - iyaxes**.....343, 344
 - iytitle** 344, 353
 - justification()** 379
 - l1title()** 353

by(), continued

legend() ... 216, 253, 297–298, 352,
 364–366
 at() 298, 366
 position() 216, 253, 297, 352
 missing 215–216, 252, 279
 noedgelabel 342
 note() 216, 349
 suffix 349
 pie charts 295–298
 position() 379–380
 rescale 343, 353
 ring() 379–380
 rows() 253, 340
 scale() 164
 scatterplot matrices 162–164,
 339–353
 sts graph 428
 subtitle() 348
 textboxes 378–380
 title 339
 title() 345–346, 352
 title 350
 position() 350
 ring() 350
 total ... 96, 215, 252–253, 279, 339,
 353
 twoway 96–97, 142
 width() 379
 xrescale 342
 yrescale 342

C

caps see `capsize()`
`capsize()` 250
`caption()` 346, 383
 categorical axes see *axes, categorical*
`ciplot` 109
 clock position 400–401
 color
 area graphs 119
 bar fill 121
 bar graphs 212–213
 bar lines 99, 121
 box plots 247–248
 confidence level 108
 connecting lines 111, 126, 318
 graph region see `graphregion()`
 histogram bars 135

color, continued

intensity 211, 247
 labels 191, 235
 legend 363
 lines 138, 272, 275
 marker fill 100, 307
 marker outline 307
 marker symbols 89
 markers 112, 125, 275–277,
 306–308
 median line 248
 pie charts 285–287
 plot region see `plotregion()`
 schemes 387
 styles 398–400
 textbox 372, 377–378
`cols()` 438–440
 columns 293
 combining graphs 434–440
 commas with graph options 451
 compass direction 401–402
 component-plus-residual plot see
 cprplot
 confidence interval
 fit (regression predictions) .. 106–110
 for means and percentils of survival
 time see `stci`
 selecting display command 109
 setting level 107
 confidence level
 color 108
 pattern 108
 width 108
`connect()` 91–93, 112, 140, 317–318,
 404–406
 connect lines width see `lwidth()`
 connected plots .. see **twoway connected**
 connecting
 lines see *lines, connecting*
 points 91–93
 styles 402–406
 Contextual Toolbar, Graph Editor
 .. see *Graph Editor, Contextual*
 Toolbar
 copying graphs, Graph Editor see
 Graph Editor, copying graphs
 correlogram see **ac** and **pac**
`cprplot` 420
 cross-correlogram see **xcorr**

cumsp 422
 cumulative spectral distribution graph ..
 see cumsp
 cwhiskers 249

D

dates 115
 density see *kdensity* and *twoway
 kdensity*
 descending 184, 284
 diagonal 160
 fcolor() 160
 discrete 136
 displaying named graphs 432
 distribution graphs 418
 distribution plots 131–138
 dot plots see *graph dot* and *twoway
 dot*
 alphabetical order 264
 axes see *axes*, *dot plots*
 by() see *by()*, *dots plots*
 categorical axes see *axes*,
 categorical, *dot plots*
 descending order 263
 excluding missing categories see
 nofill
 legend 269–271
 look 274–277
 ordering 263
 over() see *over()*, *dot plots*
 reverse order 265
 sorting 264
 dots() 275
 mcolor() 275
 msize() 275
 msymbol() 275
 dropped-line plots see *twoway
 dropline*

E

exclude0 208–209, 273
 exploding pie slices 286

F

fcolor() 119, 121, 127, 131, 135
 fits (regression predictions)
 fractional polynomial see *twoway
 fpfit* and *twoway fpfitci*

fits (regression predictions), *continued*
 linear see *twoway lfit* and
 twoway lfitci
 quadratic see *twoway qfit* and
 twoway qfitci
 formatting numbers
 bar labels 31
 pie slices 289–290
 forty-five degree lines 435
 fraction() 133
 fractional polynomial fits see *twoway
 fpfit* and *twoway fpfitci*
 frequency() 133
 frequency 138
 function, line plot of see *twoway
 function*
 fysize() 440

G

gap
 between boxes 227
 between boxes and edge of plot .. 226
 between columns 364
 between labels and outside the graph
 193
 between labels and ticks 235
 between lines 261
 between marker and label 315
 between rows 364
 box plots 225–226
 dot plots 261
 textboxes 376
 gap() 134–135
 gladder 419
 glcolor 330
 graph bar 27, 29–32, 165–219
 graph box 219–254
 graph combine 435–438
 graph display 29, 433
 graph dot 14, 255–280
 Graph Editor 33–86
 adding arrows 52–60
 adding lines 52–60
 adding markers 52–60
 adding objects 39–41, 52–60, 81
 adding text 52–60
 annotated 34
 axes and titles with *by()* 83
 axis label 47

Graph Editor, *continued*

- box around text.....46
- box properties 46
- caption 48
- commands more useful.....80–81
- compared to commands.....80–86
- Contextual Toolbar 35
- copying graphs.....37
- deselect object 36
- Graph Recorder.....36, 76–79
- Grid Edit 39
- hidden objects 42
- hide Object Browser 37
- hiding objects 71–74
- immediate feedback.....86
- labeling axes with text 81
- legend customizations 80
- legends 50–51
- locking objects.....74–76
- marker label position 49–50
- marker labels 49–50
- markers 49–50
- modifying a single object.....82
- modifying objects.....45–52
- more useful than commands .. 81–86
- moving lines 39–41
- moving objects 38–39, 60–71
- moving objects with the Grid Editor 66–71
- moving objects with the object properties 63–66
- moving objects with the Pointer tool 60–63
- moving scale to alternate position .. 80
- moving text 39–41
- nested objects.....43
- note 48
- Object Browser.....41–45
 - objects explained.....42–45
- opening graphs.....36
- pause recording 36, 79
- plot recording.....36
- plot types 51–52
- Pointer tool.....38
- preferences 37
- printing graphs 37
- Recorder, Graph...see Graph Editor, Graph Recorder

Graph Editor, *continued*

- recording 36
- Redo.....36
- rename 37
- rotating axes for bar charts 84
- rotating axes for box plots 84
- rotating axes for dot plots.....84
- saving graphs 36
- schemes.....37
- screen capture 34
- selecting objects 38
- showing objects.....71–74
- sorting bars.....81
- sorting boxes.....81
- sorting dots.....81
- Standard Toolbar 36–37
- start recording 36
- starting 34, 36
- stop recording.....36
- stopping.....34, 36
- text size.....45, 48
- title 45, 46, 48
- Tools Toolbar.....37–41
- Undo.....36, 39
- unequal spacing of labels.....81
- unlocking objects 74–76
- using with commands 86
- graph hbar 13, 120, 165–219
- graph hbox.....13, 219–254
- graph matrix.....13, 27, 153–164
- graph pie.....14, 281–298
- graph save 431
- graph use.....432–433
- graphing a function.....see **twoway function**
- graphregion() 394–395
 - color() 394
 - fcolor() 394
 - ifcolor() 394
 - lcolor() 394
 - lwidth() 394
- graphs, specialized.....see **specialized graphs**
- Grid Editor...see Graph Editor, moving objects with the Grid Editor
- grids
 - displaying.....329–331
 - suppressing.....209, 245, 329
- groups.....see **by()** and **over()**

H

half 161
 height
 bar 203
 histogram bar...see histogram, bar
 height
 symbol.....364
 hi-lo graphs.....see range plots
 hiding objects, Graph Editor..see Graph
 Editor, hiding objects
 histogram.....see **twoway histogram**
 bar color.....135
 bar height.....132–134
 bar width.....135, 136
 gap between bars 134
 horizontal.....136
 overlying.....138
 horizontal..100, 118, 120, 125, 136, 137

I

if.....see samples, selecting
imargin() 439
 immediate graphs.....see **twoway
 scatteri**
 in.....see samples, selecting
intensity() 211, 247

J

jitter().....161
 jittering see scatterplot matrices,
 jittering
 justification
 textboxes.....372–375
 titles.....see **title()**,
 justification()

K

kdensity.....12, 425
 kernel density.....see **kdensity** and
 twoway kdensity
 horizontal.....137
 lines.....138
 methods.....137
 overlying.....138
kernel(biweight) 137

L

l1title() 193, 236, 268, 351, 383
l2title() 193, 236, 268, 383

label() 365, 428
 labels 22–23
 alternate.....190, 234
 angles.....see angle, label
 axes.....see **xlabel()** and **ylabel()**
 bar graphs 31, 200
 changing 186–189, 196, 231, 239,
 266
 color 191, 235
 gap from axis 192, 193, 236
 gap from outside edge of graph..193
 gap from ticks 235
 legend.....see legend, labels
 marker symbols.....90–91
 markers.....140, 156, 312–315
 matrix 157–159
 missing values 187
 pie charts.....287–291, 297
 placing inside bars.....204–205
 points 367
 position.....204–205, 289, 368
 scale.....164
 size.....156, 191, 235, 290
 suppressing 163, 189, 191, 195,
 201, 238–239, 270, 325
 ticks 235
 time series 116
 titles.....141
 ladder of powers graphs 419
lcolor() 99, 109, 111, 112, 114, 119,
 121, 126–128, 131, 135, 138, 318
 legend 23–25, 92–93
 bar graphs 193–200
 box plots.....236–242
 columns.....198–199, 217, 241, 293,
 357
 dot plots 269–271
 key 356, 359
 labels.....217, 270, 355, 363
 margins.....363
 options.....353–366
 overlaid graphs.....148–149
 pie charts.....292–295, 297
 placing within plot regions 198
 position..31, 197–200, 216, 240–242,
 294, 297, 360–366
 rows.....31, 196, 239, 271, 357
 stacked.....199, 241, 359
 subtitle 218

legend, *continued*

suppressing 196, 288
 text 356–357
 titles 361–362
 twoway 142
 width 361
legend() 23–
 25, 27–28, 31–32, 92–93, 98, 142,
 148–151, 193–201, 217, 239–242,
 253, 270–271, 288, 292–295, 297,
 351, 355–366, 428
 bexpand 361
 bmargin() 363
 box 363
 by() *see* **by()**, **legend()**
 colfirst 196, 239, 293, 358–359
 colgap() 364
 color() 363
 cols() 24,
 93, 142, 198–199, 217, 241, 253,
 271, 294, 297, 357, 359, 366
 fcolor() 363
 holes() 294, 358
 label() 24–25, 92–93, 148, 151,
 196, 217, 239, 270, 292, 351–352,
 355
 note() 362
 order() 93, 294, 356–362
 position() 27, 31–32, 197–200,
 240–242, 360–366
 region() 363
 fcolor() 363
 lcolor() 363
 lwidth() 363
 margin() 363
 ring() 31–32, 198, 360
 rowgap() 364
 rows() ... 31–32, 196, 239, 271, 294,
 357–363
 size() 363
 span 361
 stack.. 199, 217, 241, 253, 294, 297,
 359
 subtitle()
 bexpand 362
 box 362
 symxsize() 364
 symysize() 364

legend(), *continued*

textfirst 199, 359
 title() 270, 293, 361
 color() 362
 position() 293–295
 size() 362
level() 108
 leverage-versus-squared-residual plot
 *see* **lvr2plot**
 life tables for survival data... *see* **ltable**
line() 287
 lcolor() 287
 lwidth() 287
 line plots *see* **twoway line**
 sorting 111
line, twoway *see* **twoway line**
 linear fits... *see* **twoway lfit** and **twoway**
 lfitci
 linear regression diagnostics graphs .. 420
linegap() 261–262
 lines
 adjacent 249
 axes *see* **xline()** and **yline()**
 box plots 244
 color 138, 244, 272, 275
 connecting 108, 111, 126, 140,
 315–318
 fit 108–109
 gap between 261
 graph region *see* **graphregion()**
 median 248
 overlying 147
 patterns 95, 138, 244, 272, 275,
 406–408
 plot region *see* **plotregion()**
 styles 146
 textbox outlines 376–377
 whiskers *see* **cwhiskers**
 width 138, 146, 244, 272
lines() 249, 275
 lcolor() 249, 275
 lwidth() 249, 275
linetype() 275–276
 loading graphs *see* **graph use**
 local linear smooth plots *see* **twoway**
 lowess
 locking object position, Graph Editor ...
 *see* Graph Editor, locking
 objects

locking objects, Graph Editor see
 Graph Editor, locking objects
lpattern() 108, 109, 112, 126, 138,
 147, 318, 406–407, 425
lroc 423
lsens 423
lstyle() 146
ltable 421
lv2plot 420, 424–425
lwidth() 26, 99, 108, 109,
 111–114, 126–128, 131, 135, 138,
 146, 147, 151, 318, 408, 425

M

margins

graph region see **graphregion()**
 legend 363
 plot region see **plotregion()**
 styles 409–410
 textboxes 375

marker() 250, 276–277
 mcolor() 276
 mfcolor() 277
 mlcolor() 277
 mlwidth() 277
 msize() 250, 276–277
 msymbol() 250, 276–277

markers

fill color 100
 box plots 250
 color 112, 125, 155, 275–277,
 306–308
 displaying for data points 111
 fill color 307
 invisible 303
 label gap 315
 label size 156
 labels 90–91, 140, 156, 312–315
 line width 100
 median line 249
 options 153–156, 299–315
 outline color 307
 outline width 308
 overlaying 147
 plus sign 301
 schemes 311
 size 112, 125, 154, 275–277,
 304–306, 411

markers, *continued*

squares 300
 styles 144, 309–311, 411–414
 symbols 25–27, 88–90, 139, 144,
 153–154, 413–414
 width 125

matrix

axis labels 157–159
 scatterplot .. see scatterplot matrices
 titles 160

maxes() 159, 163–164
 xlabel() 159
 xtick() 159
 ylabel() 159, 163–164
 ytick() 159

mcolor() 89, 112, 125, 155, 306,
 399–400

mean 166

median 166, 258

median band plots see **twoway mband**

median line

color 248
 markers 249
 width 248

median points see **medtype()**,
 medmarker(), and **medline()**

median spline plots see **twoway**
 mspline

medline() 248

lcolor() 248

lwidth() 248

medmarker() 249

msize() 249

msymbol() 249

medtype() 248–249

mfcolor() 100–104, 155, 307, 311

missing 174, 187, 224, 259, 282

mlabangle() 314, 397

mlabcolor() 314

mlabel() 90–91, 140, 156, 303, 305,
 312–315, 367, 370, 397, 414, 425

mlabgap() 315

mlabposition() ... 90–91, 303, 306, 312,
 401

mlabsize() 90, 156, 313, 414

mlabvposition() 313–314

mlcolor() 100–104, 155, 307

mlwidth() 100–104, 308

modifying objects, Graph Editor see
 Graph Editor, modifying objects
 mountain plots see **twoway area**
 moving objects w/Grid Editor, Graph Ed-
 itor . . . see Graph Editor, moving
 objects with the Grid Editor
 moving objects w/object properties, Graph
 Editor see Graph
 Editor, moving objects with the
 object properties
 moving objects w/Pointer tool, Graph Ed-
 itor . . . see Graph Editor, moving
 objects with the Pointer tool
 moving objects, Graph Editor see
 Graph Editor, moving objects
msize() . . 89–90, 100–104, 112, 125, 128,
 129, 154, 304–306, 310, 411, 424
mstyle() 144, 309–311
msymbol() 22, 26, 88, 91–93,
 100–104, 112, 113, 125, 129, 139,
 144, 147, 151, 153–154, 300–306,
 311, 401, 413, 424
 multiple axes see axes, multiple
 multiple plots see overlaying

N

name() 433, 434, 437, 439, 440
 naming graphs see **name()**
ndots() 275
noclockwise 283
nofill 29–32, 175, 224, 260
nofit 108
nogrid 427
nolabel 191, 195, 201, 238, 270
nooutsides 219–254
note() 251–253, 348, 383, 426, 429

O

Object Browser, Graph Editor see
 Graph Editor, Object Browser
 opening graphs, Graph Editor see
 Graph Editor, opening graphs
 options 20–28
 adding text 366–371
 axes 319–321, 338
 labels 22–23
 legend 23–25

options, *continued*

 marker symbols 25–27
 markers 299–315
 region 392–395
 scatterplot matrices 161–162
 specialized graphs 424–430
 standard 392–395
 textboxes 371–380
 titles 20–22
 using in the wrong context 451
 ordering
 bars see bar graphs, ordering
 boxes see box plots, ordering
 orientation
 textboxes 372
 titles 412
outergap() 226
 outside values
 color 250
 size 250
 suppressing 242
over() 29–32, 169–193, 206–213,
 219–298
asyvars 223–224
axis() 193
 outergap() 193
 bar graphs 169–185, 213–218
 box plots 219–224, 255–266
descending 181, 183, 185,
 227–230, 263–265
 display only existing variables . . . 175
 dot plots 255–266
gap() 175–180, 225–226, 261
label() . . 32, 189–193, 202, 234–236
 angle() 32, 190, 234
 labcolor() 191, 235
 labgap() 192, 235–236
 labsize() 191, 235
 ticks 192, 235
 tlength() 192, 235
 tlwidth() 192, 235
 tposition() 192, 235
 missing 174
 pie charts 282
relabel() 186–189, 231–234,
 266–268
sort() . . 180–185, 228–230, 264–265
 sum() 185
y variables 168–169

overlying 104–105, 143–151
 bar graphs see bar graphs,
 overlying
 connected marker plots 113
 fits, CIs, smooths, and scatters.. 104–
 110, 147
 histograms see histogram,
 overlying
 kernel density see kernel density,
 overlying
 legends .. see legend, overlaid graphs
 lines see lines, overlaying
 markers see markers, overlaying
 mixed plot types 6, 25–26
 scatterplots see scatterplots,
 overlying

P

pac 422
patterns
 axis lines 95
 box plots 244
 confidence level 108
 connecting lines 108, 126, 318
 lines 138, 244, 272, 275, 406–408
percent() 133
percent 289–290
percentages 168–169, 173
pergram 422
periodogram .. see **pergram** and **wntestb**
pie() 286, 296
 color() 286
 explode 286, 296
pie charts see **graph pie**
 adding text 291
 angles 284
 by() see **by()**, pie charts
 color 285–287
 counterclockwise 283
 descending order 284
 exploding slices 286–287
 labels 287–291, 297
 legend 292–295, 297
 over() see **over()**, pie charts
 slices 285–287
 sorting 283–285, 296
 titles 293
 types 281–282

plabel() 287–290, 297
 color() 290
 format() 289–291
 gap() 289–291
 legend() 290
 name 297
 size() 290
plotregion() 393
 color() 393
 lcolor() 393
 lwidth() 393
pnorm 418
points, connecting see **connecting**
 points
population pyramid 442, 448–451
position
 labels 90, 204–205, 289, 368
 legend ... 31, 197–200, 216, 240–242,
 294, 297, 360–366
 marker labels 312–314
 standard options 400–402
 ticks 192, 329
 titles see **title()**, **position()**
prefix see **titles**, **prefix**
printing graphs, Graph Editor see
 Graph Editor, **printing graphs**
ptext() 291
 orientation() 291
 placement() 291

Q

qladder 419
qnorm 418
quadratic fits see **twoway qfit** and
 twoway qfitci

R

r1title() 383
r2title() 383
range() 138
range plots
 with area shading see **twoway**
 rarea
 with bars see **twoway rbar**
 with capped spikes see **twoway**
 rcap
 with capped spikes and marker sym-
 bols see **twoway**
 rcapsym

range plots, *continued*
 with connected lines.....see **twoway**
 rconnected
 with lines.....see **twoway rline**
 with markers.....see **twoway**
 rscatter
 with spikes.....see **twoway rspike**
rectangles()276
 fcolor()276
 lcolor()276
 Redo, Graph Editor...see Graph Editor,
 Redo
 reference lines see lines, axes and
 ylines()
 region 392–395
replace 439, 440
 rescheming graphs see **scheme()**
 residual-versus-fit plot see **rvfplot**
 residual-versus-predictor plot.....see
 rvpplot
 restoring graphs.....see **graph use**
 reusing graphs 432–434
 reversing axes see axes, reverse scale
 ROC analysis 423
roccomp 423
rocplot 423
roctab 423
rvfplot 420, 427
rvpplot 420
rwidth() 276

S

samples, selecting.....115
saving()431
 saving graphs 430–432
 saving graphs, Graph Editor..see Graph
 Editor, saving graphs
 scale 245
 adjusting..... 390–392
 axes 141, 273, 331–335
 labels 164
 markers.....164
scale() 162, 392, 430
 scatter with immediate arguments....see
 twoway scatteri
scatter, twoway...see **twoway scatter**
 scatterplot matrices.....13
 by()..see **by()**, scatterplot matrices
 displaying lower half 161

scatterplot matrices, *continued*
 jittering.....161
 options..... 161–162
 scale.....162
 scatterplots see **twoway scatter**
 overlying..... 91–92, 140–143
scheme() 432–434
 schemes.....14–20, 387–390
 colors.....387
 customizing 453–455
 economist 389, 430
 markers.....311
 rescheming named graphs see
 scheme()
 s1color 388
 s1manual 389
 s1mono 388
 s2color 387
 s2manual 388
 s2mono 387
 sj 389
 vg_blue 19
 vg_brite 19
 vg_lgndc 18
 vg_outc 17
 vg_outm 17
 vg_palec 16
 vg_palem 16
 vg_past 18
 vg_rose 18
 vg_s1c 15
 vg_s1m 15
 vg_s2c 15
 vg_s2m 16
 vg_samec 17
 vg_teal 19
 vg_lgndc 242
 schemes, Graph Editor.....see Graph
 Editor, schemes
 separating graphs.....96
 shading area graphs 118
 showing objects, Graph Editor see
 Graph Editor, showing objects
showyvars 195–196, 238–239
 size
 adjacent line 249
 adjusting..... 390–392
 axes 391–392
 caps 250

size, *continued*

- labels.....90, 191, 235, 290
- marker symbols.....89–90
- markers.....112, 125, 154–155, 275–277, 304–306, 411
- text.....414–415
- textbox.....206, 371
- titles.....206, 243
- slices.....285–287
- sort.....91–93, 111–113, 118, 121, 140, 284–285, 296–297, 316–318, 403–406
- sorting
 - area graphs.....see area graphs, sorting
 - box plots.....see box plots, sorting
 - line plots.....see line plots, sorting
 - pie charts.....see pie charts, sorting
- spacing.....see gap
- spaghetti plot.....445
- specialized graphs.....417–430
- spike plots.....see twoway spike
- splines.....see twoway mspline
- stack.....169, 173, 184, 203
- stacking bars.....see stack
- standard error of forecast.....see stdf
- standard options.....392–395
- Standard Toolbar, Graph Editor.....see Graph Editor, Standard Toolbar
- standardized normal probability graphs..
 -418
- start().....132
- starting Graph Editor.....see Graph Editor, starting
- statistical function graphs....see twoway function
 - stci.....421
 - stcoxkm.....421
 - stcurve.....421
 - stdf.....107
 - stepstair.....317, 405
- stopping Graph Editor.....see Graph Editor, stopping
- storing graphs.....see graph save
- stphplot.....421
- strip plots.....343–344, 445
- sts graph.....421, 428
- styles.....397–415
 - angles.....397–398

styles, *continued*

- clock position.....400–401
- color.....398–400
- compass direction.....401–402
- lines.....146
- margins.....409–410
- marker symbols.....413–414
- markers.....144, 309–311, 411–414
- orientation.....412
- text size.....414–415
- subtitle().....218, 347–350, 382
 - nobexpand.....218
 - position().....218, 349–350
 - prefix.....347–348
 - ring().....218, 350
 - suffix.....347–348
- suffix.....see titles, suffix
- sum.....203
- survival graphs.....421
- symbols
 - height.....364
 - margin.....see msymbol()
 - width.....364
- symmetry plots.....418
- symplot.....418

T

- t1title().....383
- t2title().....383
- text
 - adding.....97, 142–143, 366–371
 - legend.....356–357
 - orientation.....160
 - pie charts.....291
 - scale.....164
 - size.....414–415
- text().....97, 142–143, 366–380, 429
 - box.....97
 - color().....372
 - linegap().....376
 - lwidth().....97
 - margin().....97, 375
 - orientation().....372
 - placement().....368–372
 - size().....97, 371
- textboxes.....371–380
 - by().....see by(), textboxes
 - color.....372, 377–378
 - interline gaps.....376

textboxes, *continued*

- justification 372–375
- margins 375
- orientation 372
- outline 376–377
- size 206, 371
- thickness *see* width
- ticks
 - controlling 323–331
 - labels 235
 - length 328
 - matrix 159
 - position 329
 - suppressing 325
 - time series 116
- time series
 - labels 116
 - line plots 114–117
 - minor labels 116
 - ticks 116
 - titles 115
- time-series line .. *see* `twoway tsline` and `twoway tsrline`
- `tin()` 115
- `title()` ... 20–22, 26, 143, 345, 376–387, 429
 - `bcolor()` 378
 - `bexpand` 386–387
 - `bmarg` 374
 - `box` ... 21–22, 143, 373–380, 386–387
 - `fcolor()` 377
 - `justification()` 373–375, 386
 - `lcolor()` 377
 - `lwidth()` 377
 - `margin()` 409–410
 - `nobox` 21
 - `placement()` 402
 - `position()` 384–386
 - `ring()` 385
 - `size()` 21–22
 - `span` 386
- titles 20–22, 193, 236, 381–387
 - axes *see* `xtitle()` and `ytitle()`
 - bar graphs *see* bar graphs, titles
 - box plots *see* box plots, titles
 - categorical axes *see* axes, categorical, titles
 - justification *see* `title()`, `justification()`

titles, *continued*

- legend 361–362
- matrix 160
- multiple lines 384
- orientation 412
- pie charts 293
- placing in a box... *see* `title()`, `box`
- placing inside a plot region *see* `title()`, `placement()`
- position... *see* `title()`, `position()`
- prefix 321, 347–348, 426
- size *see* `title()`, `size()`
- suffix 1, 321, 347–348, 426
- time series 115
- width 386–387
- `tlabel()` 116
- `tline()` 117
- `tmlabel()` 116
- `tmtick()` 111, 116
- Tools Toolbar, Graph Editor .. *see* Graph Editor, Tools Toolbar
- `tttext()` 117
 - `orientation()` 117
- `tttitle()` 115
- twoway
 - adding text 142–143
 - `by()` *see* `by()`, twoway
 - graphs 87–152
 - legend 142
 - options 139–143
 - overlying 143–151
 - titles 26, 143
- twoway area 10, 117–119
- twoway bar 10, 119–121
- twoway connected 9, 112–113, 145
- twoway dot 8, 101
- twoway dropline 7, 100–101
- twoway `fpfit` 7, 105
- twoway `fpfitci` 106–110
- twoway function 12, 138
- twoway histogram ... 12, 131–136, 138, 418
- twoway `kdensity` 12, 137–138, 418
- twoway `lfit` 6–7, 25–26, 104–105, 147–148, 150–151, 354–364
- twoway `lfitci` 7, 106–110
- twoway line 8, 110–117, 145–147, 334–335
- twoway `lowess` 7, 105

twoway mband.....7
 twoway mspline.....7, 105
 twoway qfit.....6, 105, 147–148, 151,
 354–366
 twoway qfitci.....106–110, 148–149
 twoway rarea..10–11, 122, 127, 149–150
 twoway rbar.....11, 124, 130–131
 twoway rcap.....11, 123, 128–129
 twoway rcapsym.....11, 124, 129
 twoway rconnected.....11, 121, 125
 twoway rline.....10, 122, 126
 twoway rscatter.....11, 122, 126
 twoway rspike...11, 123, 129, 331–335
 twoway scatter...5–7, 20–27, 87–105,
 107–110, 139–145, 147–151, 163,
 299–380
 twoway scatteri.....97–98
 twoway spike...8, 99–100, 149–150, 418
 twoway tsline.....9, 114–117, 145
 twoway tsrline.....9, 114
 types of graphs.....5–14

U

Undo, Graph Editor .. see Graph Editor,
 Undo
 unlocking object position, Graph Editor
 ... see Graph Editor, unlocking
 objects
 unlocking objects, Graph Editor see
 Graph Editor, unlocking objects
 using graphs see **graph use**

W

whiskers.....see **cwhiskers**
 width
 axes 333
 bars 120
 box plot lines.....227–248
 confidence level.....108
 connecting lines .. 108, 111, 126, 318
 histogram bars 132, 135, 136
 legend 361
 lines.....138, 146, 244, 272
 marker outline.....308
 markers.....125
 median line.....248
 symbols.....364
 ticks.....192
 titles.....386–387

width().....132–134, 136, 138
 wntestb.....422

X

xalternate.....210
 xalternate.....189, 233, 268
 xaxis().....336, 370
 xcorr 422
 xlabel() 22–23, 94–95, 156–159,
 322–323, 326–327, 333, 398
 alternate.....327
 angle() 327
 axis() 157–159
 grid.....329
 labsize() 23
 nogrid 329
 valuelabels 326
 xline() 95
 xscale().....95, 331–334, 439
 lwidth() 333
 xsize() 391, 430, 433
 xtitle() 93, 140, 320–321, 426–427
 box 320
 orientation() 412
 prefix 321
 size().....320, 427

Y

y variables
 bar graphs see bar graphs, *y*
 variables
 multiple.....167–169
 yalternate.....209, 246, 274
 yaxis() 141, 149–150, 321, 336–338
 ycommon.....435
 ylabel() 30–32, 94–95, 141–142,
 156–159, 208–209, 244–245, 273,
 322–331, 335, 337–338, 398, 427,
 440
 angle()...30–32, 208, 245, 327, 398
 axis().....157–159, 337–338
 glcolor.....330
 glpattern.....330–331
 glwidth.....330
 grid.....95, 329–331
 labgap() 328
 labsize() 328
 nogrid.....95, 209, 245, 329
 nolabel 325

`ylabel()`, *continued*
 `noticks` 325
 `tlength()` 328
 `tlwidth()` 328
 `tposition()` 328
`yline()` 95, 207–208, 244, 272, 427
 `lcolor()` 207–208, 244, 272
 `lpattern()` 207–208, 244, 272
 `lwidth()` 207–208, 244, 272
`ylabel()` 324, 330
 `glcolor()` 330
 `glpattern()` 330
 `grid` 330
`ymtick()` 324, 329
 `tposition()` 329
`yreverse` 210, 246, 274
`yscale()` ... 141, 150, 202, 209, 245, 273,
 334–335
 `axis()` 150, 335
 `range()` 150, 202, 334–335
`ysize()` 391, 430, 433
`ytick()` 324, 329
 `tposition()` 329
`yttitle()` 30–32, 93–94, 206–207,
 243–244, 320–321, 338, 426
 `axis()` 338
 `bexpand` 206, 243, 272
 `box` 206, 243, 272
 `fcolor()` 272
 `orientation()` 412
 `size()` 94, 206, 243
 `suffix` 321
`yttitle` 272
`yvaroptions()` .. 188–189, 191, 225–230,
 233–234, 267–268
 `label()` 191
 `relabel()` 188–189, 233–234,
 267–268