

A

ado command, 39
 arithmetic operators, *see* operators, arithmetic
 automatic update checking, *see* updates, automatic
 update checking

B

Break, 84
 button, 30
 browse command, 8, 12, 60–61
 button,
 Break, 30, 84
 Clear ~~more~~ condition, 30, 83
 Data Browser, 8, 30
 Data Editor, 30, 52
 Do, 96, 101
 Do-file Editor, 30, 96
 Graph, 21, 30
 Graph Editor, 104
 Log, 28, 30, 107
 Open, 30
 Preview, 95, 101
 Print, 30
 Reset, 24
 Results, 21, 30
 Run, 96, 101
 Save, 30
 Viewer, 30, 35
 by() option, 18, 21
 by prefix, 17, 19, 27
 by/if/in tab, 13, 17, 19, 33

C

cd command, 34
 chelp command, 46
 clear command, 91
 clear more condition, *see* ~~more~~ condition
 cmdlog command, 109
 codebook command, 10–12, 42
 combobox, 11
 command history, 31
 command syntax, 27
 Command window, 29, 31
 commands,
 compared to menus, 27
 learning, 33, 113–115
 comments, *see* log files, commenting
 contextual menu, 29
 Do-file Editor, 100
 Graph window, 104
 Review window, 31
 Variables window, 31–32
 Viewer, 38
 control-click, *see* right-clicking

copying,
 data, *see* data, copying
 graphs, *see* graphs, copying
 text, *see* text, copying
 correlate command, 19
 creating variables, *see* variables, creating

D

data,
 copying, 56, 63
 tips, 57
 entering, 52–57
 graphing, 20–26
 importing, *see* importing data
 labeling, 69–74
 listing, 75–84
 pasting, 56, 63
 sorting, 58
 strings, 54
 Data Browser, 8, 60–61
 closing, 61
 opening, 60
 sorting, 61
 toolbar, 51
 toolbar button, 30
 Data Editor, 51–61
 active cell location, 53–54
 closing, 61
 color coding, 54
 contextual menus, 61
 delete button, 51, 58
 empty columns, 54
 empty rows, 54
 enter data by column, 53
 enter data by row, 53
 entering data, 52–57
 limiting exposure, 59–60
 movement, 51–52
 opening, 52
 right-clicking, 61
 sort button, 58
 sorting, 58
 tips, 59, 68
 toolbar, 51
 toolbar button, 30
 tracking changes, 59
 when to browse, 59
 data management, 8–13
 data type, *see* variables, data type
 dataset, 10
 changing, 58–60
 notes, 9, 32
 opening, 49, 135
 saving, 49
 saving in old format, 49
 structure, 9

db command, 33
deleting variables, see variables, dropping
describe command, 9, 69–73
 describe, short, 52
descriptive statistics, 13–20
dialogs, 32
 accessing from Command window, 33
 Cancel button, 33
 copy button, 33
 help button, 33
 label define, 74
 OK button, 33
 reset button, 33
 saving commands, 101
 Submit button, 33
 Variables field, 11, 13
dictionary file, 67
directory, working, see working directory
display format, see variables, display format
displaying graphs, see graphs, schemes
Do,
 button, see button, Do
 menu item, 101
do-file, 96–99, 101, 109–110, 131
 automatically saving when run, 100
 editing, see Do-file Editor
 tips, 98
 troubleshooting, 97–99
Do-file Editor, 95–101
 balancing parentheses, 100
 buttons, 95–96
 changing case, 100
 contextual menu, 100
 editing help files, 101
 editing tools, 99
 getting Review window contents, 31
 go to line, 100
 inserting a file, 99
 matching braces, 100
 preferences, 100
 right-clicking, 100
 searching, 100
 toolbar button, 30
 Tools menu, 101
 Do selection, 101
 Do to bottom, 101
Dock, 6
drop command, 91–92
dropping variables, see variables, dropping
dummy variable, see indicator variable

E

edit command, 59
editing data, see Data Editor
editing do-file, see Do-file Editor
Encapsulated Postscript, see EPS

end-of-line delimiter, 136
EPS, 136
equality, 16–17, 79
examples,
 dialogs, 10, 13–15, 17–21, 23, 32–33, 74, 103
 graphs, 20–26, 103, 105
 help, 41–44
 if qualifier, 12–14, 16, 59–60, 77–80, 92–93
 in qualifier, 81
 menus, 7, 9–11, 13–15, 17–21, 23, 32, 74, 103
 varlist, 59, 75–77
exit command, 6
exiting Stata, see Stata, quitting
exp, see expressions
expressions, 77, 85

F

fdause command, 63, 68
files,
 double-clicking, 132
fitted values, see predict command
fonts,
 changing in one graph, see Graph Editor
 changing in windows, see preferences, font
 preferences, see preferences, font
functions, 85

G

generate command, 22–23, 25–26, 85–90
 tips, 88
 troubleshooting, 87
generating variables, see variables, creating
Graph Editor, 105–106
 abilities, 106
 closing, see Graph Editor, stopping
 contextual toolbar, 105–106
 experimentation, 106
 Grid Edit tool, 106
 Object Browser, 106
 starting, 105
 stopping, 106
 tools, 106
 Undo button, 106
graph setup, see graphs, schemes
Graph window, 21, 104
 contextual menu, 104
 right-clicking, 104–105
 toolbar button, 30
Graphical User Interface, see GUI
graphs,
 copy and paste, 135
 copying, 104
 drag and drop, 135
 export formats, 136
 exporting, 135

graphs, *continued*
 opening, 135
 overlaid, 23–25
 printing, 25, 104
 renaming, 104
 right-clicking, 104
 saving, 104
 schemes, 111
 GUI, 29–34

H

help command, 46
 help for *command*, 39
 help system, 41–48
 FAQs, 41
 contents, 45
 links, 42
 menu, 41
 search dialog, 42
 searching, 41–48, 121
 tips, 44
 hypothesis testing, 18

I

identifier variable, 11
 if qualifier, 12–14, 16, 27, 33, 75, 77–80, 86, 91
 examples, *see* examples, *if* qualifier
 troubleshooting, 79–80
 importing data, 63–68
 comma-delimited, 64
 copying and pasting, 63, 65, 68
 fixed format data, 67–68
 spreadsheet, 57, 64, 68
 tab-delimited, 64
 tips, 68
 unformatted data, 66, 68
 in qualifier, 27, 33, 75, 81, 91
 examples, *see* examples, *in* qualifier
 indicator variable, 11, 22, 88
 infile command, 63, 66–68
 variable names, 66
 infix command, 63, 68
 insheet command, 63–65
 installation, 2–4
 license initialization, 3
 minimum OS requirement, 126
 overview, 2
 starting, 2
 update, *see* updates
 upgrading, 2
 warning, 2
 Internet, 117–124
 installing programs, *see* programs, downloading and installing
 resources, 113, 115

Internet, *continued*
 searching, 121
 using remote files, 117

K

keep command, 91, 93

L

label command, 71–74
 label data command, 71
 label define command, 71, 73
 label values command, 71, 73
 label variable command, 25, 71
 labels,
 data, 9, 71–72
 value, 8, 10–11, 15, 17, 71, 73–74
 confusing with string variable, 80
 why needed, 12
 variable, 9–11, 71–72
 license initialization, *see* installation, license initialization
 line command, *see* twoway line command
 linear regression, *see* regression, linear
 list command, 13, 65, 75–84
 listing data, *see* data, listing
 loading data, *see* dataset, opening
 Log button, 30
 log command, 107–109
 log files, 28, 107–110
 appending, 107
 commenting, 107
 contents, 107
 keeping just commands, 109
 overwriting, 107
 plain text, 107, 109
 printing, 109
 rerunning commands, 109–110
 SMCL, 107, 109
 starting, 107
 tips, 108
 translating formats, 107, 109
 types, 109
 viewing, 108–109
 logical expression, 77–79
 logical operators, *see* operators, logical

M

median, 14
 memory, 12, 49, 70, 127–129
 allocation, 127–128, 132
 virtual memory, 129
 memory command, 128

menus, 32
 compared to commands, 27
 examples, *see* examples, menus
missing values, 8, 10, 13, 15, 53–54, 58, 66, 77, 85–86, 90
 extended, 58
missing() function, 13, 60, 78
—more— condition, 9, 83
 Clear —more— toolbar button, 30
multiple versions of Stata, *see* installation, warning

N

net command, 39
NetCourses, 113
Notification Manager, 136
numlist, 81

O

observations, 8
ODBC, 68
odbc command, 63, 68
omniscience,
 fleeting, 107
one-way table, *see* table, one-way
Open toolbar button, 30
opening a dataset, *see* dataset, opening
operators,
 arithmetic, 85
 logical, 77, 79, 85
 relational, 77, 85
 string, 90
options, 14, 27, 43, 75, 81
output, printing and saving, *see* log files
Output Settings dialog, 109

P

pastings,
 data, *see* data, pasting
 graphs, *see* graphs, pasting
 text, *see* text, pasting
PDF, 38, 109, 135–136
physics, 25
PNG, 136
poisson command, 32
Portable Document Format, *see* PDF
Portable Network Graphics, *see* PNG
postestimation commands, 23
precision, 70
predict command, 23
preferences, 111–112
 Clipboard, 111
 deleting, 126
 font, 111–112
 Graph window, 111

preferences, *continued*
 loading, 112
 managing, 112
 saving, 112
 text files, 136
 window, 111–112
prefix command, 17, 27
preserve, 51, 58
Preview button, *see* button, Preview
Printer Preferences dialog, 109
printing, 30
 contents of Viewer, 38
 graphs, 104
 output, 109
 toolbar button, 30
profile.do, 131
programs,
 downloading and installing, 121–123
 uninstalling, 124

Q

quitting Stata, *see* Stata, quitting

R

recording sessions, *see* log files
reference manuals, 46
registering, 4
regress command, 23, 26
regression,
 linear, 22–27
 Poisson, 32
relational operators, *see* operators, relational
replace command, 85–88
restore, 51, 58
Results window, 7, 21, 29
 color scheme, 112
 toolbar button, 30
Review window, 7, 29, 31
 contextual menu, 31
 reusing commands, 31
 right-click, 31, 110
 saving contents, 31
 sending contents to Do-file Editor, 31
 tip, 110
right-clicking
 Viewer, 38
 with one-button mouse, 29
Run button, *see* button, Run

S

sample session, 7–28
SAS, 68
save command, 34, 49–50

Save toolbar button, 30
 saveold command, 49
 saving data, see dataset, saving
 saving output, see log files
 scatter command, see twoway scatter command
 search command, 39, 45–46
 searching help system, see help system, searching
 Small Stata, 1
 SMCL, 37, 101, 107
 sort command, 82
 starting Stata, see Stata, starting
 Stata,
 batch mode, 132–133
 console, 136–137
 datasets available, 113, 117
 documentation, 4
 executing commands at startup, 131
 FAQs, 113
 flavors, 1
 learning more, 113–115
 NetCourses, 113
 output, 7
 platforms, 1
 quitting, 6
 reading list, 113–115
 running in Terminal, see Stata, console
 starting, 5–6
 startup options, 132
 troubleshooting, see troubleshooting
 updating, see updates
 user interface, see GUI
 working directory, see working directory
Stata Journal, 41–42, 46–48, 115, 117
 Stata Markup and Control Language, see SMCL
Stata News, 115
 Stata Press, 115
 Stata starts with an error, see troubleshooting
Stata Technical Bulletin, 41–42, 46–48, 117
 Stata won't start, see troubleshooting
 Stata/IC, 1
 Stata/MP, 1
 Stata/SE, 1
 status bar, 34
 STB, see *Stata Technical Bulletin*
 stopping Stata, see Stata, quitting
 storage type, see variables, data type
 string variable, see variables, string
 strings, 89–90
 quoting, 80
 strpos() function, 90
 substr() function, 90
 summarize command, 10, 14, 16–17, 27
 syntax, 43, 75
 abbreviations, 75
 diagram, 27
 list command, 75
 syntax note, 8, 11, 13–19, 21–22, 27

sysprofile.do, 131
 sysuse command, 7

T

table,
 one-way, 14–15, 17–18
 two-way, 15–16
 tabulate command, 15–18
 text,
 copying, 95
 pasting, 95
 text variables, see variables, string
 TIFF, 136
 toolbar,
 main, 30
 resizing, 30
 tooltip, 30
 troubleshooting, 125–126
 preferences, 126
 ttest command, 18
 twoway line command, 25
 twoway scatter command, 20–22, 25
 two-way table, see table, two-way
 type command, 39

U

update command, 39
 updates, 3, 39, 118–121
 ado-files, 119
 automatic update checking, 119
 executable, 120–121
 troubleshooting, 120
 upgrading, see installation, upgrading
 use command, 49
User's Guide, 113

V

Variable Properties window, 55
 variables, 8
 allowable names, 55
 creating, 85–90
 data type, 9, 11–12, 70, 85
 display format, 9, 31, 70
 dropping, 32, 91–92
 generating, see variables, creating
 label, 31
 missing values, see missing values
 name, 9, 70
 abbreviating, 65, 75–76
 auto-completion, 31
 naming, 55
 notes, 32
 renaming, 31, 55

- variables, *continued*
 - storage type, see variables, data type
 - string, 9–11, 89–90
 - confusing with value labels, 80
 - text, see variables, string
- Variables window, 7, 23, 29, 31–32
 - clicking, 31
 - contextual menu, 31–32
- varlist*, 11, 27, 75, 91
 - examples, see examples, *varlist*
- view command, 39
- Viewer, 35–40, 108
 - buttons, 36
 - calling from Command window, 40
 - color scheme, 112
 - commands, 39
 - contextual menu, 38
 - copy table as HTML, 38
 - Find bar, 36
 - links
 - clicking, 37
 - middle-clicking, 37
 - shift-clicking, 37
 - log files, 108–109
 - navigating, 38
 - new window, 37
 - opening, 35
 - preferences, 38
 - printing, 38
 - printing log files, 109
 - selecting one Viewer, 37
 - toolbar button, 30, 35
 - viewing current log, 37
 - viewing logs, 37
 - viewing remote files, 38
 - viewing text files, 37

W

- windows, 29
 - closing, 112
 - opening, 112
 - revealing, 29
- working directory, 5, 30, 34

X

- XML, 68
- `xmluse` command, 63, 68