

A

ado command, 41
 arithmetic operators, *see* operators, arithmetic
 automatic update checking, *see* updates, automatic
 update checking

B

Break, 86
 button, 32
 browse command, 10, 14, 62–63
 button,
 Break, 32, 86
 Clear *—more—* condition, 32, 85
 Data Browser, 10, 32
 Data Editor, 32, 54
 Do, 98, 103
 Do-file Editor, 32, 98
 Graph, 23, 32
 Graph Editor, 106
 Log, 30, 32, 109
 Open, 32
 Preview, 97, 103
 Print, 32
 Reset, 26
 Run, 98, 103
 Save, 32
 Viewer, 32, 37
 by() option, 20, 23
 by prefix, 19, 21, 29
 by/if/in tab, 15, 19, 21, 35

C

cd command, 36
chelp command, 48
clear command, 93
 clear more condition, *see —more—* condition
cmdlog command, 111
codebook command, 12–14, 44
 command history, 33
 command syntax, 29
 Command window, 31, 33
 commands,
 compared to menus, 29
 learning, 35, 115–117
 comments, *see* log files, commenting
conren command, 140–143
 contextual menu, 31
 Do-file Editor, 102
 Graph window, 106
 Review window, 33
 Variables window, 33–34
 Viewer, 40

copying,
 data, *see* data, copying
 graphs, *see* graphs, copying
 text, *see* text, copying
correlate command, 21
 creating variables, *see* variables, creating

D

data,
 copying, 58, 65
 tips, 59
 entering, 54–59
 graphing, 22–28
 importing, *see* importing data
 labeling, 71–76
 listing, 77–86
 pasting, 58, 65
 sorting, 60
 strings, 56
 Data Browser, 10, 62–63
 closing, 63
 opening, 62
 sorting, 63
 toolbar, 53
 toolbar button, 32
 Data Editor, 53–63
 active cell location, 55–56
 closing, 63
 color coding, 56
 contextual menus, 63
 delete button, 53, 60
 empty columns, 56
 empty rows, 56
 enter data by column, 55
 enter data by row, 55
 entering data, 54–59
 fonts, 113
 limiting exposure, 61–62
 movement, 53–54
 opening, 54
 right-clicking, 63
 sort button, 60
 sorting, 60
 tips, 61, 70
 toolbar, 53
 toolbar button, 32
 tracking changes, 61
 when to browse, 61
 data management, 10–15
 data type, *see* variables, data type
 dataset, 12
 changing, 60–62
 notes, 11, 34
 opening, 51
 saving, 51
 saving in old format, 51

dataset, *continued*
 structure, 11
db command, 35
deleting variables, *see* variables, dropping
describe command, 11, 71–75
 describe, *short*, 54
descriptive statistics, 15–22
dialogs, 34
 accessing from Command window, 35
 Cancel button, 35
 copy button, 35
 help button, 35
 label define, 76
 OK button, 35
 reset button, 35
 saving commands, 103
 Submit button, 35
 Variables field, 13, 15
dictionary file, 69
directory, working, *see* working directory
display format, *see* variables, display format
displaying graphs, *see* graphs, schemes
Do,
 button, *see* button, Do
 menu item, 103
do-file, 98–101, 103, 111–112, 135
 automatically saving when run, 102
 editing, *see* Do-file Editor
 tips, 100
 troubleshooting, 99–101
Do-file Editor, 97–103
 balancing parentheses, 102
 buttons, 97–98
 changing case, 102
 contextual menu, 102
 editing help files, 103
 editing tools, 101
 fonts, 113
 getting Review window contents, 33
 go to line, 102
 inserting a file, 101
 matching braces, 102
 preferences, 102
 right-clicking, 102
 searching, 102
 toolbar button, 32
 Tools menu, 103
 Do selection, 103
 Do to bottom, 103
drop command, 93–94
dropping variables, *see* variables, dropping
dummy variable, *see* indicator variable

E

edit command, 61
editing data, *see* Data Editor

editing do-file, *see* Do-file Editor
Encapsulated Postscript, *see* EPS
environment variables, 137
equality, 18–19, 81
examples,
 dialogs, 12, 15–17, 19–23, 25, 34–35, 76, 105
 graphs, 22–28, 105, 107
 help, 43–46
 if qualifier, 14–16, 18, 61–62, 79–82, 94–95
 in qualifier, 83
 menus, 9, 11–13, 15–17, 19–23, 25, 34, 76, 105
 varlist, 61, 77–79
exit command, 8
exiting Stata, *see* Stata, exiting
exp, *see* expressions
expressions, 79, 87

F

fdause command, 65, 70
fitted values, *see* *predict* command
fonts,
 changing in one graph, *see* Graph Editor
 changing in windows, *see* preferences, font
 preferences, *see* preferences, font
functions, 87

G

generate command, 24–25, 27–28, 87–92
 tips, 90
 troubleshooting, 89
generating variables, *see* variables, creating
Graph Editor, 107–108
 abilities, 108
 closing, *see* Graph Editor, stopping
 contextual toolbar, 107–108
 experimentation, 108
 Grid Edit tool, 108
 Object Browser, 108
 starting, 107
 stopping, 108
 tools, 108
 Undo button, 108
graph setup, *see* graphs, schemes
Graph window, 23, 106
 contextual menu, 106
 right-clicking, 106–107
 toolbar button, 32
Graphical User Interface, *see* GUI
graphs,
 overlaid, 25–27
 printing, 27, 106
 renaming, 106
 right-clicking, 106
 saving, 106
 schemes, 113

GUI, 7–8, 31–50, 53–63, 65, 76, 97–108, 113–114, 119–126, 137

H

`help` command, 47
 help for *command*, 41
 help system, 43–50

- FAQs, 43
- contents, 47
- links, 44
- menu, 43
- search dialog, 44
- searching, 43–50, 122–124
- tips, 46

 hypothesis testing, 20

I

identifier variable, 13
`if` qualifier, 14–16, 18, 29, 35, 77, 79–82, 88, 93

- examples, see examples, `if` qualifier
- troubleshooting, 81–82

 importing data, 65–70

- comma-delimited, 66
- copying and pasting, 65, 67, 70
- fixed format data, 69–70
- spreadsheet, 59, 66, 70
- tab-delimited, 66
- tips, 70
- unformatted data, 68, 70

`in` qualifier, 29, 35, 77, 83, 93

- examples, see examples, `in` qualifier

 indicator variable, 13, 24, 90
`infile` command, 65, 68–70

- variable names, 68

`infix` command, 65, 70
`insheet` command, 65–67
 installation, 2–5

- directory, 2
- license initialization, 3
- overview, 2
- running installation script, 3
- super user, 2
- update, see updates
- upgrading, 3
- verifying, 4

 Internet, 119–126

- installing programs, see programs, downloading and installing
- resources, 115, 117
- searching, 122–124
- using remote files, 119

K

`keep` command, 93, 95

L

`label` command, 73–76
`label data` command, 73
`label define` command, 73, 75
`label values` command, 73, 75
`label variable` command, 27, 73
 labels,

- data, 11, 73–74
- value, 10–13, 16, 19, 73, 75–76
 - confusing with string variable, 82
 - why needed, 14
- variable, 11–13, 73–74

 license, 2
 license initialization, see installation, license initialization
`line` command, see `twoway line` command
 linear regression, see regression, linear
`list` command, 15, 67, 77–86
 listing data, see data, listing
 loading data, see dataset, opening
 Log button, 32
`log` command, 109–111
 log files, 30, 109–112

- appending, 109
- commenting, 109
- contents, 109
- keeping just commands, 111
- overwriting, 109
- plain text, 109, 111
- printing, 111
- rerunning commands, 111–112
- SMCL, 109, 111
- starting, 109
- tips, 110
- translating formats, 109, 111
- types, 111
- viewing, 110–111

 logical expression, 79–81
 logical operators, see operators, logical

M

median, 16
 memory, 14, 51, 72, 131–133

- allocation, 131–132, 136
- virtual memory, 133

`memory` command, 132
 menus, 34

- compared to commands, 29
- examples, see examples, menus

 message of the day, 3
 missing values, 10, 12, 15, 17, 55–56, 60, 68, 79, 87–88, 92

- extended, 60

`missing()` function, 15, 62, 80
`—more—` condition, 11, 85

- Clear `—more—` toolbar button, 32

N

net command, 41
NetCourses, 115
numlist, 83

O

observations, 10
ODBC, 70
odbc command, 65, 70
omniscience,
 fleeting, 109
one-way table, *see* table, one-way
Open toolbar button, 32
opening a dataset, *see* dataset, opening
opening Stata, *see* Stata, starting
operators,
 arithmetic, 87
 logical, 79, 81, 87
 relational, 79, 87
 string, 92
options, 16, 29, 45, 77, 83
output, printing and saving, *see* log files

P

pasting,
 data, *see* data, pasting
 graphs, *see* graphs, pasting
 text, *see* text, pasting
PATH, 4, 137
physics, 27
poisson command, 34
postestimation commands, 25
precision, 72
predict command, 25
preferences, 113–114
 Clipboard, 113
 font, 113–114
 Graph window, 113
 loading, 114
 managing, 114
 saving, 114
 window, 113–114
prefix command, 19, 29
preserve, 53, 60
Preview button, *see* button, Preview
printing, 32
 contents of Viewer, 40
 graphs, 106
 output, 111
 toolbar button, 32
profile.do, 135
programs,
 downloading and installing, 122–125
 uninstalling, 126

Q

quitting Stata, *see* Stata, exiting

R

recording sessions, *see* log files
reference manuals, 48
regress command, 25, 28
regression,
 linear, 24–29
 Poisson, 34
relational operators, *see* operators, relational
replace command, 87–90
restore, 53, 60
Results window, 9, 23, 31
 color scheme, 113
 fonts, 113
Review window, 9, 31, 33
 contextual menu, 33
 reusing commands, 33
 right-click, 33, 111
 saving contents, 33
 sending contents to Do-file Editor, 33
 tip, 111
right-clicking Viewer, 40
Run button, *see* button, Run

S

sample session, 9–30
SAS, 70
save command, 36, 51–52
Save toolbar button, 32
saveold command, 51
saving data, *see* dataset, saving
saving output, *see* log files
scatter command, *see* twoway scatter command
search command, 41, 47–48
searching help system, *see* help system, searching
shell startup script, 4
SMCL, 39, 103, 109
sort command, 84
starting Stata, *see* Stata, starting
Stata,
 32-bit, 1
 64-bit, 1
 batch mode, 136–137, 144–145
 command line options, 144
 console, 7–9, 119, 140–143
 datasets available, 115, 119
 documentation, 5
 executing commands at startup, 135
 exiting, 8
 FAQs, 115
 flavors, 1
 learning more, 115–117

Stata, *continued*
 NetCourses, 115
 output, 9
 platforms, 1
 reading list, 115–117
 starting, 7–8, 144
 starting remotely, 137
 startup options, 136
 troubleshooting, *see* troubleshooting
 updating, *see* updates
 user interface, *see* GUI
 working directory, *see* working directory
 stata command, 7, 144
 Stata Journal, 43–44, 48–50, 117, 119
 Stata Markup and Control Language, *see* SMCL
 Stata News, 117
 Stata Press, 117
 Stata starts with an error, *see* troubleshooting
 Stata Technical Bulletin, 43–44, 48–50, 119
 Stata won't start, *see* troubleshooting
 stata-mp command, 7, 144
 stata-se command, 7, 144
 Stata(GUI), *see* GUI
 Stata/IC, 1
 Stata/MP, 1
 Stata/SE, 1
 STB, *see* Stata Technical Bulletin
 stopping Stata, *see* Stata, exiting
 storage type, *see* variables, data type
 string variable, *see* variables, string
 strings, 91–92
 quoting, 82
 strpos() function, 92
 substr() function, 92
 summarize command, 12, 16, 18–19, 29
 syntax, 45, 77
 abbreviations, 77
 diagram, 29
 list command, 77
 syntax note, 10, 13, 15–21, 23–24, 29
 sysprofile.do, 135
 sysuse command, 9

T

table,
 one-way, 16–17, 19–20
 two-way, 17–18
 tabulate command, 17–20
 text,
 copying, 97
 pasting, 97
 text variables, *see* variables, string
 toolbar,
 main, 32
 resizing, 32
 tooltip, 32

troubleshooting, 127–129
 installation, 129
 X windows, 128
 ttest command, 20
 twoway line command, 27
 twoway scatter command, 22–24, 27
 two-way table, *see* table, two-way
 type command, 41

U

update command, 41
 updates, 5, 41, 120–122
 ado-files, 121
 executable, 122
 troubleshooting, 121–122
 upgrading, *see* installation, upgrading
 use command, 51
 User's Guide, 115

V

Variable Properties window, 57
 variables, 10
 allowable names, 57
 creating, 87–92
 data type, 11, 13–14, 72, 87
 display format, 11, 34, 72
 dropping, 34, 93–94
 generating, *see* variables, creating
 label, 34
 missing values, *see* missing values
 name, 11, 72
 abbreviating, 67, 77–78
 auto-completion, 33
 naming, 57
 notes, 34
 renaming, 34, 57
 storage type, *see* variables, data type
 string, 11–13, 91–92
 confusing with value labels, 82
 text, *see* variables, string
 Variables window, 9, 25, 31, 33–34
 clicking, 33
 contextual menu, 33–34
 using, 13
 varlist, 13, 29, 77, 93
 examples, *see* examples, varlist
 view command, 41
 Viewer, 37–42, 110
 buttons, 38
 calling from Command window, 42
 color scheme, 113
 commands, 41
 contextual menu, 40
 Find bar, 38
 fonts, 113

Viewer, *continued*

- links
 - clicking, 39
 - middle-clicking, 39
 - shift-clicking, 39
- log files, 110–111
- navigating, 40
- new window, 39
- opening, 37
- preferences, 40
- printing, 40
- printing log files, 111
- selecting one Viewer, 39
- toolbar button, 32, 37
- viewing current log, 39
- viewing logs, 39
- viewing remote files, 40
- viewing text files, 39

W

- windows, 31
 - closing, 114
 - opening, 114
 - revealing, 31
- working directory, 36

X

- X Windows, 7, 23, 137
- XML, 70
- xmluse command, 65, 70
- xstata command, 7, 144
- xstata-mp command, 7, 144
- xstata-se command, 7, 144