

Subject and author index

This is the subject and author index for the *Stata Graphics Reference Manual*. Readers interested in topics other than graphics should see the combined subject index (and the combined author index) in the *Stata Quick Reference and Index*. The combined index indexes the *Getting Started* manuals, the *User's Guide*, and all the Reference manuals except the *Mata Reference Manual*.

Semicolons set off the most important entries from the rest. Sometimes no entry will be set off with semicolons, meaning that all entries are equally important.

A

added lines, $y=x$, [G] **graph twoway function**
 added-variable plots, [G] **graph other**
addedlinestyle, [G] *addedlinestyle*
 adding
 fits, see fits, adding
 lines, see lines, adding
 text, see text, adding
 addplot() option, [G] *addplot_option*
 alignment of text, [G] *textbox_options*
alignmentstyle, [G] *alignmentstyle*
 angle of text, [G] *anglestyle*
anglestyle, [G] *anglestyle*
 area, graph twoway subcommand, [G] **graph twoway area**
 areas, [G] *colorstyle*, also see fill areas and colors
areastyle, [G] *areastyle*
 arrows, [G] **graph twoway pcarrow**
 ascategory() option, [G] **graph bar**, [G] **graph box**, [G] **graph dot**
 asis print color mapping, [G] set **printcolor**
 aspect ratio, [G] *aspect_option*
 changing, [G] **graph display**
 controlling, [G] **graph combine**
 asyvars option, [G] **graph bar**, [G] **graph box**, [G] **graph dot**
 automatic print color mapping, [G] set **printcolor**
 available area, [G] *region_options*
 axes
 multiple scales, [G] *axis_choice_options*
 setting offset between and plot region, [G] *region_options*
 suppressing, [G] *axis_scale_options*
 axis
 labeling, [G] *axis_label_options*, [G] *axis_options*
 line, look of, [G] *axis_scale_options*, [G] *cat_axis_label_options*, [G] *cat_axis_line_options*
 log, [G] *axis_scale_options*
 overall look, [G] *axisstyle*
 range, [G] *axis_scale_options*
 reversed, [G] *axis_scale_options*
 scale, [G] *axis_options*, [G] *axis_scale_options*
 selection of, [G] *axis_choice_options*

axis, *continued*
 suppressing, [G] *axis_scale_options*
 ticking, [G] *axis_label_options*
 titling, [G] *axis_options*, [G] *axis_title_options*
 suppressing, [G] *axis_title_options*
axisstyle, [G] *axisstyle*

B

b1title() option, [G] *title_options*
 b2title() option, [G] *title_options*
 background color, [G] **schemes intro**
 setting, [G] *region_options*
 bar
 graph subcommand, [G] **graph bar**
 graph twoway subcommand, [G] **graph twoway bar**
 bar charts, [G] **graph bar**
 barbsize option, [G] **graph twoway pcarrow**
barlook options, [G] *barlook_options*
 bars
 labeling, [G] *blabel_option*
 look of, [G] *barlook_options*
 base plottypes, [G] *advanced_options*
 baseline suboption, [G] *alignmentstyle*
 Basford, K. E., [G] **graph matrix**
 Becker, R. A., [G] **graph matrix**
 Beniger, J. R., [G] **graph bar**, [G] **graph pie**, [G] **graph twoway histogram**
 bin() option, [G] **graph twoway histogram**
 bitmap, [G] *png_options*, [G] *tif_options*
 border around plot region, suppressing, [G] *region_options*
 borders
 misplacement of, [G] *added_text_options*
 suppressing, [G] *linestyle*
 suppressing around plot region, [G] *region_options*
 bottom suboption, [G] *alignmentstyle*
 box, graph subcommand, [G] **graph box**
 box plots, [G] **graph box**
 Brzinsky-Fay, C., [G] **graph twoway rbar**
 bstyle() option, [G] *barlook_options*
 building a graph, [G] **graph intro**
 by() option, [G] *by_option*, [G] **graph bar**
 by(), use of legends with, [G] *by_option*, [G] *legend_option*
 by-graphs, look of, [G] *bystyle*
bystyle, [G] *bystyle*

C

C charts, [G] **graph other**
 capped spikes, [G] *rcap_options*
 caption() option, [G] *title_options*
 casement displays, [G] *by_option*

categorical axis, look of
 labels, [G] *cat_axis_label_options*
 line, [G] *cat_axis_line_options*

center suboption, [G] *justificationstyle*

Chambers, J. M., [G] *by_option*, [G] **graph box**,
 [G] **graph matrix**

chi-squared probability and quantile plots, [G] **graph other**

Cleveland, W. S., [G] *by_option*, [G] **graph box**,
 [G] **graph dot**, [G] **graph intro**, [G] **graph matrix**, [G] **graph twoway lowest**

clock position, [G] *clockposstyle*

clstyle() option, [G] *connect_options*

cmissing() option, [G] *cline_options*,
 [G] *connect_options*

color, [G] *colorstyle*, [G] **palette**
 background, [G] **schemes intro**
 dimming and brightening, [G] *colorstyle*, [G] **graph twoway histogram**, [G] **graph twoway kdensity**
 foreground, [G] **schemes intro**
 intensity adjustment, [G] *colorstyle*, [G] **graph twoway histogram**, [G] **graph twoway kdensity**
 of bars, [G] *barlook_options*
 of connecting lines, [G] *connect_options*
 of markers, [G] *marker_options*
 of pie slices, [G] **graph pie**
 of text, [G] *textbox_options*
 setting background and fill, [G] *region_options*

color() option, [G] **graph twoway histogram**,
 [G] **graph twoway kdensity**

color, palette subcommand, [G] **palette**

colorstyle, [G] *colorstyle*

combine, graph subcommand, [G] **graph combine**

combining graphs, [G] **graph combine**

compassdirstyle, [G] *compassdirstyle*

component-plus-residual plots, [G] **graph other**

connect() option, [G] *cline_options*,
 [G] *connect_options*, [G] *connectstyle*

connected, graph twoway subcommand, [G] **graph twoway connected**

connectstyle, [G] *connectstyle*

copy graph, [G] **graph copy**

copy, graph subcommand, [G] **graph copy**

correlograms, [G] **graph other**

Cox, N. J., [G] **graph bar**, [G] **graph box**, [G] **graph intro**, [G] **graph twoway function**, [G] **graph twoway histogram**, [G] **graph twoway kdensity**, [G] **graph twoway lowest**, [G] **graph twoway lpoly**, [G] **graph twoway parrow**, [G] **graph twoway scatter**

Cox, N. J., [G] **graph twoway scatter**

cross-correlogram, [G] **graph other**

Crowe, P. R., [G] **graph box**

cusum plots, [G] **graph other**

D

dashed lines, [G] *linepatternstyle*

dendrograms, [G] **graph other**

density option, [G] **graph twoway histogram**

density smoothing, [G] **graph other**

derived plottypes, [G] *advanced_options*

describe, graph subcommand, [G] **graph describe**

describing graph, [G] **graph describe**

diagnostic plots, [G] **graph other**

dir, graph subcommand, [G] **graph dir**

discard, relationship to graph drop, [G] **graph drop**

discrete option, [G] **graph twoway histogram**

display graph, [G] **graph display**

display, graph subcommand, [G] **graph display**

displaying named graphs, [G] **graph display**, [G] **graph use**

distributional diagnostic plots, [G] **graph other**

dot,
 graph subcommand, [G] **graph dot**
 graph twoway subcommand, [G] **graph twoway dot**

dot plots, [G] *area_options*, [G] **graph dot**, [G] **graph twoway dot**, [G] *line_options*

dotted lines, [G] *linepatternstyle*

drop, graph subcommand, [G] **graph drop**

dropline, graph twoway subcommand, [G] **graph twoway dropline**

dropping graphs, [G] **graph drop**

E

economist scheme, [G] **scheme economist**;
 [G] *axis_options*

edit, graphs, [G] **graph editor**

Encapsulated PostScript, [G] **graph export**;
 [G] *eps_options*

Enhanced Metafile, [G] **graph export**; [G] *mf_option*

erasing graph files, [G] **graph drop**

export, graph subcommand, [G] **graph export**

exporting graphs, [G] *eps_options*, [G] **graph export**, [G] **graph set**, [G] *mf_option*,
 [G] *pict_options*, [G] *png_options*,
 [G] *ps_options*, [G] *tif_options*

F

fill
 areas, dimming and brightening, [G] *colorstyle*,
 [G] **graph twoway histogram**, [G] **graph twoway kdensity**
 color, setting, [G] *region_options*

fits, adding, [G] **graph twoway ffit**, [G] **graph twoway fffitci**, [G] **graph twoway lfit**,
 [G] **graph twoway lfitci**, [G] **graph twoway qfit**,
 [G] **graph twoway qfitci**

forecasts, [G] **graph other**

foreground color, [G] **schemes intro**

fffit, graph twoway subcommand, [G] **graph twoway fffit**

fffitci, graph twoway subcommand, [G] **graph twoway fffitci**

fraction option, [G] **graph twoway histogram**
 frequency option, [G] **graph twoway histogram**
 function, graph twoway subcommand, [G] **graph twoway function**
 functions, graphing, [G] **graph twoway function**
 Funkhouser, H. G., [G] **graph pie**
 fysize() option, [G] **graph combine**
 fysize() option, [G] **graph combine**

G

gap() option, [G] **graph twoway histogram**
 Good, P. I., [G] **graph intro**
 gph files, [G] **concept: gph files**, [G] **graph manipulation**
 describing contents, [G] **graph describe**
 graph bar command, [G] **graph bar**
 graph box command, [G] **graph box**
 graph combine command, [G] **graph combine**
 graph command, [G] **graph**
 graph copy command, [G] **graph copy**
 graph describe, [G] **graph describe**
 graph dir command, [G] **graph dir**
 graph display command, [G] **graph display**
 graph dot command, [G] **graph dot**;
 [G] **area_options**, [G] **line_options**
 graph drop command, [G] **graph drop**
 graph editor, [G] **graph editor**
 graph export command, [G] **graph export**
 graph hbar command, [G] **graph bar**
 graph hbox command, [G] **graph box**
 graph matrix command, [G] **graph matrix**
 graph pie command, [G] **graph pie**
 graph print command, [G] **graph print**,
 [G] **pr_options**; [G] **graph set**
 graph query command, [G] **graph query**
 graph region, [G] **region_options**
 graph rename command, [G] **graph rename**
 graph save command, [G] **graph save**
 graph set command, [G] **graph set**
 graph twoway area command, [G] **graph twoway area**
 graph twoway bar command, [G] **graph twoway bar**
 graph twoway command, [G] **graph twoway**
 graph twoway connected command, [G] **graph twoway connected**
 graph twoway dot command, [G] **graph twoway dot**
 graph twoway dropline command, [G] **graph twoway dropline**
 graph twoway ffit command, [G] **graph twoway ffit**
 graph twoway ffitci command, [G] **graph twoway ffitci**
 graph twoway function command, [G] **graph twoway function**
 graph twoway histogram command, [G] **graph twoway histogram**
 graph twoway kdensity command, [G] **graph twoway kdensity**
 graph twoway lfit command, [G] **graph twoway lfit**
 graph twoway lfitci command, [G] **graph twoway lfitci**
 graph twoway line command, [G] **graph twoway line**
 graph twoway lowess command, [G] **graph twoway lowess**
 graph twoway lpoly command, [G] **graph twoway lpoly**
 graph twoway lpolyci command, [G] **graph twoway lpolyci**
 graph twoway mband command, [G] **graph twoway mband**
 graph twoway mspline command, [G] **graph twoway mspline**
 graph twoway pcarrow command, [G] **graph twoway pcarrow**
 graph twoway pcarrowi command, [G] **graph twoway pcarrowi**
 graph twoway pccapsym command, [G] **graph twoway pccapsym**
 graph twoway pci command, [G] **graph twoway pci**
 graph twoway pcscatter command, [G] **graph twoway pcscatter**
 graph twoway pcspike command, [G] **graph twoway pcspike**
 graph twoway qfit command, [G] **graph twoway qfit**
 graph twoway qfitci command, [G] **graph twoway qfitci**
 graph twoway rarea command, [G] **graph twoway rarea**
 graph twoway rbar command, [G] **graph twoway rbar**
 graph twoway rcap command, [G] **graph twoway rcap**
 graph twoway rcapsym command, [G] **graph twoway rcapsym**
 graph twoway rconnected command, [G] **graph twoway rconnected**
 graph twoway rline command, [G] **graph twoway rline**
 graph twoway rscatter command, [G] **graph twoway rscatter**
 graph twoway rspike command, [G] **graph twoway rspike**
 graph twoway scatter command, [G] **graph twoway scatter**
 graph twoway scatteri command, [G] **graph twoway scatteri**
 graph twoway spike command, [G] **graph twoway spike**
 graph twoway tsline command, [G] **graph twoway tsline**
 graph twoway tsrline command, [G] **graph twoway tsrline**
 graph use command, [G] **graph use**

graphics, set subcommand, [G] **set graphics**
 graphregion() option, [G] *region_options*
 graphs,
 describing contents, [G] **graph describe**
 overall look of, [G] **schemes intro**
 saving, [G] **graph save**, [G] *saving_option*
 suppressing, [G] *nodraw_option*
 grid
 definition, [G] *gridstyle*
 lines, [G] *axis_label_options*
 without ticks, [G] *tickstyle*
gridstyle, [G] *gridstyle*
 groups, graphs by, [G] *by_option*
 gs1 print color mapping, [G] **set printcolor**
 gs2 print color mapping, [G] **set printcolor**
 gs3 print color mapping, [G] **set printcolor**
 Guerry, A. M., [G] **graph twoway histogram**

H

Haaland, J.-A., [G] **graph intro**
 half option, [G] **graph matrix**
 Hamilton, L. C., [G] **graph intro**
 Hardin, J. W., [G] **graph intro**
 Harrison, D. A., [G] **graph twoway histogram**
 Hartigan, J. A., [G] **graph matrix**
 hazard functions, [G] **graph other**
 hbar, graph subcommand, [G] **graph bar**
 hbox, graph subcommand, [G] **graph box**
 headlabel option, [G] **graph twoway pccapsym**,
 [G] **graph twoway pccscatter**
 height() textbox option, [G] *added_text_options*
 high-low charts, [G] **graph twoway rbar**, [G] **graph twoway rcap**, [G] **graph twoway rspike**
 histogram, graph twoway subcommand, [G] **graph twoway histogram**
 histograms, [G] **graph twoway histogram**
 histories, [G] *by_option*, [G] **graph bar**, [G] **graph box**, [G] **graph matrix**, [G] **graph pie**, [G] **graph twoway histogram**

I

impulse-response functions (IRF), [G] **graph other**
 intensity, color, adjustment, [G] *colorstyle*, [G] **graph twoway histogram**, [G] **graph twoway kdensity**
intensitystyle, [G] *intensitystyle*
 iscale() option, [G] **graph matrix**

J

jitter() option, [G] **graph matrix**, [G] **graph twoway scatter**
 jitterseed() option, [G] **graph matrix**, [G] **graph twoway scatter**
 Jorner, U., [G] **graph intro**
 justification of text, [G] *textbox_options*
justificationstyle, [G] *justificationstyle*

K

kdensity, graph twoway subcommand, [G] **graph twoway kdensity**
 kernel-density smoothing, [G] **graph other**
 keys, [G] *legend_option*
 Kleiner, B., [G] *by_option*, [G] **graph box**, [G] **graph matrix**
 Kohler, U., [G] **graph twoway rbar**

L

L-R plots, [G] **graph other**
 l1title() option, [G] *title_options*
 l2title() option, [G] *title_options*
 labels
 axis, [G] *axis_label_options*
 labels, [G] *marker_label_options*
 ladder-of-powers plots, [G] **graph other**
 lcolor() option, [G] *connect_options*, [G] *rspike_options*
 left suboption, [G] *justificationstyle*
 legend() option, [G] *legend_option*
 legends, [G] *legend_option*
 problems, [G] *legend_option*
 use with by(), [G] *by_option*, [G] *legend_option*
legendstyle, [G] *legendstyle*
 leverage plots, [G] **graph other**
 lfit, graph twoway subcommand, [G] **graph twoway lfit**
 lfitci, graph twoway subcommand, [G] **graph twoway lfitci**
 line, definition, [G] *linestyle*
 line, graph twoway subcommand, [G] **graph twoway line**
 linepalette, palette subcommand, [G] **palette**
linepatternstyle, [G] *linepatternstyle*
 lines, [G] **concept: lines**
 adding, [G] *added_line_options*, [G] **graph twoway lfit**, also see fits, adding
 connecting points, [G] *connect_options*, [G] *connectstyle*
 dashed, [G] *linepatternstyle*
 dotted, [G] *linepatternstyle*
 grid, [G] *axis_label_options*, [G] *linestyle*
 look of, [G] *fcline_options*, [G] *line_options*, [G] *linestyle*
 patterns, [G] *linepatternstyle*
 suppressing, [G] *linestyle*
 thickness, [G] *linewidthstyle*
linestyle, [G] *linestyle*
 added, [G] *addeditlinestyle*
linewidthstyle, [G] *linewidthstyle*
 local polynomial smoothing, [G] **graph other**, [G] **graph twoway lpoly**, [G] **graph twoway lpolyci**
 location, specifying, [G] *clockposstyle*, [G] *compassdirstyle*, [G] *ringposstyle*
 log scales, [G] *axis_scale_options*

look of areas, [G] *area_options*, [G] *fitarea_options*
 lowess, graph twoway subcommand, [G] **graph twoway lowess**
 lowess smoothing, [G] **graph other**
 lpattern() option, [G] *connect_options*, [G] *rspike_options*
 lstyle() option, [G] *rspike_options*
 lwidth() option, [G] *connect_options*, [G] *rspike_options*

M

Macintosh PICT, [G] *pict_options*
 mangle option, [G] **graph twoway pcarrow**
 manipulation commands, [G] **graph manipulation**
 margins, size of, [G] *marginstyle*, [G] *marginstyle*, [G] *region_options*, [G] *textbox_options*
 marker labels, [G] *marker_label_options*, [G] *markerlabelstyle*
markerlabelstyle, [G] *markerlabelstyle*
 markers, [G] *marker_options*, also see marker labels
 color, [G] *colorstyle*
 resizing, [G] *scale_option*
 shape of, [G] *symbolstyle*
 size of, [G] *markersizestyle*, [G] *markersizestyle*
markersizestyle, [G] *markersizestyle*
markerstyle, [G] *markerstyle*
 matrix, graph subcommand, [G] **graph matrix**
 matrix graphs, [G] **graph matrix**
 maxes() option, [G] **graph matrix**
 mband, graph twoway subcommand, [G] **graph twoway mband**
 mcolor() option, [G] *marker_options*
 memory graphs, describing contents, [G] **graph describe**
merged-explicit options, [G] **concept: repeated options**
merged-implicit options, [G] **concept: repeated options**
 Metafile, [G] *mf_option*
 mfcolor() option, [G] *marker_options*
 middle suboption, [G] *alignmentstyle*
 Mitchell, M. N., [G] **graph intro**
 mlabangle() option, [G] *marker_label_options*
 mlabcolor() option, [G] *marker_label_options*
 mlabel() option, [G] *marker_label_options*
 mlabgap() option, [G] *marker_label_options*
 mlabposition() option, [G] *marker_label_options*
 mlabsize() option, [G] *marker_label_options*
 mlabstyle() option, [G] *marker_label_options*
 mlabtextstyle() option, [G] *marker_label_options*
 mlabvposition() option, [G] *marker_label_options*
 mlcolor() option, [G] *marker_options*
 mlpattern() option, [G] *marker_options*
 mlstyle() option, [G] *marker_options*
 mlwidth() option, [G] *marker_options*
 mszie() option, [G] *marker_options*, [G] *rcap_options*

mspline, graph twoway subcommand, [G] **graph twoway mspline**
 mstyle() option, [G] *marker_options*
 msymbol() option, [G] *marker_options*

N

name() option, [G] *name_option*
 Nash, J. C., [G] **graph box**
 ndots() option, [G] **graph twoway dot**
 nodraw option, [G] *nodraw_option*
 normal probability plots, [G] **graph other**
 note() option, [G] *title_options*
 numbered styles, [G] *linestyle*, [G] *markerlabelstyle*, [G] *markerstyle*, [G] *pstyle*

O

objects, size of, [G] *relativesize*
 offset between axes and data, setting, [G] *region_options*
 options, repeated, [G] **concept: repeated options**
orientationstyle, [G] *orientationstyle*
 other graph commands, [G] **graph other**
 outlines, suppressing, [G] *linestyle*
 outlining regions, [G] *region_options*
 over() option, [G] **graph bar**, [G] **graph box**, [G] **graph dot**

P

P charts, [G] **graph other**
 paired-coordinate plots, [G] **graph twoway pcarrow**, [G] **graph twoway pccapsym**, [G] **graph twoway pscatter**, [G] **graph twoway pcp_spike**
 palette command, [G] **palette**
 pcarrow, graph twoway subcommand, [G] **graph twoway pcarrow**
 pcarrowi, graph twoway subcommand, [G] **graph twoway pcarrowi**
 pccarrow, graph twoway subcommand, [G] **graph twoway pccarrow**
 pccapsym, graph twoway subcommand, [G] **graph twoway pccapsym**
 pci, graph twoway subcommand, [G] **graph twoway pci**
 pcscatter, graph twoway subcommand, [G] **graph twoway pcscatter**
 pcspike, graph twoway subcommand, [G] **graph twoway pcspike**
 Pearson, K., [G] **graph twoway histogram**
 periodograms, [G] **graph other**
 Persson, R., [G] **graph intro**
 pharmacokinetic plots, [G] **graph other**
 PICT, [G] **graph export**; [G] *pict_options*
 pie charts, [G] **graph pie**
 pie, graph subcommand, [G] **graph pie**
 Playfair, W., [G] **graph bar**, [G] **graph pie**

plot, definition, [G] *pstyle*
plot region, [G] *region_options*
 suppressing border around, [G] *region_options*
plotregion() option, [G] *region_options*
plotregionstyle, [G] *plotregionstyle*
plottypes
 base, [G] *advanced_options*
 derived, [G] *advanced_options*
PNG, [G] *png_options*
points, connecting, [G] *connect_options*,
 [G] *connectstyle*
polynomial smoothin, see local polynomial smoothing
population pyramid, [G] *graph twoway bar*
PostScript, [G] *graph export*; [G] *eps_options*,
 [G] *ps_options*
print
 graph, [G] *graph print*
 graph set subcommand, [G] *graph set*
 printcolor, set subcommand, [G] *set printcolor*
 printing graphs, [G] *graph print*, [G] *pr_options*
 exporting options, [G] *graph set*
 settings, [G] *graph set*
pstyle, [G] *pstyle*
pstyle() option, [G] *graph twoway scatter*,
 [G] *pstyle*, [G] *rspike_options*
pyramid, population, [G] *graph twoway bar*

Q

qfit, graph twoway subcommand, [G] *graph twoway qfit*
qfitci, graph twoway subcommand, [G] *graph twoway qfitci*
quality control plots, [G] *graph other*
quantile plots, [G] *graph other*
quantile–quantile plots, [G] *graph other*
query, graph subcommand, [G] *graph query*
query graphics, [G] *set graphics*, [G] *set printcolor*,
 [G] *set scheme*

R

R charts, [G] *graph other*
r1title() option, [G] *title_options*
r2title() option, [G] *title_options*
range plots, [G] *rcap_options*
range spikes, [G] *rspike_options*
rarea, graph twoway subcommand, [G] *graph twoway rarea*
rbar, graph twoway subcommand, [G] *graph twoway rbar*
rcap, graph twoway subcommand, [G] *graph twoway rcap*
rcapsym, graph twoway subcommand, [G] *graph twoway rcapsym*
rconnected, graph twoway subcommand, [G] *graph twoway rconnected*

recast() option, [G] *advanced_options*,
 [G] *rcap_options*, [G] *rspike_options*
redisplay graph, [G] *graph display*
regions
 look of, [G] *areastyle*
 outlining, [G] *region_options*
 shading, [G] *region_options*
regression
 diagnostic plots, [G] *graph other*
 lines, see fits
rename graph, [G] *graph rename*
rename, graph subcommand, [G] *graph rename*
repeated options, [G] *concept: repeated options*
residual-versus-fitted and residual-versus-predicted plots,
 [G] *graph other*
reversed scales, [G] *axis_scale_options*
right suboption, [G] *justificationstyle*
rightmost options, [G] *concept: repeated options*
rline, graph twoway subcommand, [G] *graph twoway rline*
Robyn, D. L., [G] *graph bar*, [G] *graph pie*,
 [G] *graph twoway histogram*
ROC analysis, [G] *graph other*
rootograms, [G] *graph other*
Royston, P., [G] *graph twoway lowess*, [G] *graph twoway scatter*
rscatter, graph twoway subcommand, [G] *graph twoway rscatter*
rspike, graph twoway subcommand, [G] *graph twoway rspike*

S

s1color scheme, [G] *scheme s1*
s1manual scheme, [G] *scheme s1*
s1mono scheme, [G] *scheme s1*
s1rcolor scheme, [G] *scheme s1*
s2color scheme, [G] *scheme s2*
s2gmanual scheme, [G] *scheme s2*
s2manual scheme, [G] *scheme s2*
s2mono scheme, [G] *scheme s2*
save, graph subcommand, [G] *graph save*
saving() option, [G] *saving_option*
scale() option, [G] *scale_option*
scale,
 log, [G] *axis_scale_options*
 range of, [G] *axis_scale_options*
 reversed, [G] *axis_scale_options*
scatter, graph twoway subcommand, [G] *graph twoway scatter*
scatteri, graph twoway subcommand, [G] *graph twoway scatteri*
scatterplot matrices, [G] *graph matrix*
scheme() option, [G] *scheme_option*
scheme, set subcommand, [G] *set scheme*
schemes, [G] *schemes intro*; [G] *scheme economist*,
 [G] *scheme s1*, [G] *scheme s2*, [G] *scheme sj*,
 [G] *scheme_option*, [G] *set scheme*

schemes, *continued*

- changing, [G] **graph display**
- creating your own, [G] **schemes intro**
- default, [G] **set scheme**

set graphics, [G] **set graphics**

set printcolor, [G] **set printcolor**

set scheme, [G] **schemes intro**, [G] **set scheme**

shadestyle, [G] *shadestyle*

shading region, [G] *region_options*

size of

- all text and markers, [G] *scale_option*
- graph, [G] *region_options*
 - changing, [G] **graph display**
- markers, [G] *marker_options*
- objects, [G] *relativesize*
- text, [G] *textbox_options*

sj scheme, [G] **scheme sj**

smoothing, [G] **graph twoway lpol**

smoothing graphs, [G] **graph other**

sort option, [G] *connect_options*

specialized graphs, [G] **graph other**

spectral distribution plots, cumulative, [G] **graph other**

Spence, I., [G] **graph pie**

spike, graph twoway subcommand, [G] **graph twoway spike**

stairstep, connecting points with, [G] *connectstyle*

standard error bar charts, [G] **graph other**

start() option, [G] **graph twoway histogram**

Stata Journal, [G] **scheme sj**

Stata logo, [G] **graph print**, [G] *pr_options*

style

- added line, [G] *addedlinestyle*
- area, [G] *areastyle*
- axis, [G] *tickstyle*
- by-graphs, [G] *bystyle*
- clock position, [G] *clockposstyle*
- color, [G] *colorstyle*
- compass direction, [G] *compassdirstyle*
- connect points, [G] *connectstyle*
- grid lines, [G] *gridstyle*
- legends, [G] *legendstyle*
- lines, [G] *linepatternstyle*, [G] *linestyle*, [G] *linewidthstyle*
- lists, [G] *stylelists*
- margins, [G] *marginstyle*
- marker labels, [G] *markerlabelstyle*, [G] *markersizestyle*, [G] *markerstyle*
- markers, [G] *symbolstyle*
- plot, [G] *pstyle*
- text, [G] *textsizestyle*, [G] *textstyle*
- text display angle, [G] *anglestyle*
- text justification, [G] *justificationstyle*
- textboxes, [G] *orientationstyle*, [G] *textboxstyle*
- vertical alignment of text, [G] *alignmentstyle*

stylelist, [G] *stylelists*

subtitle() option, [G] *title_options*

suppressing graphs, [G] *nodraw_option*

survival analysis, [G] **graph other**

survivor functions, [G] **graph other**

symbolpalette, *palette* subcommand, [G] **palette**

symbols, see markers

symbolstyle, [G] *symbolstyle*

symmetry plots, [G] **graph other**

T

t1title() option, [G] *title_options*

t2title() option, [G] *title_options*

text

- adding, [G] *added_text_options*
- angle of, [G] *anglestyle*
- captions, [G] *title_options*
- look of, [G] *textboxstyle*, [G] *textstyle*
- note, [G] *title_options*
- resizing, [G] *scale_option*
- running outside of borders, [G] *added_text_options*
- size of, [G] *textbox_options*
- subtitle, [G] *title_options*
- title, [G] *title_options*
- vertical alignment, [G] *alignmentstyle*

text and textboxes, relationship between, [G] *textstyle*

text() option, [G] *added_text_options*, [G] *aspect_option*

textboxes, [G] *textbox_options*

- orientation of, [G] *orientationstyle*

textboxstyle, [G] *textboxstyle*

textsizestyle, [G] *textsizestyle*

textstyle, [G] *textstyle*

thickness of lines, [G] *linewidthstyle*

tick,

- definition, [G] *tickstyle*
- suppressing, [G] *tickstyle*

ticksetstyle, [G] *ticksetstyle*

tickstyle, [G] *tickstyle*

TIFF, [G] *tif_options*

time-series plots, [G] **graph other**, [G] **graph twoway tslide**

title() option, [G] *title_options*

titles, [G] *title_options*

- of axis, [G] *axis_title_options*

tlabel() option, [G] *axis_label_options*

tmlabel() option, [G] *axis_label_options*

tmtick() option, [G] *axis_label_options*

top() suboption, [G] *alignmentstyle*

tscale, graph twoway subcommand, [G] **graph twoway tslide**

tscale() option, [G] *axis_scale_options*

tslide, graph twoway subcommand, [G] **graph twoway tslide**

tsrline, graph twoway subcommand, [G] **graph twoway tslide**

ttick() option, [G] *axis_label_options*

ttitle() option, [G] *axis_title_options*

Tufte, E. R., [G] **graph bar**, [G] **graph pie**

Tukey, J. W., [G] **graph box**, [G] **graph matrix**
Tukey, P. A., [G] *by_option*, [G] **graph box**, [G] **graph matrix**

U

unique options, [G] **concept: repeated options**
use, **graph** subcommand, [G] **graph use**
using graphs, [G] **graph use**

V

variance decompositions (FEVD), [G] **graph other**
vector autoregressive (VAR) models, [G] **graph other**
vertical alignment of text, [G] *alignmentstyle*

W

Wainer, H., [G] **graph pie**
Wallgren, A., [G] **graph intro**
Wallgren, B., [G] **graph intro**
weights, [G] **graph twoway scatter**
width() option, [G] **graph twoway histogram**
Windows Metafile, [G] **graph export**; [G] *mf_option*
Winter, N. J. G., [G] **graph twoway scatter**

X

X-bar charts, [G] **graph other**
xaxis() suboption, [G] *axis_choice_options*
xcommon option, [G] **graph combine**
xlabel() option, [G] *axis_label_options*
xline() option, [G] *added_line_options*
xlabel() option, [G] *axis_label_options*
xmtick() option, [G] *axis_label_options*
xscale() option, [G] *axis_scale_options*
xsize() option, [G] **graph display**,
[G] *region_options*
xtick() option, [G] *axis_label_options*
xtitle() option, [G] *axis_title_options*
xvarformat() option, [G] *advanced_options*
xvarlabel() option, [G] *advanced_options*

Y

yaxis() suboption, [G] *axis_choice_options*
ycommon option, [G] **graph combine**
ylabel() option, [G] *axis_label_options*
yline() option, [G] *added_line_options*
ylabel() option, [G] *axis_label_options*
ymtick() option, [G] *axis_label_options*
yscale() option, [G] *axis_scale_options*
ysize() option, [G] **graph display**,
[G] *region_options*
ytick() option, [G] *axis_label_options*
ytitle() option, [G] *axis_title_options*
yvarformat() option, [G] *advanced_options*
yvarlabel() option, [G] *advanced_options*