

Subject and author index

This is the subject and author index for the *Stata Survey Data Reference Manual*. Readers interested in topics other than survey data should see the combined subject index in the *Stata Quick Reference and Index*, which indexes the *Getting Started with Stata for Macintosh Manual*, the *Getting Started with Stata for Unix Manual*, the *Getting Started with Stata for Windows Manual*, the *Stata User's Guide*, the *Stata Base Reference Manual*, the *Stata Data Management Reference Manual*, the *Stata Graphics Reference Manual*, the *Stata Programming Reference Manual*, the *Stata Longitudinal/Panel Data Reference Manual*, the *Stata Multivariate Statistics Reference Manual*, the *Stata Survival Analysis and Epidemiological Tables Reference Manual*, the *Stata Time-Series Reference Manual*, and this manual.

Readers interested in Mata topics should see the index at the end of the *Mata Reference Manual*.

Semicolons set off the most important entries from the rest. Sometimes no entry will be set off with semicolons; this means all entries are equally important.

A

Aitchison, J., [SVY] **svy: ologit**, [SVY] **svy: oprobit**
 Aldrich, J. H., [SVY] **svy: logistic**, [SVY] **svy: logit**,
 [SVY] **svy: mlogit**, [SVY] **svy: probit**
 Amemiya, T., [SVY] **svy: intreg**
 Anderson, J. A., [SVY] **svy: ologit**
 association tests, [SVY] **svy: tabulate twoway**

B

balanced repeated replication, [SVY] **svy brr**
 Baltagi, B. H., [SVY] **svy: ivreg**
 Barnwell, B. G., [SVY] **svy: tabulate twoway**
 Basman, R. L., [SVY] **svy: ivreg**
 Beale, E. M. L., [SVY] **svy postestimation**
 Bieler, G. S., [SVY] **svy: tabulate twoway**
 Binder, D. A., [SVY] **survey**, [SVY] **variance estimation**
 Bliss, C. I., [SVY] **svy: probit**
 Bortkewitsch, L. von, [SVY] **svy: poisson**
 Brant, R., [SVY] **svy: ologit**
 BRR estimation, see balanced repeated replication
brr_options, [SVY] **brr_options**
 Bru, B., [SVY] **svy: poisson**

C

Cameron, A. C., [SVY] **svy: nbreg**,
 [SVY] **svy: poisson**
 categorical data, [SVY] **svy: logistic**, [SVY] **svy: logit**,
 [SVY] **svy: mlogit**, [SVY] **svy: nbreg**,
 [SVY] **svy: ologit**, [SVY] **svy: oprobit**,
 [SVY] **svy: poisson**, [SVY] **svy: probit**,
 [SVY] **svy: proportion**, [SVY] **svy: tabulate oneway**, [SVY] **svy: tabulate twoway**

censored regression, [SVY] **svy: intreg**
 census data, [SVY] **direct standardization**,
 [SVY] **variance estimation**
 Chatterjee, S., [SVY] **svy: poisson**
 chi-squared, test of independence, [SVY] **svy: tabulate twoway**
 Clarke, R. D., [SVY] **svy: poisson**
 cluster sampling, [SVY] **survey**, [SVY] **svydes**,
 [SVY] **svyset**
 Cochran, W. G., [SVY] **survey**,
 [SVY] **poststratification**, [SVY] **subpopulation estimation**, [SVY] **svy brr**, [SVY] **svy jackknife**, [SVY] **svy postestimation**,
 [SVY] **svy: mean**, [SVY] **svy: poisson**,
 [SVY] **svy: proportion**, [SVY] **svy: ratio**,
 [SVY] **svy: tabulate oneway**, [SVY] **svy: total**,
 [SVY] **svyset**, [SVY] **variance estimation**
 Coleman, J. S., [SVY] **svy: poisson**
 confidence intervals, [SVY] **variance estimation**
 for linear combinations of coefficients, [SVY] **svy postestimation**
 for linear combinations of means, [SVY] **svy: mean postestimation**
 for linear combinations of proportions,
 [SVY] **svy: proportion postestimation**
 for linear combinations of ratios, [SVY] **svy: ratio postestimation**
 for linear combinations of totals, [SVY] **svy: total postestimation**
 for tabulated proportions, [SVY] **svy: tabulate twoway**
 contingency tables, [SVY] **svy: tabulate twoway**
 correlated errors, [SVY] **variance estimation**
 count-time data, [SVY] **svy: nbreg**, [SVY] **svy: poisson**
 Cramer, J. S., [SVY] **svy: logistic**, [SVY] **svy: logit**
 cumulative incidence data, [SVY] **svy: nbreg**,
 [SVY] **svy: poisson**

D

data, survey, [SVY] **survey**, [SVY] **svydes**,
 [SVY] **svyset**
 Davidson, R., [SVY] **svy: ivreg**
 DEFF, [SVY] **estat**, [SVY] **svy: tabulate oneway**,
 [SVY] **svy: tabulate twoway**
 DEFT, [SVY] **estat**, [SVY] **svy: tabulate oneway**,
 [SVY] **svy: tabulate twoway**
 delta method, [SVY] **variance estimation**
 Demnati, A., [SVY] **direct standardization**,
 [SVY] **poststratification**, [SVY] **variance estimation**
 design effects, [SVY] **estat**, [SVY] **svy: tabulate oneway**, [SVY] **svy: tabulate twoway**
 Deville, J.-C., [SVY] **direct standardization**,
 [SVY] **poststratification**, [SVY] **variance estimation**
 difference of subpopulation
 estimates, [SVY] **svy postestimation**
 means, [SVY] **svy: mean postestimation**

difference of subpopulation, *continued*
 proportions, [SVY] **svy: proportion postestimation**
 ratios, [SVY] **svy: ratio postestimation**
 totals, [SVY] **svy: total postestimation**
 DiNardo, J., [SVY] **svy: heckman**, [SVY] **svy: intreg**,
 [SVY] **svy: ivreg**, [SVY] **svy: probit**,
 [SVY] **svy: regress**
 direct standardization, [SVY] **direct standardization**
 Doll, R., [SVY] **svy: poisson**
 Draper, N. R., [SVY] **svy: regress**
 Dupont, W. D., [SVY] **svy: logistic**

E

eform_option, [SVY] *eform_option*
 Eltinge, J. L., [SVY] **survey**, [SVY] **estat**, [SVY] **svy**
postestimation, [SVY] **svy: logistic**,
 [SVY] **svy: logit**, [SVY] **svy: mean**,
 [SVY] **svy: probit**, [SVY] **svy: proportion**,
 [SVY] **svy: ratio**, [SVY] **svy: regress**,
 [SVY] **svy: total**, [SVY] **svydes**, [SVY] **variance**
estimation
 endogenous variables, [SVY] **svy: ivreg**
 Engel, A., [SVY] **survey**, [SVY] **estat**,
 [SVY] **subpopulation estimation**, [SVY] **svy**,
 [SVY] **svy brr**, [SVY] **svy: proportion**,
 [SVY] **svy: ratio**, [SVY] **svy: regress**,
 [SVY] **svy: tabulate oneway**,
 [SVY] **svy: tabulate twoway**, [SVY] **svy: total**,
 [SVY] **svydes**, [SVY] **variance estimation**
 estat command, [SVY] **estat**
 estat effects command, [SVY] **estat**
 estat lceffects command, [SVY] **estat**,
 [SVY] **svy: mean postestimation**
 estat size command, [SVY] **estat**
 estat svyset command, [SVY] **estat**
 estat vce command, [SVY] **estat**
 estimates command, [SVY] **svy postestimation**
 estimation options, [SVY] **estimation options**
 estimators, linear combinations, [SVY] **estat**, [SVY] **svy**
postestimation
exp_list, [SVY] **svy brr**, [SVY] **svy jackknife**

F

failure-time models, [SVY] **svy: nbreg**,
 [SVY] **svy: poisson**
 Feller, W., [SVY] **svy: nbreg**, [SVY] **svy: poisson**
 Frankel, M. R., [SVY] **survey**, [SVY] **svy: mean**,
 [SVY] **variance estimation**
 Freeman, D. H., Jr., [SVY] **svy: tabulate twoway**
 Freeman, J. L., [SVY] **svy: tabulate twoway**
 Freese, J., [SVY] **svy: logistic**, [SVY] **svy: logit**,
 [SVY] **svy: mlogit**, [SVY] **svy: nbreg**,
 [SVY] **svy: ologit**, [SVY] **svy: oprobit**,
 [SVY] **svy: poisson**, [SVY] **svy: probit**
 frequencies, table of, [SVY] **svy: tabulate oneway**,
 [SVY] **svy: tabulate twoway**

Fuller, W. A., [SVY] **survey**, [SVY] **svy: regress**,
 [SVY] **svy: tabulate twoway**, [SVY] **variance**
estimation

G

Garrett, J. M., [SVY] **survey**
 Gauvreau, K., [SVY] **svy: logistic**
 generalized negative binomial regression,
 [SVY] **svy: nbreg**
 Godambe, V. P., [SVY] **survey**, [SVY] **variance**
estimation
 Gonzalez, J. F., Jr., [SVY] **survey**, [SVY] **svy: mean**,
 [SVY] **svyset**, [SVY] **variance estimation**
 Gould, W. W., [SVY] **svy: logistic**
 Gourieroux, C., [SVY] **svy postestimation**
 Graubard, B. I., [SVY] **survey**, [SVY] **direct**
standardization, [SVY] **svy postestimation**,
 [SVY] **svy: tabulate twoway**, [SVY] **variance**
estimation
 Greene, W. H., [SVY] **svy: heckman**,
 [SVY] **svy: heckprob**, [SVY] **svy: mlogit**,
 [SVY] **svy: ologit**, [SVY] **svy: oprobit**
 Greenland, S., [SVY] **svy: ologit**
 Griffiths, W. E., [SVY] **svy postestimation**,
 [SVY] **svy: mlogit**
 Gronau, R., [SVY] **svy: heckman**

H

Hadi, A. S., [SVY] **svy: poisson**
 Hamilton, L. C., [SVY] **svy: mlogit**
 Hansen, M., [SVY] **survey**
 Heckman, J., [SVY] **svy: heckman**,
 [SVY] **svy: heckprob**
 Heckman selection model, [SVY] **svy: heckman**
 Hendrickx, J., [SVY] **svy: mlogit**
 heteroskedasticity, robust variances, [SVY] **variance**
estimation
 Hilbe, J. M., [SVY] **svy: nbreg**, [SVY] **svy: poisson**
 Hill, A. B., [SVY] **svy: poisson**
 Hill, R. C., [SVY] **svy postestimation**,
 [SVY] **svy: mlogit**
 Holm, C., [SVY] **svy postestimation**
 Holt, D., [SVY] **survey**, [SVY] **svy: regress**
 Hood, W. C., [SVY] **svy: ivreg**
 Hosmer, D. W., Jr., [SVY] **svy: logistic**,
 [SVY] **svy: logit**, [SVY] **svy: mlogit**
 Huber/White/sandwich estimator of variance,
 [SVY] **variance estimation**
 Hurd, M., [SVY] **svy: intreg**

I

incidence rate and rate ratio, [SVY] **svy: nbreg**,
 [SVY] **svy: poisson**
 instrumental variables regression, [SVY] **svy: ivreg**
 interval regression, [SVY] **svy: intreg**

J

- jackknife estimation, [SVY] **svy jackknife**
jackknife_options, [SVY] **jackknife_options**
 Jang, D. S., [SVY] **variance estimation**
 Johnson, C. L., [SVY] **svydes**
 Johnson, W., [SVY] **survey**, [SVY] **svy: mean**,
 [SVY] **svyset**
 Johnston, J., [SVY] **svy: heckman**, [SVY] **svy: intreg**,
 [SVY] **svy: ivreg**, [SVY] **svy: probit**,
 [SVY] **svy: regress**
 Judge, G. G., [SVY] **svy postestimation**,
 [SVY] **svy: mlogit**
 Judkins, D., [SVY] **svy brr**, [SVY] **variance estimation**

K

- Kendall, M. G., [SVY] **svy: intreg**
 Kennedy, W., [SVY] **svy: tabulate twoway**
 King, B., [SVY] **svy: mean**
 Kish design effects, [SVY] **estat**
 Kish, L., [SVY] **survey**, [SVY] **estat**,
 [SVY] **svy: mean**, [SVY] **svy: proportion**,
 [SVY] **svy: ratio**, [SVY] **svy: tabulate oneway**,
 [SVY] **svy: total**, [SVY] **variance estimation**
 Klein, M., [SVY] **svy: logistic**, [SVY] **svy: mlogit**,
 [SVY] **svy: ologit**
 Kleinbaum, D. G., [SVY] **svy: logistic**,
 [SVY] **svy: mlogit**, [SVY] **svy: ologit**
 Kmenta, J., [SVY] **svy: ivreg**, [SVY] **svy: regress**
 Koch, G. G., [SVY] **svy: tabulate twoway**
 Koopmans, T. C., [SVY] **svy: ivreg**
 Korn, E. L., [SVY] **survey**, [SVY] **direct**
standardization, [SVY] **svy postestimation**,
 [SVY] **svy: tabulate twoway**, [SVY] **variance**
estimation
 Kott, P. S., [SVY] **survey**
 Krauss, N., [SVY] **survey**, [SVY] **svy: mean**,
 [SVY] **svyset**, [SVY] **variance estimation**

L

- Lee, T.-C., [SVY] **svy postestimation**,
 [SVY] **svy: mlogit**
 Lemeshow, S., [SVY] **survey**, [SVY] **poststratification**,
 [SVY] **svy: logistic**, [SVY] **svy: logit**,
 [SVY] **svy: mlogit**
 Levy, P., [SVY] **survey**, [SVY] **poststratification**
 Lewis, H., [SVY] **svy: heckman**
`lincom` command, [SVY] **svy postestimation**,
 [SVY] **svy: mean postestimation**,
 [SVY] **svy: ratio postestimation**
 linear
 combinations of estimators, [SVY] **estat**, [SVY] **svy**
postestimation
 combinations of means, [SVY] **svy: mean**
postestimation
 combinations of proportions, [SVY] **svy: proportion**
postestimation

- linear, *continued*
 combinations of ratios, [SVY] **svy: ratio**
postestimation
 combinations of totals, [SVY] **svy: total**
postestimation
 regression, [SVY] **svy: regress**
 with sample selection, [SVY] **svy: heckman**
 linearized variance estimator, [SVY] **variance**
estimation
 log-linear model, [SVY] **svy: poisson**
 logistic regression, [SVY] **svy: logistic**,
 [SVY] **svy: logit**
 polytomous, [SVY] **svy: mlogit**
 Long, J. S., [SVY] **svy: intreg**, [SVY] **svy: logistic**,
 [SVY] **svy: logit**, [SVY] **svy: mlogit**,
 [SVY] **svy: nbreg**, [SVY] **svy: ologit**,
 [SVY] **svy: oprobit**, [SVY] **svy: poisson**,
 [SVY] **svy: probit**
 Lütkepohl, H., [SVY] **svy postestimation**,
 [SVY] **svy: mlogit**

M

- MacKinnon, J. G., [SVY] **svy: ivreg**
 Marschak, J., [SVY] **svy: ivreg**
 Massey, J. T., [SVY] **survey**, [SVY] **estat**,
 [SVY] **subpopulation estimation**, [SVY] **svy**,
 [SVY] **svy brr**, [SVY] **svy: proportion**,
 [SVY] **svy: ratio**, [SVY] **svy: regress**,
 [SVY] **svy: tabulate oneway**,
 [SVY] **svy: tabulate twoway**, [SVY] **svy: total**,
 [SVY] **svydes**, [SVY] **variance estimation**
 Maurer, K., [SVY] **survey**, [SVY] **estat**,
 [SVY] **subpopulation estimation**, [SVY] **svy**,
 [SVY] **svy brr**, [SVY] **svy: proportion**,
 [SVY] **svy: ratio**, [SVY] **svy: regress**,
 [SVY] **svy: tabulate oneway**,
 [SVY] **svy: tabulate twoway**, [SVY] **svy: total**,
 [SVY] **svydes**, [SVY] **variance estimation**
 maximum likelihood estimation, [SVY] **ml for svy**
 McCarthy, P. J., [SVY] **svy brr**, [SVY] **variance**
estimation
 McCullagh, P., [SVY] **svy: ologit**
 McDowell, A., [SVY] **survey**, [SVY] **estat**,
 [SVY] **subpopulation estimation**, [SVY] **svy**,
 [SVY] **svy brr**, [SVY] **svy: proportion**,
 [SVY] **svy: ratio**, [SVY] **svy: regress**,
 [SVY] **svy: tabulate oneway**,
 [SVY] **svy: tabulate twoway**, [SVY] **svy: total**,
 [SVY] **svydes**, [SVY] **variance estimation**
 McKelvey, R. D., [SVY] **svy: ologit**
 McNeil, D., [SVY] **svy: poisson**
 means
 survey data, [SVY] **svy: mean**
 testing equality, weighted, [SVY] **svy: mean**
postestimation
 MEFF, [SVY] **estat**
 MEFT, [SVY] **estat**
 Mendenhall, W., [SVY] **survey**
`mfx` command, [SVY] **svy postestimation**

Mills' ratio, [SVY] **svy: heckman**
 misspecification effects, [SVY] **estat**
ml, [SVY] **ml for svy**
 Monfort, A., [SVY] **svy postestimation**
 Mosteller, F., [SVY] **survey**
 multinomial logistic regression, [SVY] **svy: mlogit**
 multistage clustered sampling, [SVY] **survey**,
 [SVY] **svydes**, [SVY] **svyset**

N

negative binomial regression, [SVY] **svy: nbreg**
 Nelder, J. A., [SVY] **svy: ologit**
 Nelson, F. D., [SVY] **svy: logistic**, [SVY] **svy: logit**,
 [SVY] **svy: mlogit**, [SVY] **svy: probit**
nLcom command, [SVY] **svy postestimation**
 nonconstant variance, [SVY] **variance estimation**
 nonlinear combinations, predictions, and tests,
 [SVY] **svy postestimation**

O

odds ratios, [SVY] **svy: logistic**, [SVY] **svy: logit**,
 [SVY] **svy: ologit**
 differences, [SVY] **svy postestimation**
 Ott, L., [SVY] **survey**

P

Pagano, M., [SVY] **svy: logistic**
 Pampel, F. C., [SVY] **svy: logistic**
 Park, H. J., [SVY] **svy: tabulate twoway**
 Pindyck, R., [SVY] **svy: heckprob**
 Pitblado, J. S., [SVY] **survey**
 Poisson regression, [SVY] **svy: poisson**
 Poisson, S. D., [SVY] **svy: poisson**
 polytomous logistic regression, [SVY] **svy: mlogit**
 population
 means, [SVY] **svy: mean**
 proportions, [SVY] **svy: proportion**
 ratios, [SVY] **svy: ratio**
 totals, [SVY] **svy: total**
 postestimation, [SVY] **svy postestimation**,
 [SVY] **svy: heckman postestimation**,
 [SVY] **svy: heckprob postestimation**,
 [SVY] **svy: intreg postestimation**,
 [SVY] **svy: ivreg postestimation**,
 [SVY] **svy: logistic postestimation**,
 [SVY] **svy: logit postestimation**,
 [SVY] **svy: mean postestimation**,
 [SVY] **svy: mlogit postestimation**,
 [SVY] **svy: nbreg postestimation**,
 [SVY] **svy: ologit postestimation**,
 [SVY] **svy: oprobit postestimation**,
 [SVY] **svy: poisson postestimation**,
 [SVY] **svy: probit postestimation**,
 [SVY] **svy: proportion postestimation**,
 [SVY] **svy: ratio postestimation**,
 [SVY] **svy: regress postestimation**,

postestimation, *continued*
 [SVY] **svy: tabulate postestimation**,
 [SVY] **svy: total postestimation**
 poststratification, [SVY] **poststratification**
 Powers, D. A., [SVY] **svy: logistic**, [SVY] **svy: logit**,
 [SVY] **svy: probit**
 predict command, [SVY] **svy postestimation**,
 [SVY] **svy: heckman postestimation**,
 [SVY] **svy: heckprob postestimation**,
 [SVY] **svy: intreg postestimation**,
 [SVY] **svy: ivreg postestimation**,
 [SVY] **svy: logistic postestimation**,
 [SVY] **svy: logit postestimation**,
 [SVY] **svy: mlogit postestimation**,
 [SVY] **svy: nbreg postestimation**,
 [SVY] **svy: ologit postestimation**,
 [SVY] **svy: oprobit postestimation**,
 [SVY] **svy: poisson postestimation**,
 [SVY] **svy: probit postestimation**,
 [SVY] **svy: regress postestimation**
 predictions, [SVY] **svy postestimation**
 predictnl command, [SVY] **svy postestimation**
 Price, B., [SVY] **svy: poisson**
 primary sampling unit, [SVY] **svydes**, [SVY] **svyset**
 probit regression, [SVY] **svy: probit**
 with sample selection, [SVY] **svy: heckprob**
 proportions, survey data, [SVY] **svy: proportion**,
 [SVY] **svy: tabulate oneway**,
 [SVY] **svy: tabulate twoway**
 PSU, [SVY] **svydes**, [SVY] **svyset**

Q

qualitative dependent variables, [SVY] **svy: mlogit**,
 [SVY] **svy: ologit**, [SVY] **svy: oprobit**

R

Rao, J. N. K., [SVY] **direct standardization**,
 [SVY] **poststratification**, [SVY] **svy: tabulate**
twoway, [SVY] **variance estimation**
 ratios, survey data, [SVY] **svy: ratio**,
 [SVY] **svy: tabulate twoway**
 replication method, [SVY] **svy brr**, [SVY] **svy**
jackknife, [SVY] **svyset**, [SVY] **variance**
estimation
 robust, Huber/White/sandwich estimator of variance,
 [SVY] **variance estimation**
 Rubinfield, D., [SVY] **svy: heckprob**

S

sampling, [SVY] **survey**, [SVY] **svydes**, [SVY] **svyset**
 sandwich/Huber/White estimator of variance,
 [SVY] **variance estimation**
 Särndal, C.-E., [SVY] **survey**, [SVY] **variance**
estimation
 Satterthwaite, F. E., [SVY] **variance estimation**
 Scheaffer, R. L., [SVY] **survey**

Schnell, D., [SVY] **svy: tabulate twoway**
 Scott, A. J., [SVY] **survey**, [SVY] **svy: tabulate twoway**
 Scott, C., [SVY] **survey**, [SVY] **svy: mean**, [SVY] **svyset**, [SVY] **variance estimation**
 selection models, [SVY] **svy: heckman**, [SVY] **svy: heckprob**
 Selvin, S., [SVY] **svy: poisson**
 Shah, B. V., [SVY] **direct standardization**, [SVY] **poststratification**, [SVY] **svy: tabulate twoway**, [SVY] **variance estimation**
 Shao, J., [SVY] **survey**, [SVY] **svy brr**, [SVY] **svy jackknife**, [SVY] **variance estimation**
 Silvey, S. D., [SVY] **svy: ologit**, [SVY] **svy: oprobit**
 Skinner, C. J., [SVY] **survey**, [SVY] **svy: regress**, [SVY] **variance estimation**
 Smith, H., [SVY] **svy: regress**
 Smith, T. M. F., [SVY] **survey**, [SVY] **svy: regress**
 Sribney, W. M., [SVY] **survey**, [SVY] **estat**, [SVY] **svy postestimation**, [SVY] **svy: logistic**, [SVY] **svy: logit**, [SVY] **svy: mean**, [SVY] **svy: probit**, [SVY] **svy: proportion**, [SVY] **svy: ratio**, [SVY] **svy: regress**, [SVY] **svy: tabulate twoway**, [SVY] **svy: total**, [SVY] **svydes**, [SVY] **variance estimation**
 standard errors, [SVY] **variance estimation**
 Stock, J. H., [SVY] **svy: ivreg**
 stratified sampling, [SVY] **survey**, [SVY] **svydes**, [SVY] **svyset**
 stratum collapse, [SVY] **svydes**
 Stuart, A., [SVY] **survey**, [SVY] **svy: intreg**
 subpopulation
 estimation, [SVY] **subpopulation estimation**
 means, [SVY] **svy: mean**
 proportions, [SVY] **svy: proportion**, [SVY] **svy: tabulate oneway**, [SVY] **svy: tabulate twoway**
 ratios, [SVY] **svy: ratio**, [SVY] **svy: tabulate oneway**, [SVY] **svy: tabulate twoway**
 totals, [SVY] **svy: tabulate oneway**, [SVY] **svy: tabulate twoway**, [SVY] **svy: total**
 suest command, [SVY] **svy postestimation**
 Sullivan, G., [SVY] **svy: tabulate twoway**
 summarizing data, [SVY] **svy: tabulate twoway**
 survey postestimation, [SVY] **svy postestimation**
 survey prefix command, [SVY] **svy**
 survey sampling, [SVY] **survey**, [SVY] **svydes**, [SVY] **svyset**
 svy brr prefix command, [SVY] **svy brr**
 svy jackknife prefix command, [SVY] **svy jackknife**
 svy prefix command, [SVY] **svy**
 svy: gnbreg command, [SVY] **svy: nbreg**
 svy: heckman command, [SVY] **svy: heckman**
 svy: heckprob command, [SVY] **svy: heckprob**
 svy: intreg command, [SVY] **svy: intreg**
 svy: ivreg command, [SVY] **svy: ivreg**
 svy: logistic command, [SVY] **svy: logistic**
 svy: logit command, [SVY] **svy: logit**

svy: mean command, [SVY] **svy: mean**
 svy: mlogit command, [SVY] **svy: mlogit**
 svy: nbreg command, [SVY] **svy: nbreg**
 svy: ologit command, [SVY] **svy: ologit**
 svy: oprobit command, [SVY] **svy: oprobit**
 svy: poisson command, [SVY] **svy: poisson**
 svy: probit command, [SVY] **svy: probit**
 svy: proportion command, [SVY] **svy: proportion**
 svy: ratio command, [SVY] **svy: ratio**
 svy: regress command, [SVY] **svy: regress**
 svy: tabulate command, [SVY] **svy: tabulate oneway**, [SVY] **svy: tabulate twoway**
 svy: total command, [SVY] **svy: total**
 svydes command, [SVY] **svydes**
 svymarkout command, [SVY] **svymarkout**
 svyset command, [SVY] **svyset**
 Swensson, B., [SVY] **survey**, [SVY] **variance estimation**

T

t distribution
 testing equality of means, [SVY] **svy: mean**
 tables
 contingency, [SVY] **svy: tabulate twoway**
 frequency, [SVY] **svy: tabulate oneway**, [SVY] **svy: tabulate twoway**
 tabulate
 oneway, [SVY] **svy: tabulate oneway**
 twoway, [SVY] **svy: tabulate twoway**
 Taylor linearization, see linearized variance estimator
 test command, [SVY] **survey**, [SVY] **svy postestimation**, [SVY] **svy: mean postestimation**, [SVY] **svy: proportion postestimation**, [SVY] **svy: ratio postestimation**, [SVY] **svy: total postestimation**
 testnl command, [SVY] **svy postestimation**
 testparm command, [SVY] **svy postestimation**
 tests
 association, [SVY] **svy: tabulate twoway**
 differences of two means, [SVY] **svy: mean postestimation**
 equality of coefficients, [SVY] **svy postestimation**
 equality of means, [SVY] **svy: mean postestimation**
 equality of proportions, [SVY] **svy: proportion postestimation**
 equality of ratios, [SVY] **svy: ratio postestimation**
 equality of totals, [SVY] **svy: total postestimation**
 independence, [SVY] **svy: tabulate twoway**
 model coefficients, [SVY] **svy postestimation**
 nonlinear, [SVY] **svy postestimation**
 Wald, [SVY] **svy postestimation**
 Theil, H., [SVY] **svy: ivreg**
 Thomas, D. R., [SVY] **svy: tabulate twoway**
 Thompson, S. K., [SVY] **survey**
 Thorndike, F., [SVY] **svy: poisson**
 totals, survey data, [SVY] **svy: total**
 Trivedi, P. K., [SVY] **svy: nbreg**, [SVY] **svy: poisson**

Tu, D., [SVY] **survey**, [SVY] **svy brr**, [SVY] **svy jackknife**, [SVY] **variance estimation**
Tukey, J. W., [SVY] **svy jackknife**
two-stage least squares, [SVY] **svy: ivreg**

V

Van de Ven, W. P. M. M., [SVY] **svy: heckprob**
Van Pragg, B. M. S., [SVY] **svy: heckprob**
variance
 Huber/White/sandwich estimator, [SVY] **variance estimation**
 linearized, [SVY] **variance estimation**
 nonconstant, [SVY] **variance estimation**

W

Wald tests, [SVY] **svy postestimation**
Watson, G. S., [SVY] **survey**
Watson, M. W., [SVY] **svy: ivreg**
Weesie, J., [SVY] **svy postestimation**
weights,
 probability, [SVY] **survey**, [SVY] **svydes**,
 [SVY] **svyset**
 sampling, [SVY] **survey**, [SVY] **svydes**,
 [SVY] **svyset**
White/Huber/sandwich estimator of variance,
 [SVY] **variance estimation**
Williams, B., [SVY] **survey**
Winter, N., [SVY] **survey**
Wolter, K. M., [SVY] **survey**, [SVY] **svy brr**,
 [SVY] **svy jackknife**, [SVY] **svy: mean**,
 [SVY] **svy: proportion**, [SVY] **svy: ratio**,
 [SVY] **svy: total**
Wooldridge, J. M., [SVY] **svy: ivreg**
Wretman, J., [SVY] **survey**, [SVY] **variance estimation**

X

Xie, Y., [SVY] **svy: logistic**, [SVY] **svy: logit**,
 [SVY] **svy: probit**

Z

Zavoina, W., [SVY] **svy: ologit**