

[Description](#)[Syntax](#)[Remarks and examples](#)[Also see](#)[Quick start](#)[Options for destring](#)[Acknowledgment](#)[Menu](#)[Options for tostring](#)[References](#)

## Description

`destring` converts variables in *varlist* from string to numeric. If *varlist* is not specified, `destring` will attempt to convert all variables in the dataset from string to numeric. Characters listed in `ignore()` are removed. Variables in *varlist* that are already numeric will not be changed. `destring` treats both empty strings “” and “.” as indicating `sysmiss` (.) and interprets the strings “.a”, “.b”, ..., “.z” as the extended missing values .a, .b, ..., .z; see [U] 12.2.1 [Missing values](#). `destring` also ignores any leading or trailing spaces so that, for example, “ ” is equivalent to “” and “ . ” is equivalent to “.”.

`tostring` converts variables in *varlist* from numeric to string. The most compact string format possible is used. Variables in *varlist* that are already string will not be converted.

## Quick start

Convert `strg1` from string to numeric, and place result in `num1`

```
destring strg1, generate(num1)
```

Same as above, but ignore the % character in `strg1`

```
destring strg1, generate(num1) ignore(%)
```

Same as above, but return . for observations with nonnumeric characters

```
destring strg1, generate(num1) force
```

Convert `num2` from numeric to string, and place result in `strg2`

```
tostring num2, generate(strg2)
```

Same as above, but format with a leading zero and 3 digits after the decimal

```
tostring num2, generate(strg2) format(%09.3f)
```

## Menu

### **destring**

Data > Create or change data > Other variable-transformation commands > Convert variables from string to numeric

### **tostring**

Data > Create or change data > Other variable-transformation commands > Convert variables from numeric to string

# Syntax

Convert string variables to numeric variables

```
destring [varlist], { generate(newvarlist) | replace } [destring_options]
```

Convert numeric variables to string variables

```
tostring varlist, { generate(newvarlist) | replace } [tostring_options]
```

destring_options	Description
* generate(newvarlist)	generate $newvar_1, \dots, newvar_k$ for each variable in <i>varlist</i>
* replace	replace string variables in <i>varlist</i> with numeric variables
ignore("chars" [ , ignoreopts])	remove specified nonnumeric characters, as characters or as bytes, and illegal Unicode characters
force	convert nonnumeric strings to missing values
float	generate numeric variables as type float
percent	convert percent variables to fractional form
dpcomma	convert variables with commas as decimals to period-decimal format

\* Either generate(*newvarlist*) or replace is required.

tostring_options	Description
* generate(newvarlist)	generate $newvar_1, \dots, newvar_k$ for each variable in <i>varlist</i>
* replace	replace numeric variables in <i>varlist</i> with string variables
force	force conversion ignoring information loss
format(format)	convert using specified format
usedisplayformat	convert using display format

\* Either generate(*newvarlist*) or replace is required.

## Options for destring

Either generate() or replace must be specified. With either option, if any string variable contains nonnumeric characters not specified with ignore(), then no corresponding variable will be generated, nor will that variable be replaced (unless force is specified).

generate(*newvarlist*) specifies that a new variable be created for each variable in *varlist*. *newvarlist* must contain the same number of new variable names as there are variables in *varlist*. If *varlist* is not specified, destring attempts to generate a numeric variable for each variable in the dataset; *newvarlist* must then contain the same number of new variable names as there are variables in the dataset. Any variable labels or characteristics will be copied to the new variables created.

replace specifies that the variables in *varlist* be converted to numeric variables. If *varlist* is not specified, destring attempts to convert all variables from string to numeric. Any variable labels or characteristics will be retained.

`ignore("chars" [, ignoreopts])` specifies nonnumeric characters be removed. *ignoreopts* may be `aschars`, `asbytes`, or `illegal`. The default behavior is to remove characters as characters, which is the same as specifying `aschars`. `asbytes` specifies removal of all bytes included in all characters in the ignore string, regardless of whether these bytes form complete Unicode characters. `illegal` specifies removal of all illegal Unicode characters, which is useful for removing high-ASCII characters. `illegal` may not be specified with `asbytes`. If any string variable still contains any nonnumeric or illegal Unicode characters after the ignore string has been removed, no action will take place for that variable unless `force` is also specified. Note that to Stata the comma is a nonnumeric character; see also the `dpcomma` option below.

`force` specifies that any string values containing nonnumeric characters, in addition to any specified with `ignore()`, be treated as indicating missing numeric values.

`float` specifies that any new numeric variables be created initially as type `float`. The default is type `double`; see [D] **Data types**. `destring` attempts automatically to compress each new numeric variable after creation.

`percent` removes any percent signs found in the values of a variable, and all values of that variable are divided by 100 to convert the values to fractional form. `percent` by itself implies that the percent sign, “%”, is an argument to `ignore()`, but the converse is not true.

`dpcomma` specifies that variables with commas as decimal values should be converted to have periods as decimal values.

## Options for `tostring`

Either `generate()` or `replace` must be specified. If converting any numeric variable to string would result in loss of information, no variable will be produced unless `force` is specified. For more details, see `force` below.

`generate(newvarlist)` specifies that a new variable be created for each variable in *varlist*. *newvarlist* must contain the same number of new variable names as there are variables in *varlist*. Any variable labels or characteristics will be copied to the new variables created.

`replace` specifies that the variables in *varlist* be converted to string variables. Any variable labels or characteristics will be retained.

`force` specifies that conversions be forced even if they entail loss of information. Loss of information means one of two circumstances: 1) The result of `real(strocreal(varname, "format"))` is not equal to *varname*; that is, the conversion is not reversible without loss of information; 2) `replace` was specified, but a variable has associated value labels. In circumstance 1, it is usually best to specify `usedisplayformat` or `format()`. In circumstance 2, value labels will be ignored in a forced conversion. `decode` (see [D] **encode**) is the standard way to generate a string variable based on value labels.

`format(format)` specifies that a numeric format be used as an argument to the `strocreal()` function, which controls the conversion of the numeric variable to string. For example, a format of `%7.2f` specifies that numbers are to be rounded to two decimal places before conversion to string. See *Remarks and examples* below and [FN] **String functions** and [D] **format**. `format()` cannot be specified with `usedisplayformat`.

`usedisplayformat` specifies that the current display format be used for each variable. For example, this option could be useful when using US Social Security numbers or daily or other dates with some `%d` or `%t` format assigned. `usedisplayformat` cannot be specified with `format()`.

## Remarks and examples

Remarks are presented under the following headings:

- [destring](#)
- [tostring](#)
- [Saved characteristics](#)
- [Video example](#)

### destring

#### ► Example 1

We read in a dataset, but somehow all the variables were created as strings. The variables contain no nonnumeric characters, and we want to convert them all from string to numeric data types.

```
. use https://www.stata-press.com/data/r19/destring1
. describe
Contains data from https://www.stata-press.com/data/r19/destring1.dta
Observations:      10
Variables:         5                               3 Mar 2024 10:15
```

Variable name	Storage type	Display format	Value label	Variable label
id	str3	%9s		
num	str3	%9s		
code	str4	%9s		
total	str5	%9s		
income	str5	%9s		

Sorted by:

```
. list
```

	id	num	code	total	income
1.	111	243	1234	543	23423
2.	111	123	2345	67854	12654
3.	111	234	3456	345	43658
4.	222	345	4567	57	23546
5.	333	456	5678	23	21432
6.	333	567	6789	23465	12987
7.	333	678	7890	65	9823
8.	444	789	8976	23	32980
9.	444	901	7654	23	18565
10.	555	890	6543	423	19234

```
. deststring, replace
id: all characters numeric; replaced as int
num: all characters numeric; replaced as int
code: all characters numeric; replaced as int
total: all characters numeric; replaced as long
income: all characters numeric; replaced as long
```

```
. describe
Contains data from https://www.stata-press.com/data/r19/destring1.dta
Observations:      10
Variables:         5                               3 Mar 2024 10:15

Variable      Storage   Display   Value
  name        type      format    label      Variable label
-----
id            int       %10.0g
num           int       %10.0g
code          int       %10.0g
total         long      %10.0g
income        long      %10.0g

Sorted by:
Note: Dataset has changed since last saved.

. list
```

	id	num	code	total	income
1.	111	243	1234	543	23423
2.	111	123	2345	67854	12654
3.	111	234	3456	345	43658
4.	222	345	4567	57	23546
5.	333	456	5678	23	21432
6.	333	567	6789	23465	12987
7.	333	678	7890	65	9823
8.	444	789	8976	23	32980
9.	444	901	7654	23	18565
10.	555	890	6543	423	19234



➤ Example 2

Our dataset contains the variables `date`, `price`, and `percent`. These variables were accidentally read into Stata as string variables because they contain spaces, dollar signs, commas, and percent signs. We will leave the `date` variable as a string so that we can use the `date()` function to convert it to a numeric date. For `price` and `percent`, we want to remove all of the nonnumeric characters and create new variables containing numeric values. After removing the percent sign, we want to convert the `percent` variable to decimal form.

```
. use https://www.stata-press.com/data/r19/destring2, clear
. describe
```

Contains data from https://www.stata-press.com/data/r19/destring2.dta  
Observations: 10  
Variables: 3 3 Mar 2024 22:50

Variable name	Storage type	Display format	Value label	Variable label
date	str14	%10s		
price	str11	%11s		
percent	str3	%9s		

Sorted by:

```
. list
```

	date	price	percent
1.	1999 12 10	\$2,343.68	34%
2.	2000 07 08	\$7,233.44	86%
3.	1997 03 02	\$12,442.89	12%
4.	1999 09 00	\$233,325.31	6%
5.	1998 10 04	\$1,549.23	76%
6.	2000 03 28	\$23,517.03	35%
7.	2000 08 08	\$2.43	69%
8.	1997 10 20	\$9,382.47	32%
9.	1998 01 16	\$289,209.32	45%
10.	1999 11 12	\$8,282.49	1%

```
. destring price percent, generate(price2 percent2) ignore("$,%") percent
price: characters $ , removed; price2 generated as double
percent: character % removed; percent2 generated as double
. describe
```

Contains data from https://www.stata-press.com/data/r19/destring2.dta  
Observations: 10  
Variables: 5 3 Mar 2024 22:50

Variable name	Storage type	Display format	Value label	Variable label
date	str14	%10s		
price	str11	%11s		
price2	double	%10.0g		
percent	str3	%9s		
percent2	double	%10.0g		

Sorted by:

Note: Dataset has changed since last saved.

```
. list
```

	date	price	price2	percent	percent2
1.	1999 12 10	\$2,343.68	2343.68	34%	.34
2.	2000 07 08	\$7,233.44	7233.44	86%	.86
3.	1997 03 02	\$12,442.89	12442.89	12%	.12
4.	1999 09 00	\$233,325.31	233325.31	6%	.06
5.	1998 10 04	\$1,549.23	1549.23	76%	.76
6.	2000 03 28	\$23,517.03	23517.03	35%	.35
7.	2000 08 08	\$2.43	2.43	69%	.69
8.	1997 10 20	\$9,382.47	9382.47	32%	.32
9.	1998 01 16	\$289,209.32	289209.32	45%	.45
10.	1999 11 12	\$8,282.49	8282.49	1%	.01

◀

## tostring

Conversion of numeric data to string equivalents can be problematic. Stata, like most software, holds numeric data to finite precision and in binary form. See the discussion in [U] 13.12 **Precision and problems therein**. If no `format()` is specified, `tostring` uses the format `%12.0g`. This format is, in particular, sufficient to convert integers held as bytes, ints, or longs to string equivalent without loss of precision.

However, users will often need to specify a format themselves, especially when the numeric data have fractional parts and for some reason a conversion to string is required.

### ► Example 3

Our dataset contains a string month variable and numeric year and day variables. We want to convert the three variables to a `%td` date.

```
. use https://www.stata-press.com/data/r19/tostring, clear
. list
```

	id	month	day	year
1.	123456789	jan	10	2001
2.	123456710	mar	20	2001
3.	123456711	may	30	2001
4.	123456712	jun	9	2001
5.	123456713	oct	17	2001
6.	123456714	nov	15	2001
7.	123456715	dec	28	2001
8.	123456716	apr	29	2001
9.	123456717	mar	11	2001
10.	123456718	jul	3	2001

```
. tostring year day, replace
year was float now str4
day was float now str2
. generate date = month + "/" + day + "/" + year
. generate edate = date(date, "MDY")
```

```
. format edate %td
. list
```

	id	month	day	year	date	edate
1.	123456789	jan	10	2001	jan/10/2001	10jan2001
2.	123456710	mar	20	2001	mar/20/2001	20mar2001
3.	123456711	may	30	2001	may/30/2001	30may2001
4.	123456712	jun	9	2001	jun/9/2001	09jun2001
5.	123456713	oct	17	2001	oct/17/2001	17oct2001
6.	123456714	nov	15	2001	nov/15/2001	15nov2001
7.	123456715	dec	28	2001	dec/28/2001	28dec2001
8.	123456716	apr	29	2001	apr/29/2001	29apr2001
9.	123456717	mar	11	2001	mar/11/2001	11mar2001
10.	123456718	jul	3	2001	jul/3/2001	03jul2001



## Saved characteristics

Each time the `destring` or `tostring` commands are issued, an entry is made in the characteristics list of each converted variable. You can type `char list` to view these characteristics.

After [example 2](#), we could use `char list` to find out what characters were removed by the `destring` command.

```
. char list
price2[destring]:      Characters removed were: $ ,
price2[destring_cmd]:  destring price percent, generate(price2 percent..
percent2[destring]:    Character removed was: %
percent2[destring_cmd]: destring price percent, generate(price2 percent..
```

## Video example

[How to convert a string variable to a numeric variable](#)

## Acknowledgment

`destring` and `tostring` were originally written by Nicholas J. Cox of the Department of Geography at Durham University, UK, who is coeditor of the [Stata Journal](#) and author of [Speaking Stata Graphics](#).

## References

- Cox, N. J. 1999a. [dm45.1: Changing string variables to numeric: Update](#). *Stata Technical Bulletin* 49: 2. Reprinted in *Stata Technical Bulletin Reprints*, vol. 9, p. 14. College Station, TX: Stata Press.
- . 1999b. [dm45.2: Changing string variables to numeric: Correction](#). *Stata Technical Bulletin* 52: 2. Reprinted in *Stata Technical Bulletin Reprints*, vol. 9, p. 14. College Station, TX: Stata Press.
- . 2011. [Speaking Stata: MMXI and all that: Handling Roman numerals within Stata](#). *Stata Journal* 11: 126–142.
- Cox, N. J., and W. W. Gould. 1997. [dm45: Changing string variables to numeric](#). *Stata Technical Bulletin* 37: 4–6. Reprinted in *Stata Technical Bulletin Reprints*, vol. 7, pp. 34–37. College Station, TX: Stata Press.
- Cox, N. J., and C. B. Schechter. 2018. [Speaking Stata: Seven steps for vexatious string variables](#). *Stata Journal* 18: 981–994.



- Cox, N. J., and J. B. Wernow. 2000a. [dm80: Changing numeric variables to string](#). *Stata Technical Bulletin* 56: 8–12. Reprinted in *Stata Technical Bulletin Reprints*, vol. 10, pp. 24–28. College Station, TX: Stata Press.
- . 2000b. [dm80.1: Update to changing numeric variables to string](#). *Stata Technical Bulletin* 57: 2. Reprinted in *Stata Technical Bulletin Reprints*, vol. 10, pp. 28–29. College Station, TX: Stata Press.
- Jeanty, P. W. 2013. [Dealing with identifier variables in data management and analysis](#). *Stata Journal* 13: 699–718.

## Also see

- [\[D\] egen](#) — Extensions to generate
- [\[D\] encode](#) — Encode string into numeric and vice versa
- [\[D\] generate](#) — Create or change contents of variable
- [\[D\] split](#) — Split string variables into parts
- [\[FN\] String functions](#)

Stata, Stata Press, Mata, NetCourse, and NetCourseNow are registered trademarks of StataCorp LLC. Stata and Stata Press are registered trademarks with the World Intellectual Property Organization of the United Nations. StataNow is a trademark of StataCorp LLC. Other brand and product names are registered trademarks or trademarks of their respective companies. Copyright © 1985–2025 StataCorp LLC, College Station, TX, USA. All rights reserved.



For suggested citations, see the FAQ on [citing Stata documentation](#).