

isid — Check for unique identifiers

[Description](#)
[Options](#)[Quick start](#)
[Remarks and examples](#)[Menu](#)
[Also see](#)[Syntax](#)

Description

`isid` checks whether the specified variables uniquely identify the observations.

Quick start

Verify that `idvar` uniquely identifies observations

```
isid idvar
```

Verify that `idvar` uniquely identifies observations within panels identified by `pvar`

```
isid idvar pvar
```

Same as above

```
isid pvar idvar
```

Same as above, and indicate that the data should be sorted by `pvar` and `idvar`

```
isid pvar idvar, sort
```

Verify that `idvar` uniquely identifies observations in `mydata.dta`

```
isid idvar using mydata.dta
```

Menu

Data > Data utilities > Check for unique identifiers

Syntax

```
isid varlist [using filename] [, sort missok]
```

Options

`sort` indicates that the dataset be sorted by *varlist*.

`missok` indicates that missing values are permitted in *varlist*.

Remarks and examples

▷ Example 1

Suppose that we want to check whether the mileage ratings (`mpg`) uniquely identify the observations in our `auto` dataset.

```
. use https://www.stata-press.com/data/r18/auto
(1978 automobile data)
. isid mpg
variable mpg does not uniquely identify the observations
r(459);
```

`isid` returns an error and reports that there are multiple observations with the same mileage rating. We can locate those observations manually:

```
. sort mpg
. by mpg: generate nobs = _N
. list make mpg if nobs >1, sepby(mpg)
```

	make	mpg
1.	Linc. Continental	12
2.	Linc. Mark V	12
<i>(output omitted)</i>		
68.	Mazda GLC	30
69.	Dodge Colt	30
72.	Datsun 210	35
73.	Subaru	35



▷ Example 2

`isid` is useful for checking a time-series panel dataset. For this type of dataset, we usually need two variables to identify the observations: one that labels the individual IDs and another that labels the periods. Before we set the data using `tsset`, we want to make sure that there are no duplicates with the same panel ID and time. Suppose that we have a dataset that records the yearly gross investment of 10 companies for 20 years. The panel and time variables are `company` and `year`.

```
. use https://www.stata-press.com/data/r18/grunfeld, clear
. isid company year
```

`isid` reports no error, so the two variables `company` and `year` uniquely identify the observations. Therefore, we should be able to `tsset` the data successfully:

```
. tsset company year
Panel variable: company (strongly balanced)
Time variable: year, 1935 to 1954
Delta: 1 year
```



□ Technical note

The `sort` option is a convenient shortcut, especially when combined with `using`. The command

```
. isid patient_id date using newdata, sort
```

is equivalent to

```
. preserve
. use newdata, clear
. sort patient_id date
. isid patient_id date
. save, replace
. restore
```



Also see

- [D] [describe](#) — Describe data in memory or in a file
- [D] [ds](#) — Compactly list variables with specified properties
- [D] [duplicates](#) — Report, tag, or drop duplicate observations
- [D] [lookfor](#) — Search for string in variable names and labels
- [D] [codebook](#) — Describe data contents
- [D] [inspect](#) — Display simple summary of data's attributes

Stata, Stata Press, and Mata are registered trademarks of StataCorp LLC. Stata and Stata Press are registered trademarks with the World Intellectual Property Organization of the United Nations. Other brand and product names are registered trademarks or trademarks of their respective companies. Copyright © 1985–2023 StataCorp LLC, College Station, TX, USA. All rights reserved.

