

lookfor — Search for string in variable names and labels

[Description](#) [Quick start](#) [Syntax](#) [Remarks and examples](#)
[Stored results](#) [References](#) [Also see](#)

Description

`lookfor` helps you find variables by searching for *string* among all variable names and labels. If multiple *strings* are specified, `lookfor` will search for each of them separately. You may search for a phrase by enclosing *string* in double quotes.

Quick start

Search variable names and variable labels for the phrase “my text” regardless of case

```
lookfor "my text"
```

Search for “word1” or “word2”

```
lookfor word1 word2
```

Syntax

```
lookfor string [string [...]]
```

Remarks and examples

stata.com

► Example 1

`lookfor` finds variables by searching for *string*, ignoring case, among the variable names and labels.

```
. use http://www.stata-press.com/data/r15/nlswork
(National Longitudinal Survey. Young Women 14-26 years of age in 1968)
. lookfor code
```

variable name	storage type	display format	value label	variable label
idcode	int	%8.0g		NLS ID
ind_code	byte	%8.0g		industry of employment
occ_code	byte	%8.0g		occupation

Three variable names contain the word code.

```
. lookfor married
```

variable name	storage type	display format	value label	variable label
msp	byte	%8.0g		1 if married, spouse present
nev_mar	byte	%8.0g		1 if never married

Two variable labels contain the word married.

```
. lookfor gnp
```

variable name	storage type	display format	value label	variable label
ln_wage	float	%9.0g		ln(wage/GNP deflator)

lookfor ignores case, so lookfor gnp found GNP in a variable label.

▷ Example 2

If multiple strings are specified, all variable names or labels containing any of the strings are listed.

```
. lookfor code married
```

variable name	storage type	display format	value label	variable label
idcode	int	%8.0g		NLS ID
msp	byte	%8.0g		1 if married, spouse present
nev_mar	byte	%8.0g		1 if never married
ind_code	byte	%8.0g		industry of employment
occ_code	byte	%8.0g		occupation

To search for a phrase, enclose *string* in double quotes.

```
. lookfor "never married"
```

variable name	storage type	display format	value label	variable label
nev_mar	byte	%8.0g		1 if never married

Stored results

lookfor stores the following in `r()`:

```
Macros  
  r(varlist)  the varlist of found variables
```

References

- Cox, N. J. 2010a. [Speaking Stata: Finding variables](#). *Stata Journal* 10: 281–296.
- . 2010b. [Software Updates: Finding variables](#). *Stata Journal* 10: 691–692.
- . 2012. [Software Updates: Finding variables](#). *Stata Journal* 12: 167.

Also see

[D] [describe](#) — Describe data in memory or in file

[D] [ds](#) — List variables matching name patterns or other characteristics