

cat_axis_line_options — Options for specifying look of categorical axis line

[Description](#)
[Also see](#)

[Quick start](#)

[Syntax](#)

[Options](#)

[Remarks and examples](#)

Description

The *cat_axis_line_options* determine the look of the categorical *x* axis in `graph bar`, `graph hbar`, `graph dot`, and `graph box`; see [\[G-2\] graph bar](#), [\[G-2\] graph dot](#), [\[G-2\] graph box](#). These options are rarely specified but when specified, they are specified inside `axis()` of `over()`:

```
. graph ..., over(varname, ... axis(cat_axis_line_options) ...)
```

Quick start

Force display of the categorical axis for plots drawn over categorical variable `catvar`
`graph_command ... , over(catvar, axis(line))`

Suppress display of the categorical axis
`graph_command ... , over(catvar, axis(noline))`

Make the categorical axis a thick line
`graph_command ... , over(catvar, axis(lwidth(thick)))`

Make the categorical axis line green
`graph_command ... , over(catvar, axis(lcolor(green)))`

Note: Categorical axis-line options can be used only with `graph bar`, `graph box`, `graph dot`, or `graph hbar`.

Syntax

<i>cat_axis_line_options</i>	Description
<code>off</code> and <code>on</code>	suppress/force display of axis
<code>fill</code>	allocate space for axis even if <code>off</code>
<code>fextend</code>	extend axis line through plot region and plot region's margin
<code>extend</code>	extend axis line through plot region
<code>noextend</code>	do not extend axis line at all
<code>noline</code>	do not even draw axis line
<code>line</code>	force drawing of axis line
<code>titlegap</code> (<i>relativesize</i>)	margin between axis title and tick labels
<code>outergap</code> (<i>relativesize</i>)	margin outside of axis title
<code>lstyle</code> (<i>linestyle</i>)	overall style of axis line
<code>lcolor</code> (<i>colorstyle</i>)	color and opacity of axis line
<code>lwidth</code> (<i>linewidthstyle</i>)	thickness of axis line
<code>lpattern</code> (<i>linepatternstyle</i>)	whether axis solid, dashed, etc.

Options

`off` and `on` suppress or force the display of the axis.

`fill` goes with `off` and is seldom specified. If you turned an axis off but still wanted the space to be allocated for the axis, you could specify `fill`.

`fextend`, `extend`, `noextend`, `line`, and `noline` determine how much of the line representing the axis is to be drawn. They are alternatives.

`noline` specifies that the line not be drawn at all. The axis is there, ticks and labels will appear, but the axis line itself will not be drawn.

`line` is the opposite of `noline`, for use if the axis line somehow got turned off.

`noextend` specifies that the axis line not extend beyond the range of the axis, defined by the first and last categories.

`extend` specifies that the line be longer than that and extend all the way across the plot region.

`fextend` specifies that the line be longer than that and extend across the plot region and across the plot region's margins. For a definition of the plot region's margins, see [G-3] *region_options*. If the plot region has no margins (which would be rare), then `fextend` means the same as `extend`. If the plot region does have margins, `extend` would result in the *y* and *x* axes not meeting. With `fextend`, they touch.

`fextend` is the default with most schemes.

`titlegap`(*relativesize*) specifies the margin to be inserted between the axis title and the axis's tick labels; see [G-4] *relativesize*.

`outergap`(*relativesize*) specifies the margin to be inserted outside the axis title; see [G-4] *relativesize*.

`lstyle`(*linestyle*), `lcolor`(*colorstyle*), `lwidth`(*linewidthstyle*), and `lpattern`(*linepatternstyle*) determine the overall look of the line that is the axis; see [G-4] **concept: lines**.

Remarks and examples

[stata.com](https://www.stata.com)

The *cat_axis_label_options* are rarely specified.

Also see

[G-2] [graph bar](#) — Bar charts

[G-2] [graph box](#) — Box plots

[G-2] [graph dot](#) — Dot charts (summary statistics)