Title stata.com

Intro — Introduction to power, precision, and sample-size analysis

Description Also see

Description

Sample-size determination is important for planning a study. It helps allocate necessary resources to the study. When a study uses hypothesis testing to make inference about parameters of interest, power and sample-size (PSS) analysis is used to investigate the optimal allocation of study resources to increase the likelihood of detecting the desired magnitude of the effect of interest. PSS analysis estimates the sample size required to achieve the desired power of a test in a future study. When a study uses confidence intervals (CIs) for inference, precision and sample-size (PrSS) analysis is used to estimate the required sample size to achieve the desired precision of a CI in a future study.

This manual describes the power command that provides PSS analysis for hypothesis testing (see [PSS-2] power) and the ciwidth command that provides PrSS analysis for CIs (see [PSS-3] ciwidth). Users can provide a list of parameters and perform sensitivity analysis. The results can be displayed in a table and in a graph; see [PSS-2] power, table and [PSS-2] power, graph for the power command and [PSS-3] ciwidth, table and [PSS-3] ciwidth, graph for the ciwidth command. You can also add your own methods to power ([PSS-2] power usermethod) and ciwidth ([PSS-3] ciwidth usermethod).

See [PSS-2] **Intro** (power) for a general introduction to PSS analysis and [PSS-3] **Intro** (ciwidth) for PrSS analysis.

Sample-size calculations for group sequential designs can be performed with the gsdesign command; see [ADAPT] **GSD intro** for a general introduction to group sequential designs, and see [ADAPT] **gs** for an introduction to the gsdesign command.

Also see

[PSS-2] Intro (power) — Introduction to power and sample-size analysis for hypothesis tests

[PSS-2] **power** — Power and sample-size analysis for hypothesis tests

[PSS-3] Intro (ciwidth) — Introduction to precision and sample-size analysis for confidence intervals

[PSS-3] **ciwidth** — Precision and sample-size analysis for CIs

[PSS-5] Glossary

Stata, Stata Press, and Mata are registered trademarks of StataCorp LLC. Stata and Stata Press are registered trademarks with the World Intellectual Property Organization of the United Nations. Other brand and product names are registered trademarks or trademarks of their respective companies. Copyright © 1985–2023 StataCorp LLC, College Station, TX, USA. All rights reserved.

