

asclogit postestimation — Postestimation tools for asclogit

Postestimation commands	predict	estat	Remarks and examples
Stored results	Methods and formulas	Also see	

Postestimation commands

The following postestimation commands are of special interest after `asclogit`:

Command	Description
<code>estat alternatives</code>	alternative summary statistics
<code>estat mfx</code>	marginal effects

The following standard postestimation commands are also available:

Command	Description
<code>contrast</code>	contrasts and ANOVA-style joint tests of estimates
<code>estat ic</code>	Akaike's and Schwarz's Bayesian information criteria (AIC and BIC)
<code>estat summarize</code>	summary statistics for the estimation sample
<code>estat vce</code>	variance–covariance matrix of the estimators (VCE)
<code>estimates</code>	cataloging estimation results
<code>hausman</code>	Hausman's specification test
<code>lincom</code>	point estimates, standard errors, testing, and inference for linear combinations of coefficients
<code>lrtest</code>	likelihood-ratio test
<code>nlcom</code>	point estimates, standard errors, testing, and inference for nonlinear combinations of coefficients
<code>predict</code>	predicted probabilities, estimated linear predictor and its standard error
<code>predictnl</code>	point estimates, standard errors, testing, and inference for generalized predictions
<code>pwcompare</code>	pairwise comparisons of estimates
<code>test</code>	Wald tests of simple and composite linear hypotheses
<code>testnl</code>	Wald tests of nonlinear hypotheses

predict

Description for predict

`predict` creates a new variable containing predictions such as probabilities, linear predictions, and standard errors.

Menu for predict

Statistics > Postestimation

Syntax for predict

```
predict [type] newvar [if] [in] [, statistic options]
```

```
predict [type] { stub* | newvarlist } [if] [in], scores
```

<i>statistic</i>	Description
------------------	-------------

Main

<code>pr</code>	probability that each alternative is chosen; the default
<code>xb</code>	linear prediction
<code>stdp</code>	standard error of the linear prediction

<i>options</i>	Description
----------------	-------------

Main

<code>*k(# observed)</code>	condition on # alternatives per case or on observed number of alternatives
<code>altwise</code>	use alternativewise deletion instead of casewise deletion when computing probabilities
<code>nooffset</code>	ignore the <code>offset()</code> variable specified in <code>asclogit</code>

*`k(#|observed)` may be used only with `pr`.

These statistics are available both in and out of sample; type `predict ... if e(sample) ...` if wanted only for the estimation sample.

Options for predict

Main

`pr` computes the probability of choosing each alternative conditioned on each case choosing `k()` alternatives. This is the default statistic with default `k(1)`; one alternative per case is chosen.

`xb` computes the linear prediction.

`stdp` computes the standard error of the linear prediction.

`k(#|observed)` conditions the probability on # alternatives per case or on the observed number of alternatives. The default is `k(1)`. This option may be used only with the `pr` option.

`altwise` specifies that alternativewise deletion be used when marking out observations due to missing values in your variables. The default is to use casewise deletion. The `xb` and `stdp` options always use alternativewise deletion.

`nooffset` is relevant only if you specified `offset(varname)` for `asclgit`. It modifies the calculations made by `predict` so that they ignore the offset variable; the linear prediction is treated as $x\beta$ rather than as $x\beta + \text{offset}$.

`scores` calculates the scores for each coefficient in $e(b)$. This option requires a new variable list of length equal to the number of columns in $e(b)$. Otherwise, use the `stub*` syntax to have `predict` generate enumerated variables with prefix `stub`.

estat

Description for estat

`estat alternatives` displays summary statistics about the alternatives in the estimation sample.
`estat mfx` computes probability marginal effects.

Menu for estat

Statistics > Postestimation

Syntax for estat

Alternative summary statistics

```
estat alternatives
```

Marginal effects

```
estat mfx [if] [in] [, options]
```

<i>options</i>	Description
Main	
<code>varlist</code> (<i>varlist</i>)	display marginal effects for <i>varlist</i>
<code>at</code> (mean [<i>atlist</i>] median [<i>atlist</i>])	calculate marginal effects at these values
<code>k</code> (#)	condition on the number of alternatives chosen to be #
Options	
<code>level</code> (#)	set confidence interval level; default is <code>level(95)</code>
<code>noesample</code>	do not restrict calculation of means and medians to the estimation sample
<code>nought</code>	ignore weights when calculating means and medians

Options for `estat mfx`

Main

`varlist`(*varlist*) specifies the variables for which to display marginal effects. The default is all variables.

`at`(*mean* [*atlist*] | *median* [*atlist*]) specifies the values at which the marginal effects are to be calculated. *atlist* is

```
[ [alternative:variable = #] [variable = #] [alternative:offset = #] [...]
```

The default is to calculate the marginal effects at the means of the independent variables by using the estimation sample, `at(mean)`. If `offset()` is used during estimation, the means of the offsets (by alternative) are computed by default.

After specifying the summary statistic, you can specify a series of specific values for variables. You can specify values for alternative-specific variables by `alternative`, or you can specify one value for all alternatives. You can specify only one value for case-specific variables. You specify values for the `offset()` variable (if present) the same way as for alternative-specific variables. For example, in the `choice` dataset (car choice), `income` is a case-specific variable, whereas `dealer` is an alternative-specific variable. The following would be a legal syntax for `estat mfx`:

```
. estat mfx, at(mean American:dealer=18 income=40)
```

`at(mean [atlist])` or `at(median [atlist])` has no effect on computing marginal effects for factor variables, which are calculated as the discrete change in the probability as the factor variable changes from the base level to the level specified in option `at()`. If a factor level is not specified in the `at()` option, the first level that is not the base is used.

The mean and median computations respect any `if` or `in` qualifiers, so you can restrict the data over which the statistic is computed. You can even restrict the values to a specific case, for example,

```
. estat mfx if case==21
```

`k(#)` computes the probabilities conditioned on # alternatives chosen. The default is one alternative chosen.

Options

`level(#)` sets the confidence level; default is `level(95)`.

`noesample` specifies that the whole dataset be considered instead of only those marked in the `e(sample)` defined by the `asclogit` command.

`nowght` specifies that weights be ignored when calculating the medians.

Remarks and examples

[stata.com](#)

Remarks are presented under the following headings:

[Predicted probabilities](#)

[Obtaining estimation statistics](#)

Predicted probabilities

After fitting a McFadden's choice model with alternative-specific conditional logistic regression, you can use `predict` to obtain the estimated probability of alternative choices given case profiles.

▷ Example 1

In *example 1* of [R] *asclgit*, we fit a model of consumer choice of automobile. The alternatives are nationality of the automobile manufacturer: American, Japanese, or European. There is one alternative-specific variable in the model, *dealer*, which contains the number of dealerships of each nationality in the consumer’s city. The case-specific variables are *sex*, the consumer’s sex, and *income*, the consumer’s income in thousands of dollars.

```
. use http://www.stata-press.com/data/r15/choice
. asclgit choice dealer, case(id) alternatives(car) casevars(sex income)
  (output omitted)
. predict p
(option pr assumed; Pr(car))
. predict p2, k(2)
(option pr assumed; Pr(car))
. format p p2 %6.4f
. list car choice dealer sex income p p2 in 1/9, sepby(id)
```

	car	choice	dealer	sex	income	p	p2
1.	American	0	18	male	46.7	0.6025	0.8589
2.	Japan	0	8	male	46.7	0.2112	0.5974
3.	Europe	1	5	male	46.7	0.1863	0.5437
4.	American	1	17	male	26.1	0.7651	0.9293
5.	Japan	0	6	male	26.1	0.1282	0.5778
6.	Europe	0	2	male	26.1	0.1067	0.4929
7.	American	1	12	male	32.7	0.6519	0.8831
8.	Japan	0	6	male	32.7	0.1902	0.5995
9.	Europe	0	2	male	32.7	0.1579	0.5174



Obtaining estimation statistics

Here we will demonstrate the specialized *estat* subcommands after *asclgit*. Use *estat alternatives* to obtain a table of alternative statistics. The table will contain the alternative values, labels (if any), the number of cases in which each alternative is present, the frequency that the alternative is selected, and the percent selected.

Use *estat mfx* to obtain marginal effects after *asclgit*.

▷ Example 2

We will continue with the automobile choice example, where we first list the alternative statistics and then compute the marginal effects at the mean income in our sample, assuming that there are five automobile dealers for each nationality. We will evaluate the probabilities for females because *sex* is coded 0 for females, and we will be obtaining the discrete change from 0 to 1.

```
. estat alternatives
```

```
Alternatives summary for car
```

index	Alternative value	label	Cases present	Frequency selected	Percent selected
1	1	American	295	192	65.08
2	2	Japan	295	64	21.69
3	3	Europe	295	39	13.22

```
. estat mfx, at(dealer=0 sex=0) varlist(sex income)
```

```
Pr(choice = American|1 selected) = .41964329
```

variable	dp/dx	Std. Err.	z	P> z	[95% C.I.]	X
casevars						
sex	.059068	.069168	0.85	0.393	-.076499 .194635	0
income	-.007891	.002674	-2.95	0.003	-.013132 -.00265	42.097

```
Pr(choice = Japan|1 selected) = .42696187
```

variable	dp/dx	Std. Err.	z	P> z	[95% C.I.]	X
casevars						
sex	-.168157	.085369	-1.97	0.049	-.335478 -.000836	0
income	.005861	.002997	1.96	0.051	-.000014 .011735	42.097

```
Pr(choice = Europe|1 selected) = .15339484
```

variable	dp/dx	Std. Err.	z	P> z	[95% C.I.]	X
casevars						
sex	.10909	.048558	2.25	0.025	.013918 .204261	0
income	.00203	.001785	1.14	0.255	-.001469 .00553	42.097

The marginal effect of `income` indicates that there is a lower chance for a consumer to buy American automobiles with an increase in income. There is an indication that men have a higher preference for European automobiles than women but a lower preference for Japanese automobiles. We did not include the marginal effects for `dealer` because we view these as nuisance parameters, so we adjusted the probabilities by fixing `dealer` to a constant, 0.

◀

Probability marginal effects cannot be computed for a variable that is specified in both the alternative-specific and case-specific variable lists. Computations assume that these two variable lists are mutually exclusive. For example, `estat mfx` exits with an error message if your model has independent variables that are the interaction between alternative-specific variables (`indepvars` specified in `asclogit`) and case-specific variables (`varlist` specified in the `casevars()` option). Marginal effect computations can proceed if you specify a variable list in the `varlist()` option of `estat mfx` that excludes the variables that are used in both the alternative-specific and case-specific variable lists.

Stored results

`estat mfx` stores the following in `r()`:

Scalars

`r(pr_`*alt*`)` scalars containing the computed probability of each alternative evaluated at the value that is labeled *X* in the table output. Here *alt* are the labels in the macro `e(alteqs)`.

Matrices

`r(`*alt*`)` matrices containing the computed marginal effects and associated statistics. There is one matrix for each alternative, where *alt* are the labels in the macro `e(alteqs)`. Column 1 of each matrix contains the marginal effects; column 2, their standard errors; column 3, their *z* statistics; and columns 4 and 5, the confidence intervals. Column 6 contains the values of the independent variables used to compute the probabilities `r(pr_`*alt*`)`.

Methods and formulas

The deterministic component of the random-utility model can be expressed as

$$\begin{aligned}\boldsymbol{\eta} &= \mathbf{X}\boldsymbol{\beta} + (\mathbf{z}\mathbf{A})' \\ &= \mathbf{X}\boldsymbol{\beta} + (\mathbf{z} \otimes \mathbf{I}_J) \text{vec}(\mathbf{A}') \\ &= (\mathbf{X}, \mathbf{z} \otimes \mathbf{I}_J) \begin{pmatrix} \boldsymbol{\beta} \\ \text{vec}(\mathbf{A}') \end{pmatrix} \\ &= \mathbf{X}^* \boldsymbol{\beta}^*\end{aligned}$$

where \mathbf{X} is the $J \times p$ matrix containing the alternative-specific covariates, \mathbf{z} is a $1 \times q$ vector of case-specific variables, $\boldsymbol{\beta}$ is a $p \times 1$ vector of alternative-specific regression coefficients, and $\mathbf{A} = (\boldsymbol{\alpha}_1, \dots, \boldsymbol{\alpha}_J)$ is a $q \times J$ matrix of case-specific regression coefficients (with one of the $\boldsymbol{\alpha}_j$ fixed to the constant). Here \mathbf{I}_J is the $J \times J$ identity matrix, `vec()` is the vector function that creates a vector from a matrix by placing each column of the matrix on top of the other (see [M-5] `vec()`), and \otimes is the Kronecker product (see [M-2] `op_kronecker`).

We have rewritten the linear equation so that it is a form that we all recognize, namely, $\boldsymbol{\eta} = \mathbf{X}^* \boldsymbol{\beta}^*$, where

$$\begin{aligned}\mathbf{X}^* &= (\mathbf{X}, \mathbf{z} \otimes \mathbf{I}_J) \\ \boldsymbol{\beta}^* &= \begin{pmatrix} \boldsymbol{\beta} \\ \text{vec}(\mathbf{A}') \end{pmatrix}\end{aligned}$$

To compute the marginal effects, we use the derivative of the log likelihood $\partial \ell(\mathbf{y}|\boldsymbol{\eta})/\partial \boldsymbol{\eta}$, where $\ell(\mathbf{y}|\boldsymbol{\eta}) = \log \Pr(\mathbf{y}|\boldsymbol{\eta})$ is the log of the probability of the choice indicator vector \mathbf{y} given the linear predictor vector $\boldsymbol{\eta}$. Namely,

$$\begin{aligned}\frac{\partial \Pr(\mathbf{y}|\boldsymbol{\eta})}{\partial \text{vec}(\mathbf{X}^*)'} &= \Pr(\mathbf{y}|\boldsymbol{\eta}) \frac{\partial \ell(\mathbf{y}|\boldsymbol{\eta})}{\partial \boldsymbol{\eta}'} \frac{\partial \boldsymbol{\eta}}{\partial \text{vec}(\mathbf{X}^*)'} \\ &= \Pr(\mathbf{y}|\boldsymbol{\eta}) \frac{\partial \ell(\mathbf{y}|\boldsymbol{\eta})}{\partial \boldsymbol{\eta}'} (\boldsymbol{\beta}^{*'} \otimes \mathbf{I}_J)\end{aligned}$$

The standard errors of the marginal effects are computed using the delta method.

Also see

[R] [asclogit](#) — Alternative-specific conditional logit (McFadden's choice) model

[U] [20 Estimation and postestimation commands](#)