

**do** — Execute commands from a file

[Description](#)  
[Option](#)[Quick start](#)  
[Remarks and examples](#)[Menu](#)  
[Reference](#)[Syntax](#)  
[Also see](#)

## Description

`do` and `run` cause Stata to execute the commands stored in *filename* just as if they were entered from the keyboard. `do` echoes the commands as it executes them, whereas `run` is silent. If *filename* is specified without an extension, `.do` is assumed.

## Quick start

Execute commands stored in `myfile.do`

```
do myfile
```

As above, passing `first arg` in local macro 1 and `arg2` in local macro 2 for use by `myfile.do`

```
do myfile "first arg" arg2
```

Execute commands stored in `myfile.do`, continuing execution even if an error occurs in one or more commands

```
do myfile, nostop
```

Execute commands stored in `myfile.do` silently

```
run myfile
```

## Menu

File > Do...

## Syntax

```
{do | run} filename [arguments] [, nostop]
```

## Option

`nostop` allows the do-file to continue executing even if an error occurs. Normally, Stata stops executing the do-file when it detects an error (nonzero return code).

## Remarks and examples

[stata.com](http://www.stata.com)

You can create *filename* (called a *do-file*) using Stata's Do-file Editor; see [R] [doedit](#). This file will be a standard text file. A complete discussion of do-files can be found in [U] [16 Do-files](#).

You can also create *filename* by using a non-Stata text editor; see [D] [shell](#) for a way to invoke your favorite editor from inside Stata. Make sure that you save the file in ASCII or UTF-8 format.

If the path or *filename* contains spaces, it should be enclosed in double quotes.

## Reference

Jenkins, S. P. 2006. [Stata tip 32: Do not stop](#). *Stata Journal* 6: 281.

## Also see

[R] [doedit](#) — Edit do-files and other text files

[P] [include](#) — Include commands from file

[GSM] [13 Using the Do-file Editor—automating Stata](#)

[GSU] [13 Using the Do-file Editor—automating Stata](#)

[GSW] [13 Using the Do-file Editor—automating Stata](#)

[U] [15 Saving and printing output—log files](#)

[U] [16 Do-files](#)