

nlsur postestimation — Postestimation tools for nlsur

[Postestimation commands](#)
 [predict](#)
 [margins](#)
 [Remarks and examples](#)
 Also see

Postestimation commands

The following postestimation commands are available after `nlsur`:

Command	Description
<code>estat ic</code>	Akaike's and Schwarz's Bayesian information criteria (AIC and BIC)
<code>estat summarize</code>	summary statistics for the estimation sample
<code>estat vce</code>	variance–covariance matrix of the estimators (VCE)
<code>estimates</code>	cataloging estimation results
<code>forecast</code>	dynamic forecasts and simulations
<code>hausman</code>	Hausman's specification test
<code>lincom</code>	point estimates, standard errors, testing, and inference for linear combinations of coefficients
<code>lrtest</code>	likelihood-ratio test
* <code>margins</code>	marginal means, predictive margins, marginal effects, and average marginal effects
<code>marginsplot</code>	graph the results from margins (profile plots, interaction plots, etc.)
<code>nlcom</code>	point estimates, standard errors, testing, and inference for nonlinear combinations of coefficients
<code>predict</code>	predictions, residuals, influence statistics, and other diagnostic measures
<code>predictnl</code>	point estimates, standard errors, testing, and inference for generalized predictions
<code>test</code>	Wald tests of simple and composite linear hypotheses
<code>testnl</code>	Wald tests of nonlinear hypotheses

* You must specify the `variables()` option with `nlsur`.

predict

Description for predict

`predict` creates a new variable containing predictions such as fitted values and residuals.

Menu for predict

Statistics > Postestimation

Syntax for predict

```
predict [type] newvar [if] [in] [, equation(#eqno) yhat residuals]
```

These statistics are available both in and out of sample; type `predict ... if e(sample) ...` if wanted only for the estimation sample.

Options for predict

Main

`equation(#eqno)` specifies to which equation you are referring. `equation(#1)` would mean that the calculation is to be made for the first equation, `equation(#2)` would mean the second, and so on.

If you do not specify `equation()`, results are the same as if you had specified `equation(#1)`.

`yhat`, the default, calculates the fitted values for the specified equation.

`residuals` calculates the residuals for the specified equation.

margins

Description for margins

`margins` estimates margins of response for fitted values.

Menu for margins

Statistics > Postestimation

Syntax for margins

```
margins [marginlist] [, options]
margins [marginlist] , predict(statistic ...) [options]
```

<i>statistic</i>	Description
<code>yhat</code>	fitted values; the default
<code>residuals</code>	not allowed with <code>margins</code>

Statistics not allowed with `margins` are functions of stochastic quantities other than `e(b)`.

For the full syntax, see [R] [margins](#).

Remarks and examples

[stata.com](http://www.stata.com)

► Example 1

In [example 2](#) of [R] [nlsur](#), we fit a four-factor translog cost function to data for the U.S. economy. The own-price elasticity for a factor measures the percentage change in its usage as a result of a 1% increase in the factor's price, assuming that output is held constant. For the translog production function, the own-price factor elasticities are

$$\eta_i = \frac{\delta_{ii} + s_i(s_i - 1)}{s_i}$$

Here we compute the elasticity for capital at the sample mean of capital's factor share. First, we use `summarize` to get the mean of `s_k` and store that value in a scalar:

```
. use http://www.stata-press.com/data/r15/mfgcost
. nlsur (s_k = {bk} + {dkk}*ln(pk/pm) + {dkl}*ln(pl/pm) + {dke}*ln(pe/pm))
> (s_l = {bl} + {dkl}*ln(pk/pm) + {dll}*ln(pl/pm) + {dle}*ln(pe/pm))
> (s_e = {be} + {dke}*ln(pk/pm) + {dle}*ln(pl/pm) + {dee}*ln(pe/pm)),
> ifgnls
(output omitted)
. summarize s_k
```

Variable	Obs	Mean	Std. Dev.	Min	Max
s_k	25	.053488	.0044795	.04602	.06185

```
. scalar kmean = r(mean)
```

Now we can use `nlcom` to calculate the elasticity:

```
. nlcom (([dkk]_cons + kmean*(kmean-1)) / kmean)
      _nl_1: ([dkk]_cons + kmean*(kmean-1)) / kmean
```

	Coef.	Std. Err.	z	P> z	[95% Conf. Interval]	
_nl_1	-.3952986	.1083535	-3.65	0.000	-.6076676	-.1829295

If the price of capital increases by 1%, its usage will decrease by about 0.4%. To maintain its current level of output, a firm would increase its usage of other inputs to compensate for the lower capital usage. The standard error reported by `nlcom` reflects the sampling variance of the estimated parameter $\widehat{\delta}_{kk}$, but `nlcom` treats the sample mean of `s_k` as a fixed parameter that does not contribute to the sampling variance of the estimated elasticity.

◀

Also see

[R] **nlsur** — Estimation of nonlinear systems of equations

[U] **20 Estimation and postestimation commands**