

collect style putdocx — Collection styles for putdocx

[Description](#)
[Options](#)
[Also see](#)

[Quick start](#)
[Remarks and examples](#)

[Menu](#)
[Stored results](#)

[Syntax](#)
[Reference](#)

Description

`collect style putdocx` specifies styles to be used by `putdocx` when exporting a table from a collection with `putdocx collect`.

`collect style putdocx`, typed without any options, will clear the current styles for the current collection.

Quick start

Specify that tables exported with `putdocx collect` have a width 80% of the default and be right-aligned

```
collect style putdocx, width(80%) halign(right)
```

Same as above, but for the collection `c2`

```
collect style putdocx, width(80%) halign(right) name(c2)
```

Clear the current styles for `putdocx collect`

```
collect style putdocx
```

Menu

Statistics > Summaries, tables, and tests > Tables and collections > Collect styles > Styles for putdocx

Syntax

Specify styles to be used when exporting a collection with `putdocx collect`

```
collect style putdocx [ , options ]
```

Clear the current styles for `putdocx collect`

```
collect style putdocx [ , name(cname) ]
```

cname is the name of an existing collection.

options	Description
Main	
<code>name(cname)</code>	apply styles to collection <i>cname</i>
<code>halign(hvalue)</code>	set table horizontal alignment
<code>width(#[unit %] matname)</code>	set table width; option may be repeated
<code>layout(layouttype)</code>	adjust column width
<code>indent(#[unit])</code>	set table indentation
<code>cellspacing(#[unit])</code>	set spacing between adjacent cells and the edges of the table
<code>headerrow(#)</code>	set number of the top rows that constitute the table header
Cell margins	
<code>cellmargin(cmargin, #[unit])</code>	set margins for each table cell; option may be repeated

unit may be `in` (inch), `pt` (point), `cm` (centimeter), or `twip` (20th of a point). An inch is equivalent to 72 points, 2.54 centimeters, or 1440 twips. The default is `in`.

Options

Main

`name(cname)` specifies that styles for `putdocx collect` be applied to collection *cname*.

When `name(cname)` is specified without any other options, styles for `putdocx collect` are cleared from collection *cname*.

The default in both cases is to apply the style changes to the current collection.

`halign(hvalue)` sets the horizontal alignment of the table within the page. *hvalue* may be `left`, `right`, or `center`. The default is `halign(left)`.

`width(#[unit|%])` and `width(matname)` set the table width. Any two of the types of width specifications can be combined.

`width(#[unit|%])` sets the width based on a specified value. `#` may be an absolute width or a percentage of the default table width, which is determined by the page width of the document. When specifying the table width as a percentage, it cannot be greater than 100%. For example, `width(50%)` sets the table width to 50% of the default table width. The default is `width(100%)`.

`width(matname)` sets the table width based on the dimensions specified in the Stata matrix *matname*, which has contents in the form of `(#1, #2, ..., #n)` to denote the percent of the default table width for each column. *n* is the number of columns of the table, and the sum of `#1` to `#n` must be equal to 100.

`width()` may be specified multiple times in a single command to control the table width and individual column widths simultaneously.

`layout(layouttype)` adjusts the column width of the table. *layouttype* may be `fixed`, `autofitwindow`, or `autofitcontents`. `fixed` means the width is the same for all columns in the table. When `autofitwindow` is specified, the column width automatically resizes to fit the window. When `autofitcontents` is specified, the table width is determined by the overall table layout algorithm, which automatically resizes the column width to fit the contents. The default is `layout(autofitwindow)`.

`indent(#[unit])` specifies the table indentation from the left margin of the current document.

`cellspacing(#[unit])` sets the spacing between adjacent cells and the edges of the table.

`headerrow(#)` sets the top # rows to be repeated as header rows at the top of each page on which the table is displayed. This setting has a visible effect only when the table crosses multiple pages.

Cell margins

`cellmargin(cmargin, #[unit])` sets the cell margins for table cells. *cmarg* may be `top`, `bottom`, `left`, or `right`. This option may be specified multiple times in a single command to accommodate different margin settings.

Remarks and examples

stata.com

After finalizing your table of results, you can export it to a Word document (.docx file) in two ways. One is to simply use `collect export`—this command will create a document with a table from a collection. The other method is to incorporate the table into a larger report created by `putdocx`. In this case, you create an active .docx file, to which you can add a table from a collection along with formatted text, graphs, and other results created in Stata.

The second method utilizing `putdocx` allows you to take advantage of additional formatting features for the table you are exporting to the .docx file. Before you export your table, you use `collect style putdocx` to apply your desired styles to your collection. For example, you can specify the option `layout(autofitcontents)` so that the width of the columns of the table will automatically be resized to fit the contents. Then, as you are creating your report with `putdocx`, you can export the customized table to your document with `putdocx collect`.

Stored results

`collect style putdocx` stores the following in `s()`:

Macros

`s(collection)` name of collection

Reference

Huber, C. 2021. Customizable tables in Stata 17, part 2: The new `collect` command. *The Stata Blog: Not Elsewhere Classified*. <https://blog.stata.com/2021/06/07/customizable-tables-in-stata-17-part-2-the-new-collect-command/>.

Also see

[TABLES] `collect export` — Export table from a collection

[TABLES] `collect query` — Query collection style properties

[RPT] `putdocx collect` — Add a table from a collection to an Office Open XML (.docx) file

Stata, Stata Press, and Mata are registered trademarks of StataCorp LLC. Stata and Stata Press are registered trademarks with the World Intellectual Property Organization of the United Nations. Other brand and product names are registered trademarks or trademarks of their respective companies. Copyright © 1985–2023 StataCorp LLC, College Station, TX, USA. All rights reserved.

