

editmissing() — Edit matrix for missing values

Syntax Diagnostics	Description Also see	Remarks and examples	Conformability
-----------------------	-------------------------	----------------------	----------------

Syntax

numeric matrix `editmissing(numeric matrix A, numeric scalar v)`

void `_editmissing(numeric matrix a, numeric scalar v)`

Description

`editmissing(A, v)` returns *A* with any missing values changed to *v*.

`_editmissing(A, v)` replaces all missing values in *A* with *v*.

Remarks and examples

stata.com

`editmissing()` and `_editmissing()` are very fast.

If you want to change nonmissing values to other values, including missing, see [\[M-5\] editvalue\(\)](#).

Conformability

`editmissing(A, v):`

<i>A</i> :	$r \times c$
<i>v</i> :	1×1
<i>result</i> :	$r \times c$

`_editmissing(A, v):`

input:

<i>A</i> :	$r \times c$
<i>v</i> :	1×1

output:

<i>A</i> :	$r \times c$
------------	--------------

Diagnostics

`editmissing(A, v)` and `_editmissing(A, v)` change all missing elements to *v*, including not only `.` but also `.a`, `.b`, ..., `.z`.

Also see

[M-5] [editvalue\(\)](#) — Edit (change) values in matrix

[M-4] [manipulation](#) — Matrix manipulation