

Subject and author index

This is the subject and author index for the *Mata Reference Manual*. Readers interested in topics other than Mata should see the [combined subject index](#) (and the [combined author index](#)) in the *Glossary and Index*.

Symbols

-> operator, [M-2] [struct](#)
/* */ comment delimiter, [M-2] [comments](#)
// comment indicator, [M-2] [comments](#)

A

[abbrev\(\)](#) function, [M-5] [abbrev\(\)](#)
[abs\(\)](#) function, [M-5] [abs\(\)](#)
[acos\(\)](#) function, [M-5] [sin\(\)](#)
[acosh\(\)](#) function, [M-5] [sin\(\)](#)
addition operator, see [arithmetic operators](#)

[atan\(\)](#) function, [M-5] [sin\(\)](#)
[atan2\(\)](#) function, [M-5] [sin\(\)](#)
[atanh\(\)](#) function, [M-5] [sin\(\)](#)

B

Bai, Z., [M-1] [LAPACK](#), [M-5] [lapack\(\)](#)
Barbin, É., [M-5] [cholesky\(\)](#)
base conversion, [M-5] [inbase\(\)](#)
Baum, C. F., [M-1] [intro](#)
Beltrami, E., [M-5] [svd\(\)](#)
Berndt, E. K., [M-5] [optimize\(\)](#)
Berndt–Hall–Hall–Hausman algorithm,
 [M-5] [moptimize\(\)](#), [M-5] [optimize\(\)](#)
beta function, incomplete, [M-5] [normal\(\)](#)
[betaden\(\)](#) function, [M-5] [normal\(\)](#)
binary I/O, [M-5] [bufio\(\)](#)
binary operator, [M-6] [Glossary](#)
[binomial\(\)](#) function, [M-5] [normal\(\)](#)
[binomialp\(\)](#) function, [M-5] [normal\(\)](#)
[binomialtail\(\)](#) function, [M-5] [normal\(\)](#)
[binormal\(\)](#) function, [M-5] [normal\(\)](#)
Bischof, C., [M-1] [LAPACK](#), [M-5] [lapack\(\)](#)
Blackford, S., [M-1] [LAPACK](#), [M-5] [lapack\(\)](#)
block diagonal matrix, [M-5] [blockdiag\(\)](#)
[blockdiag\(\)](#) function, [M-5] [blockdiag\(\)](#)
[bofd\(\)](#) function, [M-5] [date\(\)](#)
Borowczyk, J., [M-5] [cholesky\(\)](#)
[break](#), [M-2] [break](#)
Break key processing, [M-5] [setbreakintr\(\)](#)
[breakkey\(\)](#) function, [M-5] [setbreakintr\(\)](#)
[breakkeyreset\(\)](#) function, [M-5] [setbreakintr\(\)](#)
broad type, [M-6] [Glossary](#)
Broyden–Fletcher–Goldfarb–Shanno algorithm,
 [M-5] [moptimize\(\)](#), [M-5] [optimize\(\)](#)
Broyden–Powell method, [M-5] [solvenl\(\)](#)
[bufbfmtisnum\(\)](#) function, [M-5] [bufio\(\)](#)
[bufbfmtlen\(\)](#) function, [M-5] [bufio\(\)](#)
[bufbyteorder\(\)](#) function, [M-5] [bufio\(\)](#)
[buffered I/O](#), [M-5] [bufio\(\)](#)
[budget\(\)](#) function, [M-5] [bufio\(\)](#)
[bufio\(\)](#) function, [M-5] [bufio\(\)](#)
[bufmissingvalue\(\)](#) function, [M-5] [bufio\(\)](#)
[bufput\(\)](#) function, [M-5] [bufio\(\)](#)
Burden, R. L., [M-5] [solvenl\(\)](#)
business calendars, [M-5] [date\(\)](#)
[byteorder\(\)](#) function, [M-5] [byteorder\(\)](#)

C

[C\(\)](#) function, [M-5] [C\(\)](#)
[c\(\)](#) function, [M-5] [c\(\)](#)
[callersversion\(\)](#) function, [M-5] [callersversion\(\)](#)
[cat\(\)](#) function, [M-5] [cat\(\)](#)
c-conformability, [M-2] [op_colon](#), [M-6] [Glossary](#)
[Cdhms\(\)](#) function, [M-5] [date\(\)](#)
[ceil\(\)](#) function, [M-5] [trunc\(\)](#)

Chabert, J.-L., [M-5] **cholesky()**
char() function, [M-5] **ascii()**
characteristic roots, [M-5] **eigensystem()**
_chdir() function, [M-5] **chdir()**
chdir() function, [M-5] **chdir()**
chi2() function, [M-5] **normal()**
chi2den() function, [M-5] **normal()**
chi2tail() function, [M-5] **normal()**
Chms() function, [M-5] **date()**
Choi, M.-D., [M-5] **Hilbert()**
Cholesky, A.-L., [M-5] **cholesky()**
Cholesky decomposition, [M-5] **cholesky()**
_cholesky() function, [M-5] **cholesky()**
cholesky() function, [M-5] **cholesky()**
_cholinv() function, [M-5] **cholinv()**
cholinv() function, [M-5] **cholinv()**
_cholsolve() function, [M-5] **cholsolve()**
cholsolve() function, [M-5] **cholsolve()**
class, [M-2] **class**
class programming, [M-6] **Glossary**
classes, [M-2] **class**
clear, mata subcommand, [M-3] **mata clear**
Clock() function, [M-5] **date()**
clock() function, [M-5] **date()**
cloglog() function, [M-5] **logit()**
Cmdyhms() function, [M-5] **date()**
Cofc() function, [M-5] **date()**
cofC() function, [M-5] **date()**
Cofd() function, [M-5] **date()**
cofd() function, [M-5] **date()**
_collate() function, [M-5] **sort()**
colmax() function, [M-5] **minmax()**
colmaxabs() function, [M-5] **minmax()**
colmin() function, [M-5] **minmax()**
colminmax() function, [M-5] **minmax()**
colmissing() function, [M-5] **missing()**
colnonmissing() function, [M-5] **missing()**
colon operators, [M-2] **op_colon**, [M-6] **Glossary**
cols() function, [M-5] **rows()**
colscalefactors() function, [M-5] **_equilrc()**
colshape() function, [M-5] **rowshape()**
colsum() function, [M-5] **sum()**
column-join operator, [M-2] **op_join**
column of matrix, selecting, [M-5] **select()**
column stripes, [M-6] **Glossary**
column-major order, [M-6] **Glossary**
colvector, [M-2] **declarations**, [M-6] **Glossary**
comb() function, [M-5] **comb()**
combinatorial function, [M-5] **comb()**
comments, [M-2] **comments**
commutation matrix, [M-5] **Kmatrix()**
complex, [M-2] **declarations**, [M-6] **Glossary**
cond() function, [M-5] **cond()**
condition number, [M-5] **cond()**, [M-6] **Glossary**
conditional operator, [M-2] **op_conditional**

conformability, [M-2] **void**, [M-6] **Glossary**, also see
c-conformability, also see p-conformability, also
see r-conformability
_conj() function, [M-5] **conj()**
conj() function, [M-5] **conj()**
conjugate, [M-5] **conj()**, [M-6] **Glossary**
conjugate transpose, [M-2] **op_transpose**, [M-5] **conj()**,
[M-6] **Glossary**
constructor, [M-2] **class**
containers, [M-5] **asarray()**
convolve() function, [M-5] **fft()**
Corr() function, [M-5] **fft()**
_corr() function, [M-5] **corr()**
corr() function, [M-5] **corr()**
correlation, [M-5] **corr()**, [M-5] **fft()**, [M-5] **mean()**
correlation() function, [M-5] **mean()**
cos() function, [M-5] **sin()**
cosh() function, [M-5] **sin()**
crexternal() function, [M-5] **findexternal()**
cross() function, [M-5] **cross()**
cross product, [M-5] **cross()**, [M-5] **crossdev()**,
[M-5] **quadcross()**
crossdev() function, [M-5] **crossdev()**
cubic natural splines, [M-5] **spline3()**
cvpermute() function, [M-5] **cvpermute()**
cvpermutesetup() function, [M-5] **cvpermute()**

D

data matrix, [M-5] **st_data()**, [M-5] **st_view()**,
[M-6] **Glossary**
data-have-changed flag, [M-5] **st_updata()**
date() function, [M-5] **date()**
date functions, [M-5] **date()**
dates and times, [M-5] **c()**, [M-5] **date()**
Davidon–Fletcher–Powell algorithm,
[M-5] **moptimize()**, [M-5] **optimize()**
Davidon, W. C., [M-5] **optimize()**
day() function, [M-5] **date()**
declarations, [M-2] **declarations**, [M-6] **Glossary**
decomposition, [M-5] **cholesky()**, [M-5] **fullsvd()**,
[M-5] **ghessenbergd()**, [M-5] **gschurd()**,
[M-5] **hessenbergd()**, [M-5] **lud()**, [M-5] **qrd()**,
[M-5] **schurd()**, [M-5] **svd()**
deconvolve() function, [M-5] **fft()**
decrement operator, [M-2] **op_increment**
defective matrix, [M-6] **Glossary**
delete, [M-5] **unlink()**
#delimit command, [M-2] **semicolons**
Demmel, J., [M-1] **LAPACK**, [M-5] **lapack()**
density functions, [M-5] **normal()**
dereference, [M-6] **Glossary**
dereferencing, [M-2] **ftof**, [M-2] **pointers**
_deriv() function, [M-5] **deriv()**
deriv() function, [M-5] **deriv()**
derivatives, [M-5] **deriv()**

deriv_init() functions, [M-5] **deriv()**
 deriv_init_*() functions, [M-5] **deriv()**
 deriv_query() function, [M-5] **deriv()**
 deriv_result_*() functions, [M-5] **deriv()**
 describe, mata subcommand, [M-3] **mata describe**
 design matrix, [M-5] **designmatrix()**, [M-5] **I()**
 designmatrix() function, [M-5] **designmatrix()**
 destroy() function, [M-2] **class**
 destructor, [M-2] **class**
 det() function, [M-5] **det()**
 determinant of matrix, [M-5] **det()**
 dettriangular() function, [M-5] **det()**
 deviation cross product, [M-5] **crossdev()**,
 [M-5] **quadcross()**
 dgammapda() function, [M-5] **normal()**
 dgammapdada() function, [M-5] **normal()**
 dgammapdadx() function, [M-5] **normal()**
 dgammapdx() function, [M-5] **normal()**
 dgammapdxdx() function, [M-5] **normal()**
 dhms() function, [M-5] **date()**
 _diag() function, [M-5] **_diag()**
 diag() function, [M-5] **diag()**
 diag0cnt() function, [M-5] **diag0cnt()**
 diagonal, [M-5] **diagonal()**, [M-6] **Glossary**
 diagonal() function, [M-5] **diagonal()**
 diagonal matrix, [M-5] **_diag()**, [M-5] **diag()**,
 [M-5] **diagonal()**, [M-5] **isdiagonal()**,
 [M-6] **Glossary**
 dictionaries, [M-5] **asarray()**
 differentiation, [M-5] **deriv()**
 digamma() function, [M-5] **factorial()**
 dir() function, [M-5] **dir()**
 directories, [M-5] **chdir()**, [M-5] **dir()**,
 [M-5] **direxists()**
 direxists() function, [M-5] **direxists()**
 direxternal() function, [M-5] **direxternal()**
 display
 as error, [M-5] **displayas()**, [M-5] **errprintf()**
 as text, as result, etc., [M-5] **displayas()**
 display() function, [M-5] **display()**
 displayas() function, [M-5] **displayas()**
 displayflush() function, [M-5] **displayflush()**
 distribution functions, [M-5] **normal()**
 division operator, see arithmetic operators
 Dmatrix() function, [M-5] **Dmatrix()**
 do ... while, [M-2] **do**, [M-2] **continue**, [M-2] **break**
 _docx*() functions, [M-5] **_docx*()**
 dofB() function, [M-5] **date()**
 dofC() function, [M-5] **date()**
 dofC() function, [M-5] **date()**
 dofH() function, [M-5] **date()**
 dofM() function, [M-5] **date()**
 dofQ() function, [M-5] **date()**
 dofW() function, [M-5] **date()**
 dofY() function, [M-5] **date()**
 Dongarra, J. J., [M-1] **LAPACK**, [M-5] **lapack()**
 dow() function, [M-5] **date()**

doy() function, [M-5] **date()**
 drop, mata subcommand, [M-3] **mata drop**
 dsign() function, [M-5] **dsign()**, [M-5] **sign()**
 Du Croz, J., [M-1] **LAPACK**, [M-5] **lapack()**
 dunnettprob() function, [M-5] **normal()**
 duplication matrix, [M-5] **Dmatrix()**
 dyadic operator, [M-2] **syntax**, [M-6] **Glossary**

E

e() function, [M-5] **e()**
 _editmissing() function, [M-5] **editmissing()**
 editmissing() function, [M-5] **editmissing()**
 _edittoint() function, [M-5] **edittoint()**
 edittoint() function, [M-5] **edittoint()**
 _edittointtol() function, [M-5] **edittoint()**
 edittointtol() function, [M-5] **edittoint()**
 _edittozero() function, [M-5] **edittozero()**
 edittozero() function, [M-5] **edittozero()**
 _edittozerotol() function, [M-5] **edittozero()**
 edittozerotol() function, [M-5] **edittozero()**
 _editvalue() function, [M-5] **editvalue()**
 editvalue() function, [M-5] **editvalue()**
 _eigen_la() function, [M-5] **eigensystem()**
 _eigensystem() function, [M-5] **eigensystem()**
 eigensystem() function, [M-5] **eigensystem()**
 _eigensystemselect*() functions,
 [M-5] **eigensystemselect()**
 eigensystemselect*() functions,
 [M-5] **eigensystemselect()**
 eigenvalues, [M-5] **eigensystem()**, [M-6] **Glossary**
 _eigenvalues() function, [M-5] **eigensystem()**
 eigenvalues() function, [M-5] **eigensystem()**
 eigenvectors, [M-5] **eigensystem()**, [M-6] **Glossary**
 elimination matrix, [M-5] **Lmatrix()**
 eltype, [M-2] **declarations**, [M-6] **Glossary**
 eltype() function, [M-5] **eltype()**
 end command, [M-3] **end**
 epsilon() function, [M-5] **epsilon()**, [M-6] **Glossary**
 _equilc() function, [M-5] **_equilrc()**
 equilibration, [M-5] **_equilrc()**
 _equilr() function, [M-5] **_equilrc()**
 _equilrc() function, [M-5] **_equilrc()**
 erase, [M-5] **unlink()**
 error codes, [M-2] **errors**
 _error() function, [M-5] **error()**
 error() function, [M-5] **error()**
 errprintf() function, [M-5] **errprintf()**
 Excel, Microsoft, see Microsoft Excel
 exit() function, [M-5] **exit()**
 exit Mata, [M-3] **end**
 exp, [M-2] **exp**, [M-6] **Glossary**
 exp() function, [M-5] **exp()**
 exponentiation, [M-5] **exp()**, [M-5] **matexpsym()**
 exporting data, [M-5] **_docx*()**, [M-5] **xl()**
 expressions, [M-2] **exp**
 external, [M-2] **declarations**

externals, [M-2] **declarations**, [M-5] **direxternal()**,
[M-5] **findexternal()**, [M-5] **valofexternal()**,
[M-6] **Glossary**
extract diagonal, [M-5] **diagonal()**, [M-5] **diag()**

F

F() function, [M-5] **normal()**
factorial() function, [M-5] **factorial()**
Faires, J. D., [M-5] **solvenl()**
favorspeed() function, [M-5] **favorspeed()**
fbufget() function, [M-5] **bufio()**
fbufput() function, [M-5] **bufio()**
_fclose() function, [M-5] **fopen()**
fclose() function, [M-5] **fopen()**
Fden() function, [M-5] **normal()**
ferrortext() function, [M-5] **ferrortext()**
_ffft() function, [M-5] **fft()**
fft() function, [M-5] **fft()**
_fget() function, [M-5] **fopen()**
fget() function, [M-5] **fopen()**
_fgetmatrix() function, [M-5] **fopen()**
fgetmatrix() function, [M-5] **fopen()**
_fgetnl() function, [M-5] **fopen()**
fgetnl() function, [M-5] **fopen()**
file processing, [M-4] **io**, [M-5] **bufio()**, [M-5] **cat()**,
[M-5] **_docx*()**, [M-5] **ferrortext()**,
[M-5] **fileexists()**, [M-5] **findfile()**,
[M-5] **fopen()**, [M-5] **unlink()**, [M-5] **xl()**
fileexists() function, [M-5] **fileexists()**
filename manipulation, [M-5] **adosubdir()**,
[M-5] **pathjoin()**
_fillmissing() function, [M-5] **_fillmissing()**
final, [M-2] **class**
findexternal() function, [M-5] **findexternal()**
findfile() function, [M-5] **findfile()**
Flannery, B. P., [M-5] **solvenl()**
Fletcher, R., [M-5] **optimize()**
float() function, [M-5] **floatround()**
floatround() function, [M-5] **floatround()**
floor() function, [M-5] **trunc()**
_flopin() function, [M-5] **lapack()**
_flopout() function, [M-5] **lapack()**
fmtwidth() function, [M-5] **fmtwidth()**
folders, see **directories**
_fopen() function, [M-5] **fopen()**
fopen() function, [M-5] **fopen()**
for, [M-2] **for**, [M-2] **continue**, [M-2] **break**,
[M-2] **semicolons**
format width, [M-5] **fmtwidth()**
FORTRAN, [M-2] **goto**, [M-5] **dsign()**
Fourier transform, [M-5] **fft()**
_fput() function, [M-5] **fopen()**
fput() function, [M-5] **fopen()**
_fputmatrix() function, [M-5] **fopen()**
fputmatrix() function, [M-5] **fopen()**
_fread() function, [M-5] **fopen()**
fread() function, [M-5] **fopen()**

freturncode() function, [M-5] **ferrortext()**
frombase() function, [M-5] **inbase()**
_fseek() function, [M-5] **fopen()**
fseek() function, [M-5] **fopen()**
fstatus() function, [M-5] **fopen()**
Ftail() function, [M-5] **normal()**
_ftell() function, [M-5] **fopen()**
ftell() function, [M-5] **fopen()**
ftfreqs() function, [M-5] **fft()**
ftpad() function, [M-5] **fft()**
ftperiodogram() function, [M-5] **fft()**
ftretime() function, [M-5] **fft()**
_ftruncate() function, [M-5] **fopen()**
truncate() function, [M-5] **fopen()**
ftunwrap() function, [M-5] **fft()**
ftwrap() function, [M-5] **fft()**
fullsdiag() function, [M-5] **fullsvd()**
_fullsvd() function, [M-5] **fullsvd()**
fullsvd() function, [M-5] **fullsvd()**
functions, [M-2] **declarations**, [M-4] **intro**, [M-5] **intro**,
[M-6] **Glossary**
arguments, [M-1] **returnedargs**, also see arguments
naming convention, [M-1] **naming**
passing to functions, [M-2] **ftof**
underscore, [M-6] **Glossary**
_fwrite() function, [M-5] **fopen()**
fwrite() function, [M-5] **fopen()**

G

Gallup, J. L., [M-5] **_docx*()**
gamma() function, [M-5] **factorial()**
gammaden() function, [M-5] **normal()**
gammapi() function, [M-5] **normal()**
gammaptail() function, [M-5] **normal()**
Gauss–Seidel method, [M-5] **solvenl()**
_geigen_la() function, [M-5] **geigensystem()**
_geigenselect*_la() functions,
[M-5] **geigensystem()**
geigensystem() function, [M-5] **geigensystem()**
_geigensystem_la() function, [M-5] **geigensystem()**
geigensystemselect*() functions,
[M-5] **geigensystem()**
generalized
eigensystem, [M-5] **geigensystem()**
eigenvalues, [M-6] **Glossary**
Hessenberg decomposition, [M-5] **ghessenbergd()**
inverse, [M-5] **invsym()**, [M-5] **pinv()**,
[M-5] **qrinv()**
Schur decomposition, [M-5] **gschurd()**
Geweke–Hajivassiliou–Keane multivariate normal
simulator, [M-5] **ghk()**, [M-5] **ghkfast()**
ghalton() function, [M-5] **halton()**
_ghessenbergd() function, [M-5] **ghessenbergd()**
ghessenbergd() function, [M-5] **ghessenbergd()**
_ghessenbergd_la() function, [M-5] **ghessenbergd()**
ghk() function, [M-5] **ghk()**
ghkfast() function, [M-5] **ghkfast()**

ghkfast_i() function, [M-5] **ghkfast()**
 ghkfast_init() function, [M-5] **ghkfast()**
 ghkfast_init_*() function, [M-5] **ghkfast()**
 ghkfast_query_*() function, [M-5] **ghkfast()**
 ghk_init() function, [M-5] **ghk()**
 ghk_init_*() function, [M-5] **ghk()**
 ghk_query_npts() function, [M-5] **ghk()**
 Gleick, J., [M-5] **optimize()**
 global variable, [M-2] **declarations**,
 [M-5] **direxternal()**, [M-5] **findexternal()**,
 [M-5] **valofexternal()**, [M-6] **Glossary**
 Goldfarb, D., [M-5] **optimize()**
 Golub, G. H., [M-5] **svd()**
 goto, [M-2] **goto**
 Gould, W. W., [M-1] **how**, [M-1] **interactive**,
 [M-2] **exp**, [M-2] **goto**, [M-2] **pointers**,
 [M-2] **struct**, [M-2] **subscripts**, [M-2] **syntax**,
 [M-4] **io**, [M-4] **stata**, [M-5] **deriv()**,
 [M-5] **eigensystem()**, [M-5] **geigensystem()**,
 [M-5] **inbase()**, [M-5] **moptimize()**,
 [M-5] **runiform()**, [M-5] **st_addvar()**,
 [M-5] **st_global()**, [M-5] **st_local()**,
 [M-5] **st_view()**
 grammar, [M-2] **syntax**
 Greenbaum, A., [M-1] **LAPACK**, [M-5] **lapack()**
 Grimmer, G., [M-5] **halton()**
 _gschurd() function, [M-5] **gschurd()**
 gschurd() function, [M-5] **gschurd()**
 _gschurdgroupby() function, [M-5] **gschurd()**
 gschurdgroupby() function, [M-5] **gschurd()**
 _gschurdgroupby_la() function, [M-5] **gschurd()**
 _gschurd_la() function, [M-5] **gschurd()**
 Guillemot, M., [M-5] **cholesky()**

H

Haas, K., [M-5] **moptimize()**
 Hahn, G. J., [M-5] **moptimize()**
 halfyear() function, [M-5] **date()**
 halfyearly() function, [M-5] **date()**
 Hall, B. H., [M-5] **optimize()**
 Hall, R. E., [M-5] **optimize()**
 _halton() function, [M-5] **halton()**
 halton() function, [M-5] **halton()**
 Halton, J. H., [M-5] **halton()**
 Halton set, [M-5] **halton()**
 Hammarling, S., [M-1] **LAPACK**, [M-5] **lapack()**
 Hammersley, J. M., [M-5] **halton()**
 Hammersley set, [M-5] **halton()**
 Handscomb, D. C., [M-5] **halton()**
 hash functions, [M-5] **hash1()**, [M-6] **Glossary**
 hash tables, [M-5] **asarray()**, [M-6] **Glossary**
 hash1() function, [M-5] **hash1()**
 hashing, [M-6] **Glossary**
 hasmissing() function, [M-5] **missing()**
 Hausman, J. A., [M-5] **optimize()**
 help, [M-1] **help**

help command, [M-3] **meta help**
 help, meta subcommand, [M-3] **meta help**
 Hermite, C., [M-5] **issymmetric()**
 Hermitian
 adjoin, [M-2] **op_transpose**, [M-5] **conj()**
 matrices, [M-5] **issymmetric()**,
 [M-5] **makesymmetric()**, [M-6] **Glossary**
 transpose, [M-2] **op_transpose**, [M-5] **conj()**
 Herriot, J. G., [M-5] **spline3()**
 Hesse, L. O., [M-5] **moptimize()**
 Hessenberg
 decomposition, [M-5] **hessenbergd()**,
 [M-6] **Glossary**
 form, [M-6] **Glossary**
 Hessenberg, K. A., [M-5] **hessenbergd()**
 _hessenbergd() function, [M-5] **hessenbergd()**
 hessenbergd() function, [M-5] **hessenbergd()**
 _hessenbergd_la() function, [M-5] **hessenbergd()**
 hh() function, [M-5] **date()**
 hhC() function, [M-5] **date()**
 hidden stored results, [M-5] **st_global()**,
 [M-5] **st_matrix()**, [M-5] **st_numscalar()**
 Hilbert, D., [M-5] **Hilbert()**
 Hilbert() function, [M-5] **Hilbert()**
 HILO, [M-5] **byteorder()**
 historical stored results, [M-5] **st_global()**,
 [M-5] **st_matrix()**, [M-5] **st_numscalar()**
 hms() function, [M-5] **date()**
 hofd() function, [M-5] **date()**
 hours() function, [M-5] **date()**
 Householder, A. S., [M-5] **qrd()**
 _hqr() function, [M-5] **qrd()**
 hqrd() function, [M-5] **qrd()**
 hqrdmultq() function, [M-5] **qrd()**
 hqrdmultq1t() function, [M-5] **qrd()**
 _hqrqp() function, [M-5] **qrd()**
 hqrqp() function, [M-5] **qrd()**
 _hqrqp_la() function, [M-5] **qrd()**
 hqrdq() function, [M-5] **qrd()**
 hqrdq1() function, [M-5] **qrd()**
 hqrdr() function, [M-5] **qrd()**
 hqrdr1() function, [M-5] **qrd()**
 hyperbolic functions, [M-5] **sin()**
 hypergeometric() function, [M-5] **normal()**
 hypergeometricp() function, [M-5] **normal()**

I

I() function, [M-5] **I()**
 ibeta() function, [M-5] **normal()**
 ibetatail() function, [M-5] **normal()**
 identity matrix, [M-5] **I()**
 if, [M-2] **if**
 Im() function, [M-5] **Re()**
 imaginary part, [M-5] **Re()**
 inbase() function, [M-5] **inbase()**

incomplete

beta function, [M-5] **normal()**

gamma function, [M-5] **normal()**

increment operator, [M-2] **op_increment**

index,

mathematical functions, [M-4] **statistical**

matrix functions, [M-4] **utility**

statistical functions, [M-4] **statistical**

utility functions, [M-4] **utility**

indexnot() function, [M-5] **indexnot()**

inheritance, [M-2] **class**

input/output functions, [M-4] **io**

instance, [M-6] **Glossary**

integers, [M-5] **trunc()**

invbinomial() function, [M-5] **normal()**

invbinomialtail() function, [M-5] **normal()**

invchi2() function, [M-5] **normal()**

invchi2tail() function, [M-5] **normal()**

invcloglog() function, [M-5] **logit()**

invdunnettprob() function, [M-5] **normal()**

inverse matrix, [M-4] **solvers**, [M-5] **invsym()**,

[M-5] **cholinv()**, [M-5] **luinv()**, [M-5] **qrinv()**,

[M-5] **pinv()**, [M-5] **solve_tol()**

invF() function, [M-5] **normal()**

_invfft() function, [M-5] **fft()**

invfft() function, [M-5] **fft()**

invFtail() function, [M-5] **normal()**

invgammap() function, [M-5] **normal()**

invgammaptail() function, [M-5] **normal()**

invHilbert() function, [M-5] **Hilbert()**

invibeta() function, [M-5] **normal()**

invibetatail() function, [M-5] **normal()**

invlogit() function, [M-5] **logit()**

invnbinomial() function, [M-5] **normal()**

invnbinomialtail() function, [M-5] **normal()**

invnchi2() function, [M-5] **normal()**

invnchi2tail() function, [M-5] **normal()**

invnFtail() function, [M-5] **normal()**

invnibeta() function, [M-5] **normal()**

invnormal() function, [M-5] **normal()**

invnttail() function, [M-5] **normal()**

invorder() function, [M-5] **invorder()**

invpoisson() function, [M-5] **normal()**

invpoissontail() function, [M-5] **normal()**

_invsym() function, [M-5] **invsym()**

invsym() function, [M-5] **invsym()**

invt() function, [M-5] **normal()**

invtokens() function, [M-5] **invtokens()**

invttail() function, [M-5] **normal()**

invtukeyprob() function, [M-5] **normal()**

invvech() function, [M-5] **vec()**

I/O functions, [M-4] **io**

iscomplex() function, [M-5] **isreal()**

isdiagonal() function, [M-5] **isdiagonal()**

isfleeing() function, [M-5] **isfleeing()**

ispointer() function, [M-5] **isreal()**

isreal() function, [M-5] **isreal()**

isrealvalues() function, [M-5] **isrealvalues()**

isstring() function, [M-5] **isreal()**

issymmetric() function, [M-5] **issymmetric()**

issymmetriconly() function, [M-5] **issymmetric()**

istmt, [M-1] **how**, [M-6] **Glossary**

isview() function, [M-5] **isview()**

J

J() function, [M-5] **J()**, [M-2] **void**, [M-6] **Glossary**

Jacobi, C. G. J., [M-5] **deriv()**

James, I. M., [M-2] **op_kronecker**, [M-5] **deriv()**,

[M-5] **issymmetric()**, [M-5] **pinv()**

Jenkins, B., [M-5] **hash1()**

join operator, [M-2] **op_join**

Jones, P. S., [M-5] **Vandermonde()**

Jordan, C., [M-5] **svd()**

_jumble() function, [M-5] **sort()**

jumble() function, [M-5] **sort()**

K

Kmatrix() function, [M-5] **Kmatrix()**

Kronecker direct product, [M-2] **op_kronecker**

Kronecker, L., [M-2] **op_kronecker**

L

LAPACK, [M-1] **LAPACK**, [M-5] **cholesky()**,

[M-5] **cholinv()**, [M-5] **cholsolve()**,

[M-5] **eigensystem()**, [M-5] **eigensystemselect()**,

[M-5] **fullsvd()**, [M-5] **ghessenbergd()**,

[M-5] **lapack()**, [M-5] **lud()**, [M-5] **luinv()**,

[M-5] **lusolve()**, [M-5] **qrd()**, [M-5] **qrinv()**,

[M-5] **qrsolve()**, [M-5] **svd()**, [M-5] **svsolve()**,

[M-6] **Glossary**

latent roots, [M-5] **eigensystem()**

Ledermann, W., [M-5] **schurd()**

left eigenvectors, [M-5] **eigensystem()**, [M-6] **Glossary**

_lefteigensystem() function, [M-5] **eigensystem()**

lefteigensystem() function, [M-5] **eigensystem()**

lefteigensystemselect*() functions,

[M-5] **eigensystemselect()**

leftgeigensystem() function, [M-5] **geigensystem()**

leftgeigensystemselect*() function,

[M-5] **geigensystem()**

length, [M-5] **abs()**, [M-5] **rows()**, [M-5] **strlen()**

length() function, [M-5] **rows()**

libraries, [M-1] **how**, [M-3] **mata mlib**, [M-3] **mata**

which

limits, [M-1] **limits**

Linhart, J. M., [M-5] **mindouble()**

list subscripts, see subscripts

liststruct() function, [M-5] **liststruct()**

Lmatrix() function, [M-5] **Lmatrix()**

ln() function, [M-5] **exp()**

lnfactorial() function, [M-5] **factorial()**

lngamma() function, [M-5] **factorial()**

lnnormal() function, [M-5] **normal()**
 lnnormalden() function, [M-5] **normal()**
 Lo Magno, G. L., [M-5] **_docx*()**
 log() function, [M-5] **exp()**
 log10() function, [M-5] **exp()**
 logarithms, [M-5] **exp()**, [M-5] **matexpsym()**
 logical operators, [M-2] **op_logical**
 logit() function, [M-5] **logit()**
 LOHI, [M-5] **byteorder()**
 loop, [M-2] **do**, [M-2] **for**, [M-2] **while**
 continuing, [M-2] **continue**
 exiting, [M-2] **break**
 use of semicolons in, [M-2] **semicolons**
 lowercase, [M-5] **strupper()**
 _lowertriangle() function, [M-5] **lowertriangle()**
 lowertriangle() function, [M-5] **lowertriangle()**
 lower-triangular matrix, see **triangular matrix**
 LU decomposition, [M-5] **lud()**
 _lud() function, [M-5] **lud()**
 lud() function, [M-5] **lud()**
 _lud_la() function, [M-5] **lud()**
 _luinv() function, [M-5] **luinv()**
 luinv() function, [M-5] **luinv()**
 _luinv_la() function, [M-5] **luinv()**
 _lusolve() function, [M-5] **lusolve()**
 lusolve() function, [M-5] **lusolve()**
 _lusolve_la() function, [M-5] **lusolve()**
 Lütkepohl, H., [M-5] **Dmatrix()**, [M-5] **Kmatrix()**,
 [M-5] **Lmatrix()**
 lval, [M-2] **op_assignment**, [M-6] **Glossary**

M

machine precision, [M-5] **epsilon()**, [M-6] **Glossary**
 _makesymmetric() function, [M-5] **makesymmetric()**
 makesymmetric() function, [M-5] **makesymmetric()**
 maps, [M-5] **asarray()**
 Marquardt algorithm, [M-5] **moptimize()**,
 [M-5] **optimize()**
 Marquardt, D. W., [M-5] **moptimize()**,
 [M-5] **optimize()**
 Mata
 commands, [M-3] **intro**
 error messages, [M-5] **error()**, also see **traceback**
 log
 mata
 clear command, [M-3] **mata clear**
 describe command, [M-3] **mata describe**
 drop command, [M-3] **mata drop**
 help command, [M-3] **mata help**
 matdescribe command, [M-3] **mata matsave**
 matsave command, [M-3] **mata matsave**
 matuse command, [M-3] **mata matsave**
 memory command, [M-3] **mata memory**
 mlib add command, [M-3] **mata mlib**
 mlib create command, [M-3] **mata mlib**
 mlib index command, [M-3] **mata mlib**
 mata, *continued*
 mlib query command, [M-3] **mata mlib**
 mosave command, [M-3] **mata mosave**
 query command, [M-3] **mata set**
 rename command, [M-3] **mata rename**
 set matacache command, [M-3] **mata set**
 set matafavor command, [M-3] **mata set**,
 [M-5] **favorspeed()**
 set matalibs command, [M-3] **mata set**
 set matalnum command, [M-3] **mata set**
 set matamofirst command, [M-3] **mata set**
 set mataoptimize command, [M-3] **mata set**
 set matastrict command, [M-1] **ado**,
 [M-2] **declarations**, [M-3] **mata set**
 stata command, [M-3] **mata stata**
 which command, [M-3] **mata which**
 mata invocation command, [M-3] **mata**
 .mata source code file, [M-1] **source**, [M-3] **mata**
 mlib, [M-6] **Glossary**
 matdescribe, mata subcommand, [M-3] **mata**
 matsave
 _matexpsym() function, [M-5] **matexpsym()**
 matexpsym() function, [M-5] **matexpsym()**
 mathematical functions, [M-4] **mathematical**,
 [M-4] **matrix**, [M-4] **scalar**, [M-4] **solvers**,
 [M-4] **standard**
 _matlogsym() function, [M-5] **matexpsym()**
 matlogsym() function, [M-5] **matexpsym()**
 _matpowersym() function, [M-5] **matpowersym()**
 matpowersym() function, [M-5] **matpowersym()**
 matrices, [M-4] **intro**, [M-6] **Glossary**
 functions, [M-4] **manipulation**, [M-4] **matrix**,
 [M-4] **solvers**, [M-4] **standard**
 norm, [M-5] **norm()**
 matrix, [M-2] **declarations**
 matsave, mata subcommand, [M-3] **mata matsave**
 matsize, [M-1] **limits**
 matuse, mata subcommand, [M-3] **mata matsave**
 max() function, [M-5] **minmax()**
 maxdouble() function, [M-5] **mindouble()**
 maximization, [M-5] **moptimize()**, [M-5] **optimize()**
 maximum
 length of string, [M-1] **limits**
 size of matrix, [M-1] **limits**
 maximums and minimums, [M-5] **minindex()**
 maxindex() function, [M-5] **minindex()**
 McKenney, A., [M-1] **LAPACK**, [M-5] **lapack()**
 mdy() function, [M-5] **date()**
 mdyhms() function, [M-5] **date()**
 Mead, R., [M-5] **optimize()**
 mean() function, [M-5] **mean()**
 meanvariance() function, [M-5] **mean()**
 member function, [M-2] **class**
 member variable, [M-2] **class**
 memory, mata subcommand, [M-3] **mata memory**
 memory utilization, [M-1] **limits**, [M-3] **mata memory**
 method, [M-2] **class**

Michel-Pajus, A., [M-5] **cholesky()**
 Microsoft
 Excel, [M-5] **xl()**
 Office, [M-5] **_docx*()**, [M-5] **xl()**
 Word, [M-5] **_docx*()**
min() function, [M-5] **minmax()**
mindouble() function, [M-5] **mindouble()**
 minimization, [M-5] **moptimize()**, [M-5] **optimize()**
 minimums and maximums, see maximums and minimums
minindex() function, [M-5] **minindex()**
minmax() function, [M-5] **minmax()**
minutes() function, [M-5] **date()**
missing() function, [M-5] **missing()**
 missing values, [M-5] **missing()**, [M-5] **missingof()**, [M-5] **editmissing()**, [M-5] **_fillmissing()**
missingof() function, [M-5] **missingof()**
_mkdir() function, [M-5] **chdir()**
mkdir() function, [M-5] **chdir()**
mlib add, mata subcommand, [M-3] **mata mlib**
mlib create, mata subcommand, [M-3] **mata mlib**
mlib index, mata subcommand, [M-3] **mata mlib**
.mlib library file, [M-1] **how**, [M-3] **mata describe**, [M-3] **mata mlib**, [M-3] **mata set**, [M-3] **mata which**, [M-6] **Glossary**
mlib query, mata subcommand, [M-3] **mata mlib**
mm() function, [M-5] **date()**
.mmat matrix file, [M-3] **mata matsave**
mmC() function, [M-5] **date()**
.mo object code file, [M-1] **how**, [M-3] **mata mosave**, [M-3] **mata which**, [M-6] **Glossary**
mod() function, [M-5] **mod()**
mofd() function, [M-5] **date()**
 monadic operator, [M-2] **syntax**, [M-6] **Glossary**
month() function, [M-5] **date()**
monthly() function, [M-5] **date()**
 Moore, E. H., [M-5] **pinv()**
 Moore–Penrose inverse, [M-5] **pinv()**
_moptimize() function, [M-5] **moptimize()**
moptimize() function, [M-5] **moptimize()**
moptimize_ado_cleanup() function, [M-5] **moptimize()**
_moptimize_evaluate() function, [M-5] **moptimize()**
moptimize_evaluate() function, [M-5] **moptimize()**
moptimize_init() function, [M-5] **moptimize()**
moptimize_init_*(*) functions, [M-5] **moptimize()**
moptimize_query() function, [M-5] **moptimize()**
moptimize_result_*(*) functions, [M-5] **moptimize()**
moptimize_util_*(*) functions, [M-5] **moptimize()**
more() function, [M-5] **more()**
mosave, mata subcommand, [M-3] **mata mosave**
mreldif() function, [M-5] **reldif()**
mreldifre() function, [M-5] **reldif()**
mreldifsym() function, [M-5] **reldif()*****

msofhours() function, [M-5] **date()**
msofminutes() function, [M-5] **date()**
msofseconds() function, [M-5] **date()**
 multiplication operator, see arithmetic operators
 multivariate normal simulator, [M-5] **ghk()**, [M-5] **ghkfast()**

N

nameexternal() function, [M-5] **findexternal()**
namelists, [M-3] **namelists**
 naming convention, [M-1] **naming**
 NaN, [M-6] **Glossary**
nbetaden() function, [M-5] **normal()**
nbinomial() function, [M-5] **normal()**
nbinomialp() function, [M-5] **normal()**
nbinomialtail() function, [M-5] **normal()**
nchi2() function, [M-5] **normal()**
nchi2den() function, [M-5] **normal()**
nchi2tail() function, [M-5] **normal()**
_negate() function, [M-5] **_negate()**
 negation matrix, [M-5] **_negate()**
 negation operator, see arithmetic operators
 Nelder, J. A., [M-5] **optimize()**
 Nelder–Mead algorithm, [M-5] **moptimize()**, [M-5] **optimize()**
new() function, [M-2] **class**
 Newton, I., [M-5] **optimize()**
 Newton–Raphson algorithm, [M-5] **moptimize()**, [M-5] **optimize()**
 Newton–Raphson method, [M-5] **solvent()**
nF() function, [M-5] **normal()**
nFden() function, [M-5] **normal()**
nFTail() function, [M-5] **normal()**
nibeta() function, [M-5] **normal()**
 nonlinear equations, [M-5] **solvent()**
nonmissing() function, [M-5] **missing()**
 norm, [M-6] **Glossary**
norm() function, [M-5] **norm()**
normal() function, [M-5] **normal()**
normalden() function, [M-5] **normal()**
npnchi2() function, [M-5] **normal()**
npnF() function, [M-5] **normal()**
npnt() function, [M-5] **normal()**
nt() function, [M-5] **normal()**
ntden() function, [M-5] **normal()**
nttail() function, [M-5] **normal()**
 NULL, [M-2] **pointers**, [M-6] **Glossary**
 numeric, [M-2] **declarations**, [M-6] **Glossary**

O

object code, [M-1] **how**, [M-6] **Glossary**
 object-oriented programming, [M-2] **class**, [M-6] **Glossary**
 Office, Microsoft, see Microsoft Office
 Office Open XML, [M-5] **_docx*()**

operator, [M-2] **op_arith**, [M-2] **op_assignment**,
[M-2] **op_colon**, [M-2] **op_conditional**,
[M-2] **op_increment**, [M-2] **op_join**,
[M-2] **op_kronecker**, [M-2] **op_logical**,
[M-2] **op_range**, [M-2] **op_transpose**,
[M-6] **Glossary**

optimization, [M-3] **meta set**, [M-5] **moptimize()**,
[M-5] **optimize()**, [M-6] **Glossary**

_optimize() function, [M-5] **optimize()**

optimize() function, [M-5] **optimize()**

_optimize_evaluate() function, [M-5] **optimize()**

optimize_evaluate() function, [M-5] **optimize()**

optimize_init() function, [M-5] **optimize()**

optimize_init_*(*)* functions, [M-5] **optimize()**

optimize_query() function, [M-5] **optimize()**

optimize_result_*(*)* functions, [M-5] **optimize()**

order() function, [M-5] **sort()**

orgtype, [M-2] **declarations**, [M-6] **Glossary**

orgtype() function, [M-5] **eltype()**

orthogonal matrix, [M-6] **Glossary**

P

panel data, [M-5] **panelsetup()**

panelsetup() function, [M-5] **panelsetup()**

panelstats() function, [M-5] **panelsetup()**

panelsubmatrix() function, [M-5] **panelsetup()**

panelsubview() function, [M-5] **panelsetup()**

parsing, [M-5] **tokenget()**, [M-5] **tokens()**

pathasciisuffix() function, [M-5] **pathjoin()**

pathbasename() function, [M-5] **pathjoin()**

pathisabs() function, [M-5] **pathjoin()**

pathisurl() function, [M-5] **pathjoin()**

pathjoin() function, [M-5] **pathjoin()**

pathlist() function, [M-5] **pathjoin()**

pathrmsuffix() function, [M-5] **pathjoin()**

pathsearchlist() function, [M-5] **pathjoin()**

pathsplitt() function, [M-5] **pathjoin()**

pathstatusuffix() function, [M-5] **pathjoin()**

pathsbsysdir() function, [M-5] **pathjoin()**

pathsuffix() function, [M-5] **pathjoin()**

pattern matching, [M-5] **strmatch()**

p-conformability, [M-6] **Glossary**

Penrose, R., [M-5] **pinv()**

_perhapsequiloc() function, [M-5] **_equilrc()**

_perhapsequilor() function, [M-5] **_equilrc()**

_perhapsequilocr() function, [M-5] **_equilrc()**

permutation matrix and vector, [M-1] **permutation**,
[M-5] **invorder()**, [M-6] **Glossary**

permutations, [M-5] **cvpermute()**

pi() function, [M-5] **sin()**

_pinv() function, [M-5] **pinv()**

pinv() function, [M-5] **pinv()**

Pitblado, J. S., [M-5] **deriv()**, [M-5] **moptimize()**

Poi, B. P., [M-5] **deriv()**, [M-5] **moptimize()**

pointers, [M-2] **pointers**, [M-2] **tfoot**,
[M-5] **findexternal()**, [M-6] **Glossary**

poisson() function, [M-5] **normal()**

poissonp() function, [M-5] **normal()**

poissontail() function, [M-5] **normal()**

polyadd() function, [M-5] **polyeval()**

polyderiv() function, [M-5] **polyeval()**

polydiv() function, [M-5] **polyeval()**

polyeval() function, [M-5] **polyeval()**

polyinteg() function, [M-5] **polyeval()**

polymult() function, [M-5] **polyeval()**

polynomials, [M-5] **polyeval()**

polyroots() function, [M-5] **polyeval()**

polysolve() function, [M-5] **polyeval()**

polytrim() function, [M-5] **polyeval()**

Powell, M. J. D., [M-5] **optimize()**

power, [M-2] **op_arith**, [M-2] **op_colon**,
[M-5] **matpowersym()**

pragma, [M-2] **pragma**, [M-6] **Glossary**

pragma unset, [M-2] **pragma**

pragma unused, [M-2] **pragma**

Press, W. H., [M-5] **solvent()**

printf() function, [M-5] **printf()**

private, [M-2] **class**

product, [M-2] **op_arith**, [M-2] **op_colon**,
[M-2] **op_kronecker**, [M-5] **cross()**,
[M-5] **crossdev()**, [M-5] **quadcross()**

programming
functions, [M-4] **programming**
use, [M-1] **ado**

proper values, [M-5] **eigensystem()**

protected, [M-2] **class**

pseudoinverse, [M-5] **pinv()**

public, [M-2] **class**

pwd() function, [M-5] **chdir()**

Q

qofd() function, [M-5] **date()**

QR decomposition, [M-5] **qrd()**

qrd() function, [M-5] **qrd()**

qrdp() function, [M-5] **qrd()**

_qrinv() function, [M-5] **qrinv()**

qrinv() function, [M-5] **qrinv()**

_qrsolve() function, [M-5] **qrsolve()**

qrsolve() function, [M-5] **qrsolve()**

quad precision, [M-5] **mean()**, [M-5] **quadcross()**,
[M-5] **runningsum()**, [M-5] **sum()**

quadcolsum() function, [M-5] **sum()**

quadcovrelation() function, [M-5] **mean()**

quadcross() function, [M-5] **quadcross()**

quadcrossdev() function, [M-5] **quadcross()**

quadmeanvariance() function, [M-5] **mean()**

quadrant() function, [M-5] **sign()**

quadrantsum() function, [M-5] **sum()**

_quadranningsum() function, [M-5] **runningsum()**

quadranningsum() function, [M-5] **runningsum()**

quadsum() function, [M-5] **sum()**

quadvvariance() function, [M-5] **mean()**

quarter() function, [M-5] **date()**

quarterly() function, [M-5] **date()**
 querybreakintr() function, [M-5] **setbreakintr()**
 Quintó, L., [M-5] **_docx*()**
 quit Mata, [M-3] **end**

R

random numbers, [M-5] **runiform()**
 random variates, [M-5] **runiform()**
 range
 operators, [M-2] **op_range**
 subscripts, see **subscripts**
 vector, [M-5] **range()**
range() function, [M-5] **range()**
rangem() function, [M-5] **range()**
 rank, [M-5] **rank()**, [M-6] **Glossary**
rank() function, [M-5] **rank()**
 Raphson, J., [M-5] **optimize()**
rbeta() function, [M-5] **runiform()**
rbinomial() function, [M-5] **runiform()**
rchi2() function, [M-5] **runiform()**
 r-conformability, [M-5] **normal()**, [M-6] **Glossary**
rdiscrete() function, [M-5] **runiform()**
Re() function, [M-5] **Re()**
 reading data, [M-5] **_docx*()**, [M-5] **xl()**
 real, [M-2] **declarations**, [M-6] **Glossary**
 real part, [M-5] **Re()**
 realization, [M-6] **Glossary**
 Reid, C., [M-5] **Hilbert()**
 Reinsch, C. H., [M-5] **spline3()**
reldif() function, [M-5] **reldif()**
 rename, mata subcommand, [M-3] **meta rename**
 reserved words, [M-2] **reswords**
 return, [M-2] **return**
revorder() function, [M-5] **invorder()**
rgamma() function, [M-5] **runiform()**
rhypergeometric() function, [M-5] **runiform()**
 right eigenvectors, [M-5] **eigensystem()**
_rmdir() function, [M-5] **chdir()**
rmdir() function, [M-5] **chdir()**
rmexternal() function, [M-5] **findexternal()**
rnbinomial() function, [M-5] **runiform()**
rnormal() function, [M-5] **runiform()**
 Robinson, A., [M-5] **Toeplitz()**
 roots of polynomials, [M-5] **polyeval()**
round() function, [M-5] **trunc()**
 roundoff error, [M-5] **epsilon()**, [M-5] **edittozero()**,
 [M-5] **edittoint()**
 row of matrix, selecting, [M-5] **select()**
 row stripes, [M-6] **Glossary**
 row-join operator, [M-2] **op_join**
 row-major order, [M-6] **Glossary**
rowmax() function, [M-5] **minmax()**
rowmaxabs() function, [M-5] **minmax()**
rowmin() function, [M-5] **minmax()**
rowminmax() function, [M-5] **minmax()**

rowmissing() function, [M-5] **missing()**
rownonmissing() function, [M-5] **missing()**
rows() function, [M-5] **rows()**
rowscalefactors() function, [M-5] **_equilrc()**
rowshape() function, [M-5] **rowshape()**
rowsum() function, [M-5] **sum()**
 rowvector, [M-2] **declarations**, [M-6] **Glossary**
rpoisson() function, [M-5] **runiform()**
rseed() function, [M-5] **runiform()**
rt() function, [M-5] **runiform()**
runiform() function, [M-5] **runiform()**
_runningsum() function, [M-5] **runningsum()**
runningsum() function, [M-5] **runningsum()**

S

saved results, see **stored results**
 scalar, [M-2] **declarations**, [M-6] **Glossary**
 scalar functions, [M-4] **scalar**
 Schmidt, E., [M-5] **svd()**
 Schur
 decomposition, [M-5] **schurd()**, [M-6] **Glossary**
 form, [M-6] **Glossary**
 Schur, I., [M-5] **schurd()**
_schurd() function, [M-5] **schurd()**
schurd() function, [M-5] **schurd()**
_schurdgroupby() function, [M-5] **schurd()**
schurdgroupby() function, [M-5] **schurd()**
_schurdgroupby_la() function, [M-5] **schurd()**
_schurd_la() function, [M-5] **schurd()**
seconds() function, [M-5] **date()**
select() function, [M-5] **select()**
selectindex() function, [M-5] **select()**
 semicolons, [M-2] **semicolons**
 set matacache, mata subcommand, [M-3] **meta set**
 set matafavor, mata subcommand, [M-3] **meta set**,
 [M-5] **favorspeed()**
 set matalibs, mata subcommand, [M-3] **meta set**
 set matalnum, mata subcommand, [M-3] **meta set**
 set matamofirst, mata subcommand, [M-3] **meta set**
 set mataoptimize, mata subcommand, [M-3] **meta**
 set
 set matastrict, mata subcommand, [M-1] **ado**,
 [M-2] **declarations**, [M-3] **meta set**
setbreakintr() function, [M-5] **setbreakintr()**
setmore() function, [M-5] **more()**
setmoreonexit() function, [M-5] **more()**
 Shanno, D. F., [M-5] **optimize()**
sign() function, [M-5] **sign()**
 Simpson, T., [M-5] **optimize()**
sin() function, [M-5] **sin()**
 singular value decomposition, [M-5] **svd()**,
 [M-5] **fullsvd()**
sinh() function, [M-5] **sin()**
sizeof() function, [M-5] **sizeof()**
smallestdouble() function, [M-5] **mindouble()**
 SMCL, see **Stata Markup and Control Language**

- solve AX=B, [M-4] **solvers**, [M-5] **cholsolve()**,
 [M-5] **lusolve()**, [M-5] **qrsolve()**,
 [M-5] **solve_tol()**, [M-5] **solvelower()**,
 [M-5] **svsolve()**
 _solvelower() function, [M-5] **solvelower()**
 solvelower() function, [M-5] **solvelower()**
 solvenl_dump() function, [M-5] **solvenl()**
 solvenl_init() function, [M-5] **solvenl()**
 solvenl_init_*() functions, [M-5] **solvenl()**
 solvenl_result_*() functions, [M-5] **solvenl()**
 _solvenl_solve() function, [M-5] **solvenl()**
 solvenl_solve() function, [M-5] **solvenl()**
 solve_tol() function, [M-5] **solve_tol()**
 _solvetolerance, [M-5] **solve_tol()**
 _solveupper() function, [M-5] **solvelower()**
 solveupper() function, [M-5] **solvelower()**
 Sorensen, D., [M-1] **LAPACK**, [M-5] **lapack()**
 _sort() function, [M-5] **sort()**
 sort() function, [M-5] **sort()**
 soundex() function, [M-5] **soundex()**
 soundex_nara() function, [M-5] **soundex()**
 source code, [M-1] **how**, [M-1] **source**, [M-6] **Glossary**
 spline3() function, [M-5] **spline3()**
 spline3eval() function, [M-5] **spline3()**
 sprintf() function, [M-5] **printf()**
 sqrt() function, [M-5] **sqrt()**
 square
 matrix, [M-6] **Glossary**
 root, [M-5] **sqrt()**, [M-5] **cholesky()**
 ss() function, [M-5] **date()**
 ssC() function, [M-5] **date()**
 _st_addobs() function, [M-5] **st_addobs()**
 st_addobs() function, [M-5] **st_addobs()**
 _st_addvar() function, [M-5] **st_addvar()**
 st_addvar() function, [M-5] **st_addvar()**
 _st_data() function, [M-5] **st_data()**
 st_data() function, [M-5] **st_data()**
 st_dir() function, [M-5] **st_dir()**
 st_dropobsif() function, [M-5] **st_dropvar()**
 st_dropobsin() function, [M-5] **st_dropvar()**
 st_dropvar() function, [M-5] **st_dropvar()**
 st_eclear() function, [M-5] **st_rclear()**
 st_global() function, [M-5] **st_global()**
 st_global_hcat() function, [M-5] **st_global()**
 st_isfmt() function, [M-5] **st_isfmt()**
 st_islmname() function, [M-5] **st_isname()**
 st_isname() function, [M-5] **st_isname()**
 st_isnumfmt() function, [M-5] **st_isfmt()**
 st_isnumvar() function, [M-5] **st_vartype()**
 st_isstrfmt() function, [M-5] **st_isfmt()**
 st_isstrvar() function, [M-5] **st_vartype()**
 st_keeppobsif() function, [M-5] **st_dropvar()**
 st_keeppobsin() function, [M-5] **st_dropvar()**
 st_keeppvar() function, [M-5] **st_dropvar()**
 st_local() function, [M-5] **st_local()**
 _st_macroexpand() function,
 [M-5] **st_macroexpand()**
 st_macroexpand() function,
 [M-5] **st_macroexpand()**
 st_matrix() function, [M-5] **st_matrix()**
 st_matrix_hcat() function, [M-5] **st_matrix()**
 st_matrixcolstripe() function, [M-5] **st_matrix()**
 st_matrixrowstripe() function, [M-5] **st_matrix()**
 st_nobs() function, [M-5] **st_nvar()**
 st_numscalar() function, [M-5] **st_numscalar()**
 st_numscalar_hcat() function,
 [M-5] **st_numscalar()**
 st_nvar() function, [M-5] **st_nvar()**
 st_rclear() function, [M-5] **st_rclear()**
 st_replacematrix() function, [M-5] **st_matrix()**
 st_sclear() function, [M-5] **st_rclear()**
 _st_sdata() function, [M-5] **st_data()**
 st_sdata() function, [M-5] **st_data()**
 st_select() function, [M-5] **select()**
 _st_sstore() function, [M-5] **st_store()**
 st_sstore() function, [M-5] **st_store()**
 _st_store() function, [M-5] **st_store()**
 st_store() function, [M-5] **st_store()**
 st_strscalar() function, [M-5] **st_numscalar()**
 st_subview() function, [M-5] **st_subview()**
 st_sview() function, [M-5] **st_view()**
 st_tempfilename() function, [M-5] **st_tempname()**
 st_tempname() function, [M-5] **st_tempname()**
 _st_tsrevar() function, [M-5] **st_tsrevar()**
 st_tsrevar() function, [M-5] **st_tsrevar()**
 st_updata() function, [M-5] **st_updata()**
 st_varformat() function, [M-5] **st_varformat()**
 _st_varindex() function, [M-5] **st_varindex()**
 st_varindex() function, [M-5] **st_varindex()**
 st_varlabel() function, [M-5] **st_varformat()**
 st_varname() function, [M-5] **st_varname()**
 st_varrename() function, [M-5] **st_varrename()**
 st_vartype() function, [M-5] **st_vartype()**
 st_varvalueabel() function, [M-5] **st_varformat()**
 st_view() function, [M-5] **st_view()**
 st_viewobs() function, [M-5] **st_viewvars()**
 st_viewvars() function, [M-5] **st_viewvars()**
 st_vldrop() function, [M-5] **st_vlexists()**
 st_vlexists() function, [M-5] **st_vlexists()**
 st_vlload() function, [M-5] **st_vlexists()**
 st_vlmap() function, [M-5] **st_vlexists()**
 st_vlmodify() function, [M-5] **st_vlexists()**
 st_vlsearch() function, [M-5] **st_vlexists()**
 Stata
 c-class results, [M-5] **st_global()**
 characteristic, [M-5] **st_global()**, [M-5] **st_dir()**
 e-class results, [M-5] **st_global()**, [M-5] **st_dir()**,
 [M-5] **st_rclear()**
 error message, [M-5] **error()**
 execute command, [M-3] **mata stata**, [M-5] **stata()**
 macro, [M-5] **st_global()**, [M-5] **st_local()**,
 [M-5] **st_dir()**
 matrix, [M-5] **st_matrix()**, [M-5] **st_dir()**,
 [M-6] **Glossary**

Stata, *continued*

op. varname, see Stata, time-series–operated variable

r-class results, [M-5] `st_global()`, [M-5] `st_dir()`, [M-5] `st_rclear()`

scalar, [M-5] `st_numscalar()`, [M-5] `st_dir()`

s-class results, [M-5] `st_global()`, [M-5] `st_dir()`, [M-5] `st_rclear()`

temporary

- filenames, [M-5] `st_tempname()`
- names, [M-5] `st_tempname()`

time-series–operated variable, [M-5] `st_tsrevar()`, [M-6] **Glossary**

value labels, [M-5] `st_varformat()`, [M-5] `st_vlexists()`

variable

- formats, [M-5] `st_varformat()`
- labels, [M-5] `st_varformat()`

`_stata()` function, [M-5] `stata()`

`stata()` function, [M-5] `stata()`

Stata Markup and Control Language, [M-5] `display()`, [M-5] `printf()`, [M-5] `errprintf()`

`stata`, `mata` subcommand, [M-3] **mata stata**

`statasetversion()` function, [M-5] `statasetversion()`

`stataversion()` function, [M-5] `stataversion()`

static, [M-2] **class**

statistical

- density functions, [M-5] `normal()`
- distribution functions, [M-5] `normal()`

steepest descent (ascent), [M-5] `moptimize()`, [M-5] `optimize()`

Stewart, G. W., [M-5] `svd()`

stored results,

- clearing, [M-5] `st_rclear()`
- hidden or historical, [M-5] `st_global()`, [M-5] `st_matrix()`, [M-5] `st_numscalar()`

Støvring, H., [M-2] **pointers**

`strdup()` function, [M-5] `strdup()`

string

- duplication, [M-5] `strdup()`
- functions, [M-4] **string**
- pattern matching, [M-5] `strmatch()`

`string`, [M-2] **declarations**, [M-6] **Glossary**

string concatenation, [M-5] `intokens()`

string to real, convert, [M-5] `strtoreal()`

`strtrim()` function, [M-5] `strtrim()`

`strlen()` function, [M-5] `strlen()`

`strlower()` function, [M-5] `strupper()`

`strltrim()` function, [M-5] `strtrim()`

`strmatch()` function, [M-5] `strmatch()`

`stroofreal()` function, [M-5] `stroofreal()`

`strospos()` function, [M-5] `strospos()`

`strproper()` function, [M-5] `strupper()`

`strreverse()` function, [M-5] `strreverse()`

`strrtrim()` function, [M-5] `strtrim()`

`strtoname()` function, [M-5] `strtoname()`

`_strtoreal()` function, [M-5] `strtoreal()`

`strtoreal()` function, [M-5] `strtoreal()`

`strtrim()` function, [M-5] `strtrim()`

`struct`, [M-2] **struct**

structures, [M-2] **struct**, [M-5] `liststruct()`, [M-6] **Glossary**

`strupper()` function, [M-5] `strupper()`

subclass, [M-2] **class**

`subinstr()` function, [M-5] `subinstr()`

`subinword()` function, [M-5] `subinstr()`

`_sublowertriangle()` function, [M-5] `sublowertriangle()`

`sublowertriangle()` function, [M-5] `sublowertriangle()`

subscripts, [M-2] **subscripts**, [M-6] **Glossary**

`_substr()` function, [M-5] `_substr()`

`substr()` function, [M-5] `substr()`

subtraction operator, see arithmetic operators

`sum()` function, [M-5] `sum()`

sum of vector, [M-5] `runningsum()`

SVD, see singular value decomposition

`_svd()` function, [M-5] `svd()`

`svd()` function, [M-5] `svd()`

`_svd_la()` function, [M-5] `svd()`, [M-5] `fullsvd()`

`_svdsv()` function, [M-5] `svd()`

`svdsv()` function, [M-5] `svd()`

`_svsolve()` function, [M-5] `svsolve()`

`svsolve()` function, [M-5] `svsolve()`

`swap()` function, [M-5] `swap()`

Sylvester, J. J., [M-5] `svd()`

`_symeigen_la()` function, [M-5] `eigensystem()`

`_symeigensystem()` function, [M-5] `eigensystem()`

`symeigensystem()` function, [M-5] `eigensystem()`

`_symeigensystemselect*()` functions, [M-5] `eigensystemselect()`

`symeigensystemselect*()` functions, [M-5] `eigensystemselect()`

`_symeigenvalues()` function, [M-5] `eigensystem()`

`symeigenvalues()` function, [M-5] `eigensystem()`

symmetric matrices, [M-5] `issymmetric()`, [M-5] `makesymmetric()`, [M-6] **Glossary**

symmetriconly, [M-6] **Glossary**

syntax, [M-2] **syntax**

system of equations, [M-5] `solvenl()`

T

`t()` function, [M-5] `normal()`

`tan()` function, [M-5] `sin()`

`tanh()` function, [M-5] `sin()`

`tdden()` function, [M-5] `normal()`

Teukolsky, S. A., [M-5] `solvenl()`

time-series–operated variable, [M-5] `st_data()`, [M-5] `st_tsrevar()`, [M-6] **Glossary**

times and dates, [M-5] `c()`, [M-5] `date()`

Toeplitz() function, [M-5] `Toeplitz()`

Toeplitz, O., [M-5] `Toeplitz()`

`tokenallowhex()` function, [M-5] `tokenget()`

`tokenallownum()` function, [M-5] `tokenget()`

`tokenget()` function, [M-5] `tokenget()`

tokengetall() function, [M-5] **tokenget()**
tokeninit() function, [M-5] **tokenget()**
tokeninitstata() function, [M-5] **tokenget()**
tokenoffset() function, [M-5] **tokenget()**
tokenpchars() function, [M-5] **tokenget()**
tokenpeek() function, [M-5] **tokenget()**
tokenqchars() function, [M-5] **tokenget()**
tokenrest() function, [M-5] **tokenget()**
tokens() function, [M-5] **tokens()**
tokenset() function, [M-5] **tokenget()**
tokenwchars() function, [M-5] **tokenget()**
tolerances, [M-1] **tolerance**, [M-5] **solve_tol()**
trace() function, [M-5] **trace()**
trace of matrix, [M-5] **trace()**
traceback log, [M-2] **errors**, [M-5] **error()**,
[M-6] **Glossary**
transmorphic, [M-2] **declarations**, [M-6] **Glossary**
transpose, [M-6] **Glossary**, also see conjugate transpose
in place, [M-5] **_transpose()**
operator, [M-2] **op_transpose**
without conjugation, [M-5] **transposeonly()**
_transpose() function, [M-5] **_transpose()**
_transposeonly() function, [M-5] **transposeonly()**
transposeonly() function, [M-5] **transposeonly()**
transposition, [M-2] **op_transpose**, [M-5] **_transpose()**,
[M-5] **transposeonly()**
Trefethen, L. N., [M-5] **svd()**
triangular matrix, [M-5] **solvelower()**, [M-6] **Glossary**
trigamma() function, [M-5] **factorial()**
trigonometric functions, [M-5] **sin()**
trunc() function, [M-5] **trunc()**
ttail() function, [M-5] **normal()**
tukeyprob() function, [M-5] **normal()**
type, [M-2] **declarations**, [M-6] **Glossary**
type, broad, [M-6] **Glossary**

U

unary operator, [M-6] **Glossary**
underscore functions, [M-1] **naming**, [M-6] **Glossary**
uniformly distributed random numbers,
[M-5] **runiform()**
uniformly distributed random variates,
[M-5] **runiform()**
uniqrows() function, [M-5] **uniqrows()**
unit vectors, [M-5] **e()**
unitary matrix, [M-6] **Glossary**
unitcircle() function, [M-5] **unitcircle()**
_unlink() function, [M-5] **unlink()**
unlink() function, [M-5] **unlink()**
unorder() function, [M-5] **sort()**
uppercase, [M-5] **strupper()**
_uppertriangle() function, [M-5] **lowertriangle()**
uppertriangle() function, [M-5] **lowertriangle()**
upper-triangular matrix, see **triangular matrix**

V

valofexternal() function, [M-5] **valofexternal()**
Vandermonde, A.-T., [M-5] **Vandermonde()**
Vandermonde() function, [M-5] **Vandermonde()**
variable
declarations, [M-2] **declarations**
types, [M-2] **declarations**
variable-naming convention, [M-1] **naming**
variables,
characteristics of, [M-6] **Glossary**
listing, [M-5] **st_data()**
variance() function, [M-5] **mean()**
vec() function, [M-5] **vec()**
vech() function, [M-5] **vec()**
vector, [M-2] **declarations**, [M-6] **Glossary**
vector norm, [M-5] **norm()**
version, [M-2] **version**
version control, [M-2] **version**, [M-5] **callersversion()**
version of Stata, [M-5] **stataversion()**
Vetterling, W. T., [M-5] **solvenl()**
view matrix, [M-5] **isview()**, [M-5] **st_subview()**,
[M-5] **st_view()**, [M-5] **st_viewvars()**,
[M-6] **Glossary**
viewsource, [M-1] **source**
virtual, [M-2] **class**
void
function, [M-2] **declarations**, [M-6] **Glossary**
matrix, [M-2] **void**, [M-6] **Glossary**

W

Walker, A. J., [M-5] **runiform()**
warning messages, [M-2] **pragma**
week() function, [M-5] **date()**
weekly() function, [M-5] **date()**
Welsh, D., [M-5] **halton()**
Westfall, R. S., [M-5] **optimize()**
Weyl, H. K. H., [M-5] **svd()**
which, **mata** subcommand, [M-3] **mata which**
while, [M-2] **while**, [M-2] **continue**, [M-2] **break**,
[M-2] **semicolons**
width of **%fmt**, [M-5] **fmtwidth()**
wofd() function, [M-5] **date()**
Word, Microsoft, see **Microsoft Word**

X

xl() function, [M-5] **xl()**

Y

year() function, [M-5] **date()**
yearly() function, [M-5] **date()**
yh() function, [M-5] **date()**
ym() function, [M-5] **date()**

yofd() function, [M-5] [date\(\)](#)

Ypma, T. J., [M-5] [optimize\(\)](#)

yq() function, [M-5] [date\(\)](#)

yw() function, [M-5] [date\(\)](#)

