

Subject and author index

This is the subject and author index for the *Programming Reference Manual*. Readers interested in topics other than programming should see the [combined subject index](#) (and the [combined author index](#)) in the *Glossary and Index*.

Symbols

- * comment indicator, [P] [comments](#)
- ., class, [P] [class](#)
- /* */ comment delimiter, [P] [comments](#)
- // comment indicator, [P] [comments](#)
- /// comment indicator, [P] [comments](#)
- ; delimiter, [P] [#delimit](#)

A

- abbreviations,
 - unabbreviating command names, [P] [unabcmd](#)
 - unabbreviating variable list, [P] [syntax](#), [P] [unab](#)
- accum, matrix subcommand, [P] [matrix accum](#)
- add, return subcommand, [P] [return](#)
- ado-files, [P] [sysdir](#), [P] [version](#)
 - adding comments to, [P] [comments](#)
 - debugging, [P] [trace](#)
 - long lines, [P] [#delimit](#)
- adopath, [P] [sysdir](#)
 - + command, [P] [sysdir](#)
 - ++ command, [P] [sysdir](#)
 - command, [P] [sysdir](#)
- adosize, set subcommand, [P] [sysdir](#)
- adosubdir macro extended function, [P] [macro](#)
- algebraic expressions, functions, and operators, [P] [matrix define](#)
- all macro extended function, [P] [macro](#)
- alphanumeric variables, see [string variables](#), parsing
- Anderson, E., [P] [matrix eigenvalues](#)
- appending rows and columns to matrix, [P] [matrix define](#)
- args command, [P] [syntax](#)
- arithmetic operators, [P] [matrix define](#)
- arrays, class, [P] [class](#)
 - .Arrdropall built-in class modifier, [P] [class](#)
 - .Arrdropel built-in class modifier, [P] [class](#)
 - .arrindexof built-in class function, [P] [class](#)
 - .arrnels built-in class function, [P] [class](#)
 - .Arrpop built-in class modifier, [P] [class](#)
 - .Arrpush built-in class modifier, [P] [class](#)
- as error, display directive, [P] [display](#)
- as input, display directive, [P] [display](#)
- as result, display directive, [P] [display](#)
- as text, display directive, [P] [display](#)
- as txt, display directive, [P] [display](#)
- ASCII text files, writing and reading, [P] [file](#)
- _asis, display directive, [P] [display](#)

- assignment, class, [P] [class](#)
- Automation, [P] [automation](#)

B

- Bai, Z., [P] [matrix eigenvalues](#)
- BASE directory, [P] [sysdir](#)
- basis, orthonormal, [P] [matrix svd](#)
- Baum, C. F., [P] [intro](#), [P] [levelsof](#)
- Beckett, S., [P] [pause](#)
- Bibby, J. M., [P] [matrix dissimilarity](#)
- binary files, writing and reading, [P] [file](#)
- Binder, D. A., [P] [_robust](#)
- Bischof, C., [P] [matrix eigenvalues](#)
- Blackford, S., [P] [matrix eigenvalues](#)
- bootstrap sampling and estimation, [P] [postfile](#)
- Boyle, J. M., [P] [matrix symeigen](#)
- break command, [P] [break](#)
- Break key, interception, [P] [break](#), [P] [capture](#)
- built-in, class, [P] [class](#)
 - _by() function, [P] [byable](#)
 - by *varlist*: prefix, [P] [byable](#)
 - byable(), [P] [byable](#)
 - by-groups, [P] [byable](#)
 - _byindex() function, [P] [byable](#)
 - _bylastcall() function, [P] [byable](#)
 - _byn1() function, [P] [byable](#)
 - _byn2() function, [P] [byable](#)

C

- c(adopath) c-class value, [P] [return](#), [P] [sysdir](#)
- c(adosize) c-class value, [P] [return](#), [P] [sysdir](#)
- c(ALPHA) c-class value, [P] [return](#)
- c(alpha) c-class value, [P] [return](#)
- c(autotabgraphs) c-class value, [P] [return](#)
- c(bit) c-class value, [P] [return](#)
- c(born_date) c-class value, [P] [return](#)
- c(byteorder) c-class value, [P] [return](#)
- c(cformat) c-class value, [P] [return](#)
- c(changed) c-class value, [P] [return](#)
- c(charset) c-class value, [P] [return](#)
- c(checksum) c-class value, [P] [return](#)
- c(cmdlen) c-class value, [P] [return](#)
- c(coeftabresults) c-class value, [P] [return](#)
- c(console) c-class value, [P] [return](#)
- c(copycolor) c-class value, [P] [return](#)
- c(current_date) c-class value, [P] [return](#)
- c(current_time) c-class value, [P] [return](#)
- c(dirsep) c-class value, [P] [return](#)
- c(dockable) c-class value, [P] [return](#)
- c(dockinguides) c-class value, [P] [return](#)
- c(doublebuffer) c-class value, [P] [return](#)
- c(dp) c-class value, [P] [return](#)
- c(emptycells) c-class value, [P] [return](#)
- c(eolchar) c-class value, [P] [return](#)
- c(epsdouble) c-class value, [P] [return](#)

c(epsfloat) c-class value, [P] **creturn**
c(eqlen) c-class value, [P] **creturn**
c(fastscroll) c-class value, [P] **creturn**
c(filedate) c-class value, [P] **creturn**
c(filename) c-class value, [P] **creturn**
c(flavor) c-class value, [P] **creturn**
c(fvlabel) c-class value, [P] **creturn**
c(fvwrap) c-class value, [P] **creturn**
c(fvwrapon) c-class value, [P] **creturn**
c(graphics) c-class value, [P] **creturn**
c(haverdir) c-class value, [P] **creturn**
c(hostname) c-class value, [P] **creturn**
c(httpproxy) c-class value, [P] **creturn**
c(httpproxyauth) c-class value, [P] **creturn**
c(httpproxyhost) c-class value, [P] **creturn**
c(httpproxyport) c-class value, [P] **creturn**
c(httpproxypw) c-class value, [P] **creturn**
c(httpproxyuser) c-class value, [P] **creturn**
c(include_bitmap) c-class value, [P] **creturn**
c(k) c-class value, [P] **creturn**
c(level) c-class value, [P] **creturn**
c(linegap) c-class value, [P] **creturn**
c(linesize) c-class value, [P] **creturn**
c(locksplitters) c-class value, [P] **creturn**
c(logtype) c-class value, [P] **creturn**
c(lstretch) c-class value, [P] **creturn**
c(machine_type) c-class value, [P] **creturn**
c(macrolen) c-class value, [P] **creturn**
c(matacache) c-class value, [P] **creturn**
c(matafavor) c-class value, [P] **creturn**
c(matalibs) c-class value, [P] **creturn**
c(matalnum) c-class value, [P] **creturn**
c(matamofirst) c-class value, [P] **creturn**
c(mataoptimize) c-class value, [P] **creturn**
c(matastrict) c-class value, [P] **creturn**
c(matsize) c-class value, [P] **creturn**
c(maxbyte) c-class value, [P] **creturn**
c(max_cmdlen) c-class value, [P] **creturn**
c(maxdb) c-class value, [P] **creturn**
c(maxdouble) c-class value, [P] **creturn**
c(maxfloat) c-class value, [P] **creturn**
c(maxint) c-class value, [P] **creturn**
c(maxiter) c-class value, [P] **creturn**
c(max_k_theory) c-class value, [P] **creturn**
c(maxlong) c-class value, [P] **creturn**
c(max_macrolen) c-class value, [P] **creturn**
c(max_matsize) c-class value, [P] **creturn**
c(max_memory) c-class value, [P] **creturn**
c(max_N_theory) c-class value, [P] **creturn**
c(maxstrlvarlen) c-class value, [P] **creturn**
c(maxstrvarlen) c-class value, [P] **creturn**
c(maxvar) c-class value, [P] **creturn**
c(maxvlabellen) c-class value, [P] **creturn**
c(max_width_theory) c-class value, [P] **creturn**
c(memory) c-class value, [P] **creturn**
c(minbyte) c-class value, [P] **creturn**
c(mindouble) c-class value, [P] **creturn**
c(minfloat) c-class value, [P] **creturn**
c(minint) c-class value, [P] **creturn**
c(minlong) c-class value, [P] **creturn**
c(min_matsize) c-class value, [P] **creturn**
c(min_memory) c-class value, [P] **creturn**
c(mode) c-class value, [P] **creturn**
c(Mons) c-class value, [P] **creturn**
c(Months) c-class value, [P] **creturn**
c(more) c-class value, [P] **creturn**, [P] **more**
c(MP) c-class value, [P] **creturn**
c(N) c-class value, [P] **creturn**
c(namelen) c-class value, [P] **creturn**
c(niceness) c-class value, [P] **creturn**
c(noisily) c-class value, [P] **creturn**
c(notifyuser) c-class value, [P] **creturn**
c(odbcmgr) c-class value, [P] **creturn**
c(os) c-class value, [P] **creturn**
c(osdtl) c-class value, [P] **creturn**
c(pagesize) c-class value, [P] **creturn**
c(pformat) c-class value, [P] **creturn**
c(pi) c-class value, [P] **creturn**
c(pinnable) c-class value, [P] **creturn**
c(playsnd) c-class value, [P] **creturn**
c(printcolor) c-class value, [P] **creturn**
c(processors) c-class value, [P] **creturn**
c(processors_lic) c-class value, [P] **creturn**
c(processors_mach) c-class value, [P] **creturn**
c(processors_max) c-class value, [P] **creturn**
c(pwd) c-class value, [P] **creturn**
c(rc) c-class value, [P] **capture**, [P] **creturn**
c(reventries) c-class value, [P] **creturn**
c(revkeyboard) c-class value, [P] **creturn**
c(rmsg) c-class value, [P] **creturn**, [P] **rmsg**
c(rmsg_time) c-class value, [P] **creturn**
c(scheme) c-class value, [P] **creturn**
c(scrollbufsize) c-class value, [P] **creturn**
c(SE) c-class value, [P] **creturn**
c(searchdefault) c-class value, [P] **creturn**
c(seed) c-class value, [P] **creturn**
c(segmentsize) c-class value, [P] **creturn**
c(sformat) c-class value, [P] **creturn**
c(showbaselevels) c-class value, [P] **creturn**
c(showemptycells) c-class value, [P] **creturn**
c(showomitted) c-class value, [P] **creturn**
c(smallestdouble) c-class value, [P] **creturn**
c(smoothfonts) c-class value, [P] **creturn**
c(stata_version) c-class value, [P] **creturn**
c(sysdir_base) c-class value, [P] **creturn**, [P] **sysdir**
c(sysdir_oldplace) c-class value, [P] **creturn**,
[P] **sysdir**
c(sysdir_personal) c-class value, [P] **creturn**,
[P] **sysdir**
c(sysdir_plus) c-class value, [P] **creturn**, [P] **sysdir**
c(sysdir_site) c-class value, [P] **creturn**, [P] **sysdir**
c(sysdir_stata) c-class value, [P] **creturn**,
[P] **sysdir**
c(timeout1) c-class value, [P] **creturn**

- c(timeout2)** c-class value, [P] **creturn**
c(tmpdir) c-class value, [P] **creturn**
c(trace) c-class value, [P] **creturn**, [P] **trace**
c(tracedepth) c-class value, [P] **creturn**, [P] **trace**
c(traceexpand) c-class value, [P] **creturn**, [P] **trace**
c(tracehilitel) c-class value, [P] **creturn**, [P] **trace**
c(traceindent) c-class value, [P] **creturn**, [P] **trace**
c(tracenum) c-class value, [P] **creturn**, [P] **trace**
c(tracesep) c-class value, [P] **creturn**, [P] **trace**
c(type) c-class value, [P] **creturn**
c(update_interval) c-class value, [P] **creturn**
c(update_prompt) c-class value, [P] **creturn**
c(update_query) c-class value, [P] **creturn**
c(username) c-class value, [P] **creturn**
c(varabbrev) c-class value, [P] **creturn**
c(varkeyboard) c-class value, [P] **creturn**
c(version) c-class value, [P] **creturn**, [P] **version**
c(version_rng) c-class value, [P] **creturn**
c(Wdays) c-class value, [P] **creturn**
c(Weekdays) c-class value, [P] **creturn**
c(width) c-class value, [P] **creturn**
capture command, [P] **capture**
casewise deletion, [P] **mark**
c-class command, [P] **creturn**
cdir, **classutil** subcommand, [P] **classutil**
certifying data, [P] **_datasignature**,
[P] **signestimationsample**
char
 define command, [P] **char**
 list command, [P] **char**
 macro extended function, [P] **macro**
 rename command, [P] **char**
_char(#), **display** directive, [P] **display**
characteristics, [P] **char**
charset, **set** subcommand, [P] **smcl**
checkestimationsample command,
[P] **signestimationsample**
checksms of data, [P] **_datasignature**,
[P] **signestimationsample**
Cholesky decomposition, [P] **matrix define**
cholesky() function, [P] **matrix define**
class
 definition, [P] **class**
 instance, [P] **class**
 programming, [P] **class**
 programming utilities, [P] **classutil**
class exit command, [P] **class exit**
.classmv built-in class function, [P] **class**
.classname built-in class function, [P] **class**
classutil
 cdir command, [P] **classutil**
 describe command, [P] **classutil**
 dir command, [P] **classutil**
 drop command, [P] **classutil**
 which command, [P] **classutil**
classwide variable, [P] **class**
clear,
 ereturn subcommand, [P] **ereturn**, [P] **return**
 _estimates subcommand, [P] **_estimates**
 postutil subcommand, [P] **postfile**
 putexcel subcommand, [P] **putexcel**
 return subcommand, [P] **return**
 set subcommand, [P] **set**
 sreturn subcommand, [P] **program**, [P] **return**
 timer subcommand, [P] **timer**
clearing estimation results, [P] **ereturn**, [P] **_estimates**
close, **file** subcommand, [P] **file**
cluster estimator of variance, [P] **_robust**
cluster sampling, [P] **_robust**
Cochran, W. G., [P] **levelsof**
code, timing, [P] **timer**
coefficients (from estimation), **accessing**, [P] **ereturn**,
[P] **matrix get**
coleg macro extended function, [P] **macro**
coleg, **matrix** subcommand, [P] **matrix rownames**
colfullnames macro extended function, [P] **macro**
collinear variables, removing, [P] **_rmcoll**
colnames macro extended function, [P] **macro**
colnames, **matrix** subcommand, [P] **matrix**
rownames
colnum() function, [P] **matrix define**
colors, specifying in programs, [P] **display**
colsof() function, [P] **matrix define**
_column(#), **display** directive, [P] **display**
columns of matrix,
 appending to, [P] **matrix define**
 names of, [P] **ereturn**, [P] **matrix define**, [P] **matrix**
rownames
 operators on, [P] **matrix define**
command
 arguments, [P] **gettoken**, [P] **syntax**, [P] **tokenize**
 parsing, [P] **gettoken**, [P] **syntax**, [P] **tokenize**
commands,
 aborting, [P] **continue**
 repeating automatically, [P] **byable**, [P] **continue**,
[P] **foreach**, [P] **forvalues**, [P] **while**
 unabbreviating names of, [P] **unabcmd**
comments, adding to programs, [P] **comments**
compatibility of Stata programs across releases,
[P] **version**
compound double quotes, [P] **macro**
condition statement, [P] **if**
confirm
 existence command, [P] **confirm**
 file command, [P] **confirm**
 format command, [P] **confirm**
 matrix command, [P] **confirm**
 names command, [P] **confirm**
 number command, [P] **confirm**
 scalar command, [P] **confirm**
 variable command, [P] **confirm**

console,
 controlling scrolling of output, [P] **more**
 obtaining input from, [P] **display**
constrained estimation, programming, [P] **makecns**
constraint macro extended function, [P] **macro**
constraint matrix, creating and displaying, [P] **makecns**
context, class, [P] **class**
_continue, display directive, [P] **display**
continue command, [P] **continue**
Cook, R. D., [P] **_predict**
.copy built-in class function, [P] **class**
copy macro extended function, [P] **macro**
corr() function, [P] **matrix define**
correlation, matrices, [P] **matrix define**
covariance matrix of estimators, [P] **ereturn**, [P] **matrix get**
Cox, G. M., [P] **levelsof**
Cox, N. J., [P] **forvalues**, [P] **levelsof**, [P] **matrix define**, [P] **unab**
create, serset subcommand, [P] **setset**
create_cspine, serset subcommand, [P] **setset**
create_xmedians, serset subcommand, [P] **setset**
creturn list command, [P] **creturn**
cross-product matrices, [P] **matrix accum**
Crow, K., [P] **putexcel**
current data, [P] **creturn**
cutil, see **classutil**

D

data,
 characteristics of, see **characteristics**
 checksums of, see **checksums of data**
 current, see **current data**
 preserving, see **preserving data**
data label macro extended function, [P] **macro**
data signature, [P] **_datasignature**,
 [P] **signestimationsample**
_datasignature command, [P] **_datasignature**
dates and times, [P] **creturn**
debugging, [P] **discard**, [P] **pause**, [P] **trace**
.Declare built-in class modifier, [P] **class**
declare, class, [P] **class**
define,
 char subcommand, [P] **char**
 matrix subcommand, [P] **matrix define**
 program subcommand, [P] **program**, [P] **program properties**
 scalar subcommand, [P] **scalar**
#delimit command, [P] **#delimit**
delimiter
 for comments, [P] **comments**
 for lines, [P] **#delimit**
Demmel, J., [P] **matrix eigenvalues**
describe,
 classutil subcommand, [P] **classutil**
 putexcel subcommand, [P] **putexcel**
 destructors, class, [P] **class**
det() function, [P] **matrix define**
determinant of matrix, [P] **matrix define**
diag() function, [P] **matrix define**
diag0cnt() function, [P] **matrix define**
diagonals of matrices, [P] **matrix define**
dialog
 box, [P] **dialog programming**, [P] **window fopen**,
 [P] **window manage**, [P] **window menu**,
 [P] **window programming**, [P] **window push**,
 [P] **window stopbox**
 programming, [P] **dialog programming**, [P] **window fopen**, [P] **window manage**, [P] **window menu**,
 [P] **window programming**, [P] **window push**,
 [P] **window stopbox**
dir,
 classutil subcommand, [P] **classutil**
 _estimates subcommand, [P] **_estimates**
 macro subcommand, [P] **macro**
 matrix subcommand, [P] **matrix utility**
 postutil subcommand, [P] **postfile**
 program subcommand, [P] **program**
 _return subcommand, [P] **_return**
 scalar subcommand, [P] **scalar**
 setset subcommand, [P] **setset**
dir macro extended function, [P] **macro**
directories, [P] **creturn**
directory, class, [P] **classutil**
discard command, [P] **discard**
display command, [P] **display**, [P] **macro**
display, ereturn subcommand, [P] **ereturn**
display formats, [P] **macro**
display macro extended function, [P] **display**
displaying
 macros, [P] **macro**
 matrix, [P] **matrix utility**
 output, [P] **display**, [P] **quietly**, [P] **smcl**,
 [P] **tabdisp**
 scalar expressions, [P] **display**, [P] **scalar**
dissimilarity
 matrix, [P] **matrix dissimilarity**
 measures, [P] **matrix dissimilarity**
dissimilarity, matrix subcommand, [P] **matrix dissimilarity**
distance matrices, [P] **matrix dissimilarity**
DLL, [P] **plugin**
do-files, [P] **break**, [P] **include**, [P] **version**
 adding comments to, [P] **comments**
 long lines, [P] **#delimit**
Dongarra, J. J., [P] **matrix eigenvalues**, [P] **matrix symeigen**
double quotes, [P] **macro**
drop,
 classutil subcommand, [P] **classutil**
 _estimates subcommand, [P] **_estimates**
 macro subcommand, [P] **macro**
 matrix subcommand, [P] **matrix utility**
 program subcommand, [P] **program**

drop, *continued*

- return subcommand, [P] [_return](#)
- scalar subcommand, [P] [scalar](#)
- setset subcommand, [P] [setset](#)

dropping programs, [P] [discard](#)

.dta file extension, technical description, [P] [file formats .dta](#)

Du Croz, J., [P] [matrix eigenvalues](#)

_dup(#), display directive, [P] [display](#)

.dynamicmv built-in class function, [P] [class](#)

E

e() stored results, [P] [ereturn](#), [P] [_estimates](#), [P] [return](#)

e(functions) macro extended function, [P] [macro](#)

e(macros) macro extended function, [P] [macro](#)

e(matrices) macro extended function, [P] [macro](#)

e(sample) function, [P] [ereturn](#), [P] [return](#)

e(scalars) macro extended function, [P] [macro](#)

e-class command, [P] [program](#), [P] [return](#)

eigenvalues, [P] [matrix eigenvalues](#), [P] [matrix svd](#), [P] [matrix syeigen](#)

eigenvalues, matrix subcommand, [P] [matrix eigenvalues](#)

eigenvectors, [P] [matrix svd](#), [P] [matrix syeigen](#)

e1() function, [P] [matrix define](#)

else command, [P] [if](#)

ending a Stata session, [P] [exit](#)

environment macro extended function, [P] [macro](#)

environment variables (Unix), [P] [macro](#)

equation names of matrix, [P] [ereturn](#), [P] [matrix define](#), [P] [matrix rownames](#)

ereturn

- clear command, [P] [ereturn](#), [P] [return](#)

- display command, [P] [ereturn](#)

- list command, [P] [ereturn](#), [P] [return](#)

- local command, [P] [ereturn](#), [P] [return](#)

- matrix command, [P] [ereturn](#), [P] [return](#)

- post command, [P] [ereturn](#), [P] [makecns](#), [P] [return](#)

- repost command, [P] [ereturn](#), [P] [return](#)

- scalar command, [P] [ereturn](#), [P] [return](#)

error

- handling, [P] [capture](#), [P] [confirm](#), [P] [error](#)

- messages and return codes, [P] [error](#), [P] [rmsg](#), *also see error handling*

error command, [P] [error](#)

estat, [P] [estat programming](#)

_estimates

- clear command, [P] [_estimates](#)

- dir command, [P] [_estimates](#)

- drop command, [P] [_estimates](#)

- hold command, [P] [_estimates](#)

- unhold command, [P] [_estimates](#)

estimation

- commands, [P] [ereturn](#), [P] [_estimates](#)

- allowing constraints in, [P] [makecns](#)

estimation commands, *continued*

- eliminating stored information from, [P] [discard](#)

- obtaining predictions after, [P] [_predict](#)

- obtaining robust estimates, [P] [_robust](#)

- saving results from, [P] [_estimates](#)

results,

- clearing, [P] [ereturn](#), [P] [_estimates](#)

- listing, [P] [ereturn](#), [P] [_estimates](#)

- saving, [P] [_estimates](#)

- storing, [P] [ereturn](#)

estimators, covariance matrix of, [P] [ereturn](#), [P] [matrix get](#)

Excel, Microsoft, write results to, [P] [putexcel](#)

existence, confirm subcommand, [P] [confirm](#)

exit class program, [P] [class exit](#)

exit, class subcommand, [P] [class exit](#)

exit command, [P] [capture](#), [P] [exit](#)

exiting Stata, *see* [exit](#) command

expand factor varlists, [P] [fvexpand](#)

exporting results, [P] [putexcel](#)

expressions, [P] [matrix define](#)

extended macro functions, [P] [char](#), [P] [display](#), [P] [macro](#), [P] [macro lists](#), [P] [setset](#)

F

factor variables, [P] [fvexpand](#), [P] [matrix rownames](#), [P] [_rmcoll](#), [P] [syntax](#), [P] [unab](#)

file

- close command, [P] [file](#)

- open command, [P] [file](#)

- query command, [P] [file](#)

- read command, [P] [file](#)

- seek command, [P] [file](#)

- setsetread command, [P] [setset](#)

- setsetwrite command, [P] [setset](#)

- set command, [P] [file](#)

- write command, [P] [file](#)

file, confirm subcommand, [P] [confirm](#)

file, find in path, [P] [findfile](#)

file format, Stata, [P] [file formats .dta](#)

files,

- opening, [P] [window fopen](#), [P] [window programming](#)

- reading ASCII text or binary, [P] [file](#)

- saving, [P] [window fopen](#), [P] [window programming](#)

- temporary, [P] [macro](#), [P] [preserve](#), [P] [scalar](#)
- writing ASCII text or binary, [P] [file](#)

findfile command, [P] [findfile](#)

finding file in path, [P] [findfile](#)

Fisher, R. A., [P] [levelsof](#)

Flannery, B. P., [P] [matrix syeigen](#)

fopen, window subcommand, [P] [window fopen](#), [P] [window programming](#)

foreach command, [P] [foreach](#)

format, confirm subcommand, [P] [confirm](#)

format macro extended function, [P] [macro](#)

formatting contents of macros, [P] **macro**
 forvalues command, [P] **forvalues**
 Frankel, M. R., [P] **_robust**
 fsave, window subcommand, [P] **window programming**
 Fuller, W. A., [P] **_robust**
 functions
 extended macro, [P] **char**, [P] **display**, [P] **macro**, [P] **macro lists**, [P] **seriset**
 matrix, [P] **matrix define**
 fvexpand command, [P] **fvexpand**
 fvnab command, [P] **unab**

G

g2 inverse of matrix, [P] **matrix define**, [P] **matrix svd**
 Gail, M. H., [P] **_robust**
 Gallup, J. L., [P] **putexcel**
 Garbow, B. S., [P] **matrix symeigen**
 generalized
 inverse of matrix, [P] **matrix define**, [P] **matrix svd**
 method of moments, [P] **matrix accum**
 get() function, [P] **matrix define**, [P] **matrix get**
 gettoken command, [P] **gettoken**
 Global, class prefix operator, [P] **class**
 global command, [P] **macro**
 glsaccum, matrix subcommand, [P] **matrix accum**
 Gould, W. W., [P] **intro**, [P] **_datasignature**, [P] **matrix eigenvalues**, [P] **matrix mkmat**, [P] **postfile**, [P] **_robust**
 graphical user interface, [P] **dialog programming**
 Greenbaum, A., [P] **matrix eigenvalues**
 Greene, W. H., [P] **matrix accum**
 GUI, see **graphical user interface**

H

hadamard() function, [P] **matrix define**
 Hamilton, J. D., [P] **matrix eigenvalues**
 Hammarling, S., [P] **matrix eigenvalues**
 Heinecke, K., [P] **matrix mkmat**
 heteroskedasticity, robust variances, see **robust**,
 Huber/White/sandwich estimator of variance
 hold,
 _estimates subcommand, [P] **_estimates**
 _return subcommand, [P] **_return**
 Huber, P. J., [P] **_robust**
 Huber/White/sandwich estimator of variance, see **robust**,
 Huber/White/sandwich estimator of variance

I

I() function, [P] **matrix define**
 identifier, class, [P] **class**
 identity matrix, [P] **matrix define**
 if exp, [P] **syntax**
 if programming command, [P] **if**
 Ikebe, Y., [P] **matrix symeigen**

immediate commands, [P] **display**
 implied context, class, [P] **class**
 in range modifier, [P] **syntax**
 in smcl, display directive, [P] **display**
 include command, [P] **include**
 information matrix, [P] **matrix get**
 inheritance, [P] **class**
 initialization, class, [P] **class**
 input, matrix subcommand, [P] **matrix define**
 input, obtaining from console in programs, see **console**,
 obtaining input from
 instance, class, [P] **class**
 .instancemv built-in class function, [P] **class**
 instance-specific variable, [P] **class**
 inv() function, [P] **matrix define**
 inverse of matrix, [P] **matrix define**, [P] **matrix svd**
 invsym() function, [P] **matrix define**
 .isa built-in class function, [P] **class**
 .isofclass built-in class function, [P] **class**
 issymmetric() function, [P] **matrix define**

J

J() function, [P] **matrix define**
 Jann, B., [P] **mark**
 Java, [P] **java**, [P] **javacall**

K

Kaufman, L., [P] **matrix dissimilarity**
 Kennedy, W. J., Jr., [P] **_robust**
 Kent, J. T., [P] **matrix dissimilarity**, [P] **_robust**
 Kish, L., [P] **_robust**
 Klema, V. C., [P] **matrix symeigen**
 Kolev, G. I., [P] **scalar**
 Kronecker direct product, [P] **matrix define**

L

label macro extended function, [P] **macro**
 label values, [P] **macro**
 language syntax, [P] **syntax**
 length macro extended function, [P] **macro**
 level command and value, [P] **macro**
 levelsof command, [P] **levelsof**
 limits,
 numerical and string, [P] **creturn**
 system, [P] **creturn**
 Lin, D. Y., [P] **_robust**
 linear combinations, forming, [P] **matrix score**
 lines, long, in do-files and ado-files, [P] **#delimit**
 list,
 char subcommand, [P] **char**
 creturn subcommand, [P] **creturn**
 ereturn subcommand, [P] **ereturn**, [P] **return**
 macro subcommand, [P] **macro**
 matrix subcommand, [P] **matrix utility**
 program subcommand, [P] **program**

list, *continued*

return subcommand, [P] **return**
 scalar subcommand, [P] **scalar**
 sreturn subcommand, [P] **return**
 sysdir subcommand, [P] **sysdir**
 timer subcommand, [P] **timer**

list macro extended function, [P] **macro lists**

list manipulation, [P] **macro lists**

listing

estimation results, [P] **ereturn**, [P] **_estimates**
 macro expanded functions, [P] **macro lists**
 values of a variable, [P] **levelsof**

local

++ command, [P] **macro**
 -- command, [P] **macro**
 command, [P] **macro**

local,

ereturn subcommand, [P] **ereturn**, [P] **return**
 return subcommand, [P] **return**
 sreturn subcommand, [P] **return**

Local, class prefix operator, [P] **class**

long lines in ado-files and do-files, [P] **#delimit**

looping, [P] **continue**, [P] **foreach**, [P] **forvalues**,
 [P] **while**

lvalue, class, [P] **class**

M

Mac, pause, [P] **sleep**

MacKinnon, J. G., [P] **_robust**

macro

dir command, [P] **macro**
 drop command, [P] **macro**
 list command, [P] **macro**
 shift command, [P] **macro**

macro substitution, [P] **macro**

class, [P] **class**

macros, [P] **creturn**, [P] **macro**, [P] **scalar**, [P] **syntax**,
also see e() stored results

macval() macro expansion function, [P] **macro**

makecns command, [P] **makecns**

manage, window subcommand, [P] **window manage**,
 [P] **window programming**

Mardia, K. V., [P] **matrix dissimilarity**

mark command, [P] **mark**

markin command, [P] **mark**

marking observations, [P] **mark**

markout command, [P] **mark**

marksample command, [P] **mark**

matcproc command, [P] **makecns**

mathematical functions and expressions, [P] **matrix**
define

matlist command, [P] **matlist**

matmissing() function, [P] **matrix define**

matname command, [P] **matrix mkmat**

mat_put_rr command, [P] **matrix get**

matrices, [P] **matrix**

accessing internal, [P] **matrix get**

accumulating, [P] **matrix accum**

appending rows and columns, [P] **matrix define**

Cholesky decomposition, [P] **matrix define**

coefficient matrices, [P] **ereturn**

column names, see matrices, row and column names

constrained estimation, [P] **makecns**

copying, [P] **matrix define**, [P] **matrix get**,
 [P] **matrix mkmat**

correlation, [P] **matrix define**

covariance matrix of estimators, [P] **ereturn**,
 [P] **matrix get**

cross-product, [P] **matrix accum**

determinant, [P] **matrix define**

diagonals, [P] **matrix define**

displaying, [P] **matlist**, [P] **matrix utility**

dissimilarity, [P] **matrix dissimilarity**

distances, [P] **matrix dissimilarity**

dropping, [P] **matrix utility**

eigenvalues, [P] **matrix eigenvalues**, [P] **matrix**
symeigen

eigenvectors, [P] **matrix symeigen**

elements, [P] **matrix define**

equation names, see matrices, row and column
 names

estimation results, [P] **ereturn**, [P] **_estimates**
 functions, [P] **matrix define**

identity, [P] **matrix define**

input, [P] **matrix define**

inversion, [P] **matrix define**, [P] **matrix svd**

Kronecker product, [P] **matrix define**

labeling rows and columns, see matrices, row and
 column names

linear combinations with data, [P] **matrix score**

listing, [P] **matlist**, [P] **matrix utility**

namespace and conflicts, [P] **matrix**, [P] **matrix**
define

number of rows and columns, [P] **matrix define**

operators such as addition, [P] **matrix define**

orthonormal basis, [P] **matrix svd**

partitioned, [P] **matrix define**

performing constrained estimation, [P] **makecns**

posting estimation results, [P] **ereturn**,
 [P] **_estimates**

renaming, [P] **matrix utility**

row and column names, [P] **ereturn**, [P] **matrix**
define, [P] **matrix mkmat**, [P] **matrix rownames**

rows and columns, [P] **matrix define**

saving matrix, [P] **matrix mkmat**

scoring, [P] **matrix score**

similarity, [P] **matrix dissimilarity**

store variables as matrix, [P] **matrix mkmat**

submatrix extraction, [P] **matrix define**

submatrix substitution, [P] **matrix define**

subscripting, [P] **matrix define**

sweep operator, [P] **matrix define**

matrices, *continued*

- temporary names, [P] **matrix**
- trace, [P] **matrix define**
- transposing, [P] **matrix define**
- variables, make into matrix, [P] **matrix mkmat**
- zero, [P] **matrix define**

matrix,

- confirm** subcommand, [P] **confirm**
- ereturn** subcommand, [P] **ereturn**, [P] **return**
- return** subcommand, [P] **return**

matrix

- accum** command, [P] **matrix accum**
- coleq** command, [P] **matrix rownames**
- colnames** command, [P] **matrix rownames**
- commands, introduction, [P] **matrix**
- define** command, [P] **matrix define**
- dir** command, [P] **matrix utility**
- dissimilarity** command, [P] **matrix dissimilarity**
- drop** command, [P] **matrix utility**
- eigenvalues** command, [P] **matrix eigenvalues**
- glsaccum** command, [P] **matrix accum**
- input** command, [P] **matrix define**
- list** command, [P] **matrix utility**
- opaccum** command, [P] **matrix accum**
- rename** command, [P] **matrix utility**
- roweq** command, [P] **matrix rownames**
- rownames** command, [P] **matrix rownames**
- score** command, [P] **matrix score**
- svd** command, [P] **matrix svd**
- symeigen** command, [P] **matrix symeigen**
- vecaccum** command, [P] **matrix accum**

matrix() function, [P] **matrix define**

matsize, [P] **creturn**, [P] **macro**

matuniform() function, [P] **matrix define**

McKenney, A., [P] **matrix eigenvalues**

member

- program, [P] **class**
- variable, [P] **class**

memory, reducing utilization, [P] **discard**

memory settings, [P] **creturn**

menu, **window** subcommand, [P] **window menu**,
[P] **window programming**

menus, programming, [P] **dialog programming**,
[P] **window fopen**, [P] **window manage**,
[P] **window menu**, [P] **window programming**,
[P] **window push**, [P] **window stopbox**

messages and return codes, see error messages and
return codes

Microsoft Excel, write results to, [P] **putexcel**

mkmat command, [P] **matrix mkmat**

Moler, C. B., [P] **matrix symeigen**

Monte Carlo simulations, [P] **postfile**

more command and parameter, [P] **macro**, [P] **more**

mreldif() function, [P] **matrix define**

N

names

- conflicts, [P] **matrix**, [P] **matrix define**, [P] **scalar**
- matrix row and columns, [P] **ereturn**, [P] **matrix define**, [P] **matrix rownames**

names, **confirm** subcommand, [P] **confirm**

namespace and conflicts, matrices and scalars,
[P] **matrix**, [P] **matrix define**

n-class command, [P] **program**, [P] **return**

.new built-in class function, [P] **class**

Newey–West standard errors, [P] **matrix accum**

_newline(#), display directive, [P] **display**

nobreak command, [P] **break**

noisily prefix, [P] **quietly**

nopreserve option, [P] **nopreserve option**

novarabbrev command, [P] **varabbrev**

nullmat() function, [P] **matrix define**

number, **confirm** subcommand, [P] **confirm**

numeric list, [P] **numlist**, [P] **syntax**

numlist command, [P] **numlist**

O

object, [P] **class**

object-oriented programming, [P] **class**

.objkey built-in class function, [P] **class**

.objtype built-in class function, [P] **class**

observations, marking, [P] **mark**

off, **timer** subcommand, [P] **timer**

OLDPLACE directory, [P] **sysdir**

OLE Automation, [P] **automation**

on, **timer** subcommand, [P] **timer**

opaccum, **matrix** subcommand, [P] **matrix accum**

open, **file** subcommand, [P] **file**

operator, [P] **matrix define**

options, in a programming context, [P] **syntax**,
[P] **unab**

orthonormal basis, [P] **matrix svd**

output settings, [P] **creturn**

output,

- displaying, [P] **display**, [P] **smcl**
- suppressing, [P] **quietly**

output, **set** subcommand, [P] **quietly**

overloading, class program names, [P] **class**

P

paging of screen output, controlling, [P] **more**

Park, H. J., [P] **_robust**

parsing, [P] **gettoken**, [P] **numlist**, [P] **syntax**,
[P] **tokenize**

partitioned matrices, [P] **matrix define**

paths, [P] **creturn**

pause command, [P] **pause**
 pausing until key is pressed, [P] **more**
 permname macro extended function, [P] **macro**
 personal command, [P] **sysdir**
 PERSONAL directory, [P] **sysdir**
 Piantadosi, S., [P] **_robust**
 piece macro extended function, [P] **macro**
 Pitblado, J. S., [P] **intro**, [P] **_robust**
 plugin option, [P] **plugin**, [P] **program**
 plugin,
 Java, [P] **java**, [P] **javacall**
 loading, [P] **plugin**
 PLUS directory, [P] **sysdir**
 Poi, B. P., [P] **intro**, [P] **_robust**
 polymorphism, [P] **class**
 post command, [P] **postfile**
 post, **ereturn** subcommand, [P] **ereturn**,
 [P] **makecns**, [P] **return**
 postclose command, [P] **postfile**
 postestimation command, [P] **estat programming**
 postfile command, [P] **postfile**
 postutil
 clear command, [P] **postfile**
 dir command, [P] **postfile**

_predict command, [P] **_predict**
 predict command, [P] **ereturn**, [P] **_estimates**
 predictions, obtaining after estimation, [P] **_predict**
 preserve command, [P] **preserve**
 preserving data, [P] **preserve**
 preserving user's data, [P] **preserve**
 Press, W. H., [P] **matrix symeigen**
 program
 define command, [P] **plugin**, [P] **program**,
 [P] **program properties**
 dir command, [P] **program**
 drop command, [P] **program**
 list command, [P] **program**
 program properties, [P] **program properties**
 programming, [P] **syntax**
 dialog, [P] **dialog programming**
 estat, [P] **estat programming**
 Mac, [P] **window fopen**, [P] **window manage**,
 [P] **window menu**, [P] **window programming**,
 [P] **window push**, [P] **window stopbox**
 menus, [P] **window menu**, [P] **window**
 programming
 Windows, [P] **window fopen**, [P] **window manage**,
 [P] **window menu**, [P] **window programming**,
 [P] **window push**, [P] **window stopbox**
 programs,
 adding comments to, [P] **comments**
 debugging, [P] **trace**
 dropping, [P] **discard**
 looping, [P] **continue**
 Project Manager, [P] **Project Manager**
 projmanager command, [P] **Project Manager**
 properties, [P] **program properties**

properties macro extended function, [P] **macro**
 push, window subcommand, [P] **window**
 programming, [P] **window push**
 putexcel
 clear command, [P] **putexcel**
 command, [P] **putexcel**
 describe command, [P] **putexcel**
 set command, [P] **putexcel**

Q

query, file subcommand, [P] **file**
 quietly prefix, [P] **quietly**
 Quintó, L., [P] **putexcel**
 quitting Stata, see **exit** command
 quotes to expand macros, [P] **macro**

R

r() stored results, [P] **discard**, [P] **return**
 r(functions) macro extended function, [P] **macro**
 r(macros) macro extended function, [P] **macro**
 r(matrices) macro extended function, [P] **macro**
 r(scalars) macro extended function, [P] **macro**
 random-number generators, [P] **version**
 rc (return codes), see **error** messages and return codes
 _rc built-in variable, [P] **capture**
 r-class command, [P] **program**, [P] **return**
 read, file subcommand, [P] **file**
 reading console input in programs, see **console**,
 obtaining input from
 .ref built-in class function, [P] **class**
 references, class, [P] **class**
 .ref_n built-in class function, [P] **class**
 regression (in generic sense), also see **estimation**
 commands
 accessing coefficients and standard errors, [P] **matrix**
 get
 Reinsch, C., [P] **matrix symeigen**
 release marker, [P] **version**
 releases, compatibility of Stata programs across,
 [P] **version**
 rename,
 char subcommand, [P] **char**
 matrix subcommand, [P] **matrix utility**
 repeating commands, [P] **continue**, [P] **foreach**,
 [P] **forvalues**
 replay() function, [P] **ereturn**, [P] **_estimates**
 repost, **ereturn** subcommand, [P] **ereturn**,
 [P] **return**
 _request(*macname*), display directive, [P] **display**
 reset_id, **setset** subcommand, [P] **setset**
 restore command, [P] **preserve**
 restore, **_return** subcommand, [P] **_return**
 results,
 clearing, [P] **ereturn**, [P] **_estimates**, [P] **_return**
 listing, [P] **ereturn**, [P] **_estimates**, [P] **_return**
 returning, [P] **_return**, [P] **return**

results, *continued*

saving, [P] [_estimates](#), [P] [putexcel](#), [P] [_return](#)
 storing, [P] [ereturn](#), [P] [postfile](#), [P] [return](#)

[_return](#)

[dir](#) command, [P] [_return](#)
[drop](#) command, [P] [_return](#)
[hold](#) command, [P] [_return](#)
[restore](#) command, [P] [_return](#)

[return](#)

[add](#) command, [P] [return](#)
[clear](#) command, [P] [return](#)
[list](#) command, [P] [return](#)
[local](#) command, [P] [return](#)
[matrix](#) command, [P] [return](#)
[scalar](#) command, [P] [return](#)

return codes, [P] [rmsg](#), see [error messages and return codes](#)

return value, [P] [class](#)

returning results, [P] [return](#)

class programs, [P] [class](#)

[_rmcoll](#) command, [P] [_rmcoll](#)

[_rmdcoll](#) command, [P] [_rmcoll](#)

[rmsg](#), [P] [creturn](#), [P] [error](#)

[set](#) subcommand, [P] [rmsg](#)

[_robust](#) command, [P] [_robust](#)

[robust](#), Huber/White/sandwich estimator of variance,
 [P] [_robust](#)

Rogers, W. H., [P] [_robust](#)

Rousseeuw, P. J., [P] [matrix dissimilarity](#)

[roweq](#) macro extended function, [P] [macro](#)

[roweq](#), [matrix](#) subcommand, [P] [matrix rownames](#)

[rowfullnames](#) macro extended function, [P] [macro](#)

[rownames](#) macro extended function, [P] [macro](#)

[rownames](#), [matrix](#) subcommand, [P] [matrix](#)

[rownames](#)

[rownumb\(\)](#) function, [P] [matrix define](#)

rows of matrix

appending to, [P] [matrix define](#)

names, [P] [ereturn](#), [P] [matrix define](#), [P] [matrix](#)

[rownames](#)

operators, [P] [matrix define](#)

[rowsof\(\)](#) function, [P] [matrix define](#)

Royall, R. M., [P] [_robust](#)

[rvalue](#), class, [P] [class](#)

S

[s\(\)](#) stored results, [P] [return](#)

[s\(macos\)](#) macro extended function, [P] [macro](#)

[sandwich/Huber/White](#) estimator of variance, see [robust](#),
 Huber/White/sandwich estimator of variance

save estimation results, [P] [_estimates](#)

saving results, [P] [_estimates](#), [P] [_return](#)

[scalar](#), [P] [scalar](#)

[confirm](#) subcommand, [P] [confirm](#)

[define](#) command, [P] [scalar](#)

[dir](#) command, [P] [scalar](#)

[drop](#) command, [P] [scalar](#)

[scalar](#), *continued*

[ereturn](#) subcommand, [P] [ereturn](#), [P] [return](#)

[list](#) command, [P] [scalar](#)

[return](#) subcommand, [P] [return](#)

[scalar\(\)](#) pseudofunction, [P] [scalar](#)

[scalars](#), [P] [scalar](#)

namespace and conflicts, [P] [matrix](#), [P] [matrix define](#)

Schnell, D., [P] [_robust](#)

[s-class](#) command, [P] [program](#), [P] [return](#)

scope, class, [P] [class](#)

[score](#), [matrix](#) subcommand, [P] [matrix score](#)

scoring, [P] [matrix score](#)

scrolling of output, controlling, [P] [more](#)

[seek](#), file subcommand, [P] [file](#)

[serset](#), [P] [serset](#)

[clear](#) command, [P] [serset](#)

[create](#) command, [P] [serset](#)

[create_cspline](#) command, [P] [serset](#)

[create_xmedians](#) command, [P] [serset](#)

[dir](#) command, [P] [serset](#)

[drop](#) command, [P] [serset](#)

[reset_id](#) command, [P] [serset](#)

[set](#) command, [P] [serset](#)

[sort](#) command, [P] [serset](#)

[summarize](#) command, [P] [serset](#)

[use](#) command, [P] [serset](#)

[sersetread](#), file subcommand, [P] [serset](#)

[sersetwrite](#), file subcommand, [P] [serset](#)

[set](#)

[adosize](#) command, [P] [sysdir](#)

[charset](#) command, [P] [smcl](#)

[more](#) command, [P] [more](#)

[output](#) command, [P] [quietly](#)

[rmsg](#) command, [P] [rmsg](#)

[trace](#) command, [P] [trace](#)

[tracedepth](#) command, [P] [trace](#)

[traceexpand](#) command, [P] [trace](#)

[tracehilite](#) command, [P] [trace](#)

[traceindent](#) command, [P] [trace](#)

[tracenumbers](#) command, [P] [trace](#)

[tracesep](#) command, [P] [trace](#)

[set](#),

[file](#) subcommand, [P] [file](#)

[putexcel](#) subcommand, [P] [putexcel](#)

[serset](#) subcommand, [P] [serset](#)

[sysdir](#) subcommand, [P] [sysdir](#)

settings,

efficiency, [P] [creturn](#)

graphics, [P] [creturn](#)

interface, [P] [creturn](#)

memory, [P] [creturn](#)

network, [P] [creturn](#)

output, [P] [creturn](#)

program debugging, [P] [creturn](#)

trace, [P] [creturn](#)

shared object, [P] [class](#), [P] [plugin](#)

shift, macro subcommand, [P] **macro**
 signature of data, [P] **_datasignature**,
 [P] **signestimationsample**
signestimationsample command,
 [P] **signestimationsample**
 similarity
 matrices, [P] **matrix dissimilarity**
 measures, [P] **matrix dissimilarity**
 simulations, Monte Carlo, [P] **postfile**
 singular value decomposition, [P] **matrix svd**
 SITE directory, [P] **sysdir**
_skip(#), display directive, [P] **display**
 Slaymaker, E., [P] **file**
sleep command, [P] **sleep**
S_ macros, [P] **creturn**, [P] **macro**
 SMCL, see Stata Markup and Control Language
 Smith, B. T., [P] **matrix symeigen**
 Sorensen, D., [P] **matrix eigenvalues**
 sort order, [P] **byable**, [P] **macro**, [P] **sortpreserve**
sort, **setset** subcommand, [P] **setset**
sortedby macro extended function, [P] **macro**
sortpreserve option, [P] **sortpreserve**
 source code, view, [P] **viewsource**
sreturn
 clear command, [P] **return**
 list command, [P] **return**
 local command, [P] **return**
 Sribney, W. M., [P] **matrix mkmat**
 standard errors,
 accessing, [P] **matrix get**
 robust, see **robust**, Huber/White/sandwich estimator
 of variance
 Stata,
 data file format, technical description, [P] **file**
 formats .dta
 exiting, see **exit** command
 pause, [P] **sleep**
 STATA directory, [P] **sysdir**
 Stata Markup and Control Language, [P] **smcl**
 Stewart, G. W., [P] **matrix svd**
stopbox, window subcommand, [P] **window**
 programming, [P] **window stopbox**
 store estimation results, [P] **ereturn**
 stored results, [P] **_return**, [P] **return**
 storing results, [P] **ereturn**, [P] **postfile**, [P] **return**
 string variables, parsing, [P] **gettoken**, [P] **tokenize**
subinstr macro extended function, [P] **macro**
 subscribing matrices, [P] **matrix define**
 Sullivan, G., [P] **_robust**
summarize, **setset** subcommand, [P] **setset**
 Super, class prefix operator, [P] **class**
 .superclass built-in class function, [P] **class**
 suppressing terminal output, [P] **quietly**
svd, matrix subcommand, [P] **matrix svd**
svmat command, [P] **matrix mkmat**
svymarkout command, [P] **mark**
sweep() function, [P] **matrix define**

symeigen, matrix subcommand, [P] **matrix symeigen**
syntax command, [P] **syntax**
 syntax of Stata's language, [P] **syntax**
sysdir
 list command, [P] **sysdir**
 macro extended function, [P] **macro**
 set command, [P] **sysdir**
 system
 limits, [P] **creturn**
 parameters, [P] **creturn**
 values, [P] **creturn**

T

tabdisp command, [P] **tabdisp**
 tables
 N-way, [P] **tabdisp**
 of statistics, [P] **tabdisp**
 Tan, W. Y., [P] **_robust**
tempfile command, [P] **macro**
tempfile macro extended function, [P] **macro**
tempname, class, [P] **class**
tempname command, [P] **macro**, [P] **matrix**, [P] **scalar**
tempname macro extended function, [P] **macro**
 temporary
 files, [P] **macro**, [P] **preserve**, [P] **scalar**
 names, [P] **macro**, [P] **matrix**, [P] **scalar**
 variables, [P] **macro**
tempvar command, [P] **macro**
tempvar macro extended function, [P] **macro**
 terminal
 obtaining input from, [P] **display**
 suppressing output, [P] **quietly**
 Teukolsky, S. A., [P] **matrix symeigen**
 time of day, [P] **creturn**
timer
 clear command, [P] **timer**
 list command, [P] **timer**
 off command, [P] **timer**
 on command, [P] **timer**
 time-series
 analysis, [P] **matrix accum**
 unabbreviating varlists, [P] **unab**
 timing code, [P] **timer**
TMPDIR Unix environment variable, [P] **macro**
tokenize command, [P] **tokenize**
trace() function, [P] **matrix define**
 trace of matrix, [P] **matrix define**
trace, **set** subcommand, [P] **creturn**, [P] **trace**
tracedepth, **set** subcommand, [P] **creturn**, [P] **trace**
traceexpand, **set** subcommand, [P] **creturn**, [P] **trace**
tracehilite, **set** subcommand, [P] **creturn**, [P] **trace**
traceindent, **set** subcommand, [P] **creturn**, [P] **trace**
tracenum, **set** subcommand, [P] **creturn**, [P] **trace**
tracesep, **set** subcommand, [P] **creturn**, [P] **trace**
 transposing matrices, [P] **matrix define**
tsnorm macro extended function, [P] **macro**

tsunab command, [P] **unab**

Tukey, J. W., [P] **if**

type macro extended function, [P] **macro**

U

unab command, [P] **unab**

unabbreviate

command names, [P] **unabcmd**

variable list, [P] **syntax**, [P] **unab**

unabcmd command, [P] **unabcmd**

.uname built-in class function, [P] **class**

unhold, **_estimates** subcommand, [P] **_estimates**

Unix, pause, [P] **sleep**

use, **setset** subcommand, [P] **setset**

user interface, [P] **dialog programming**

using data, [P] **syntax**

V

value label macro extended function, [P] **macro**

value labels, [P] **macro**

Van Kerm, P., [P] **postfile**

varabbrev command, [P] **varabbrev**

variable

abbreviation, [P] **varabbrev**

labels, [P] **macro**

types, [P] **macro**

class, [P] **class**

variable label macro extended function, [P] **macro**

variable, **confirm** subcommand, [P] **confirm**

variables,

characteristics of, [P] **char**, [P] **macro**

list values of, [P] **levelsof**

temporary, [P] **macro**

unabbreviating, [P] **syntax**, [P] **unab**

variance,

Huber/White/sandwich estimator, see **robust**,

Huber/White/sandwich estimator of variance

nonconstant, see **robust**

variance-covariance matrix of estimators, [P] **ereturn**,

[P] **matrix get**

varlist, [P] **syntax**

vec() function, [P] **matrix define**

vecaccum, **matrix** subcommand, [P] **matrix accum**

vecdiag() function, [P] **matrix define**

vectors, see **matrices**

version command, [P] **version**

class programming, [P] **class**

version control, see **version** command

Vetterling, W. T., [P] **matrix symeigen**

view source code, [P] **viewsource**

viewsource command, [P] **viewsource**

W

Weesie, J., [P] **matrix define**

Wei, L. J., [P] **_robust**

weight, [P] **syntax**

which, class, [P] **classutil**

which, **classutil** subcommand, [P] **classutil**

while command, [P] **while**

White, H. L., Jr., [P] **_robust**

White/Huber/sandwich estimator of variance, see **robust**,

Huber/White/sandwich estimator of variance

Wilkinson, J. H., [P] **matrix symeigen**

window

fopen command, [P] **window fopen**, [P] **window programming**

fsave command, [P] **window programming**

manage command, [P] **window manage**,

[P] **window programming**

menu command, [P] **window menu**, [P] **window programming**

push command, [P] **window programming**,

[P] **window push**

stopbox command, [P] **window programming**,

[P] **window stopbox**

Windows metafiles programming, [P] **automation**

Windows programming, [P] **automation**

Windows, pause, [P] **sleep**

Winter, N. J. G., [P] **levelsof**

word macro extended function, [P] **macro**

write, file subcommand, [P] **file**

writing and reading ASCII text and binary files, [P] **file**

Y

Yates, F., [P] **levelsof**

Z

zero matrix, [P] **matrix define**

