

**nlsur postestimation** — Postestimation tools for nlsur

[Description](#)      [Syntax for predict](#)      [Menu for predict](#)      [Options for predict](#)  
[Remarks and examples](#)      [Also see](#)

## Description

The following postestimation commands are available after `nlsur`:

Command	Description
<code>estat ic</code>	Akaike's and Schwarz's Bayesian information criteria (AIC and BIC)
<code>estat summarize</code>	summary statistics for the estimation sample
<code>estat vce</code>	variance–covariance matrix of the estimators (VCE)
<code>estimates</code>	cataloging estimation results
<code>forecast</code>	dynamic forecasts and simulations
<code>lincom</code>	point estimates, standard errors, testing, and inference for linear combinations of coefficients
<code>lrtest</code>	likelihood-ratio test
<code>margins</code> <sup>1</sup>	marginal means, predictive margins, marginal effects, and average marginal effects
<code>marginsplot</code>	graph the results from margins (profile plots, interaction plots, etc.)
<code>nlcom</code>	point estimates, standard errors, testing, and inference for nonlinear combinations of coefficients
<code>predict</code>	predictions, residuals, influence statistics, and other diagnostic measures
<code>predictnl</code>	point estimates, standard errors, testing, and inference for generalized predictions
<code>test</code>	Wald tests of simple and composite linear hypotheses
<code>testnl</code>	Wald tests of nonlinear hypotheses

<sup>1</sup> You must specify the `variables()` option with `nlsur`.

## Syntax for predict

```
predict [type] newvar [if] [in] [, equation(#eqno) yhat residuals]
```

These statistics are available both in and out of sample; type `predict ... if e(sample) ...` if wanted only for the estimation sample.

## Menu for predict

Statistics > Postestimation > Predictions, residuals, etc.

## Options for predict

Main

`equation(#eqno)` specifies to which equation you are referring. `equation(#1)` would mean that the calculation is to be made for the first equation, `equation(#2)` would mean the second, and so on.

If you do not specify `equation()`, results are the same as if you had specified `equation(#1)`.

`yhat`, the default, calculates the fitted values for the specified equation.

`residuals` calculates the residuals for the specified equation.

## Remarks and examples

[stata.com](http://www.stata.com)

### ► Example 1

In [example 2](#) of [\[R\] nlsur](#), we fit a four-factor translog cost function to data for the U.S. economy. The own-price elasticity for a factor measures the percentage change in its usage as a result of a 1% increase in the factor's price, assuming that output is held constant. For the translog production function, the own-price factor elasticities are

$$\eta_i = \frac{\delta_{ii} + s_i(s_i - 1)}{s_i}$$

Here we compute the elasticity for capital at the sample mean of capital's factor share. First, we use `summarize` to get the mean of `s_k` and store that value in a scalar:

```
. summarize s_k
```

Variable	Obs	Mean	Std. Dev.	Min	Max
s_k	25	.053488	.0044795	.04602	.06185

```
. scalar kmean = r(mean)
```

Now we can use `nlcom` to calculate the elasticity:

```
. nlcom (([dkk]_cons + kmean*(kmean-1)) / kmean)
```

```
    _nl_1:  ([dkk]_cons + kmean*(kmean-1)) / kmean
```

	Coef.	Std. Err.	z	P> z	[95% Conf. Interval]
_nl_1	-.3952986	.1083535	-3.65	0.000	-.6076676  -.1829295

If the price of capital increases by 1%, its usage will decrease by about 0.4%. To maintain its current level of output, a firm would increase its usage of other inputs to compensate for the lower capital usage. The standard error reported by `nlcom` reflects the sampling variance of the estimated parameter  $\widehat{\delta}_{kk}$ , but `nlcom` treats the sample mean of `s_k` as a fixed parameter that does not contribute to the sampling variance of the estimated elasticity.

## Also see

[R] [nlsur](#) — Estimation of nonlinear systems of equations

[U] [20 Estimation and postestimation commands](#)