

jackknife_options — More options for jackknife variance estimation

[Syntax](#) [Description](#) [Options](#) [Also see](#)

Syntax

<i>jackknife_options</i>	Description
<code>SE</code>	
<code>mse</code>	use MSE formula for variance
<code>nodots</code>	suppress replication dots
<code>saving(filename, ...)</code>	save results to <i>filename</i>
<code>keep</code>	keep pseudovalues
<code>verbose</code>	display the full table legend
<code>noisily</code>	display any output from <i>command</i>
<code>trace</code>	trace <i>command</i>
<code>title(text)</code>	use <i>text</i> as the title for results
<code>nodrop</code>	do not drop observations
<code>reject(exp)</code>	identify invalid results

`saving()`, `keep`, `verbose`, `noisily`, `trace`, `title()`, `nodrop`, and `reject()` are not shown in the dialog boxes for estimation commands.

Description

`svy` accepts more options when performing jackknife variance estimation.

Options

SE

`mse` specifies that `svy` compute the variance by using deviations of the replicates from the observed value of the statistic based on the entire dataset. By default, `svy` computes the variance by using deviations of the pseudovalues from their mean.

`nodots` suppresses display of the replication dots. By default, one dot character is printed for each successful replication. A red 'x' is displayed if *command* returns with an error, 'e' is displayed if at least one of the values in the *exp_list* is missing, 'n' is displayed if the sample size is not correct, and a yellow 's' is displayed if the dropped sampling unit is outside the subpopulation sample.

`saving()`, `keep`, `verbose`, `noisily`, `trace`, `title()`, `nodrop`, `reject()`; see [\[SVY\] svy jackknife](#).

Also see

[\[SVY\] svy](#) — The survey prefix command

[\[SVY\] svy jackknife](#) — Jackknife estimation for survey data