

Subject and author index

This is the subject and author index for the *Survey Data Reference Manual*. Readers interested in topics other than survey data should see the [combined subject index](#) (and the combined author index) in the *Glossary and Index*.

Symbols

100% sample, [SVY] [Glossary](#)

A

Archer, K. J., [SVY] [estat](#)

association test, [SVY] [svy: tabulate twoway](#)

B

balanced repeated replication, [SVY] [brr_options](#),
[SVY] [svy brr](#), [SVY] [variance estimation](#),
[SVY] [Glossary](#)

balanced repeated replication standard errors, [SVY] [svy brr](#), [SVY] [variance estimation](#)

Berglund, P. A., [SVY] [subpopulation estimation](#),
[SVY] [survey](#)

Binder, D. A., [SVY] [svy estimation](#), [SVY] [variance estimation](#)

bivariate probit regression, [SVY] [svy estimation](#)

bootstrap estimation, [SVY] [bootstrap_options](#),
[SVY] [svy bootstrap](#), [SVY] [variance estimation](#), [SVY] [Glossary](#)

bootstrap_options, [SVY] [bootstrap_options](#)

bootstrap standard errors, [SVY] [svy bootstrap](#),
[SVY] [variance estimation](#)

BRR, see [balanced repeated replication](#)

brr_options, [SVY] [brr_options](#)

C

categorical data, [SVY] [svy estimation](#),
[SVY] [svy: tabulate oneway](#),
[SVY] [svy: tabulate twoway](#)

census, [SVY] [Glossary](#)

data, [SVY] [direct standardization](#), [SVY] [survey](#),
[SVY] [variance estimation](#)

certainty

strata, [SVY] [estat](#)

units, [SVY] [variance estimation](#)

chi-squared, test of independence, [SVY] [svy: tabulate twoway](#)

cluster, [SVY] [survey](#), [SVY] [svy estimation](#),
[SVY] [svyset](#), [SVY] [variance estimation](#),
[SVY] [Glossary](#)

Cochran, W. G., [SVY] [estat](#), [SVY] [subpopulation estimation](#), [SVY] [survey](#), [SVY] [svyset](#),
[SVY] [variance estimation](#)

coefficient of variation, [SVY] [estat](#)

Collins, E., [SVY] [survey](#), [SVY] [svy estimation](#)

complementary log-log regression, [SVY] [svy estimation](#)

conditional (fixed-effects) logistic regression, [SVY] [svy estimation](#)

confidence interval, [SVY] [variance estimation](#)
for tabulated proportions, [SVY] [svy: tabulate twoway](#)

linear combinations, [SVY] [svy postestimation](#)
constrained linear regression, [SVY] [svy estimation](#)

contingency tables, [SVY] [svy: tabulate twoway](#)

contrast command, [SVY] [svy postestimation](#)

correlated errors, see [robust](#), [Huber/White/sandwich estimator of variance](#)

count-time data, [SVY] [svy estimation](#)

Cox, C. S., [SVY] [survey](#), [SVY] [svy estimation](#)

Cox proportional hazards model, [SVY] [svy estimation](#)

cv, [estat](#) subcommand, [SVY] [estat](#)

D

data, survey, see [survey data](#)

DEFF, see [design effects](#)

DEFT, see [design effects](#)

delta method, [SVY] [variance estimation](#),
[SVY] [Glossary](#)

Demnati, A., [SVY] [direct standardization](#),
[SVY] [poststratification](#), [SVY] [variance estimation](#)

design effects, [SVY] [estat](#), [SVY] [svy: tabulate oneway](#), [SVY] [svy: tabulate twoway](#),
[SVY] [Glossary](#)

Deville, J.-C., [SVY] [direct standardization](#),
[SVY] [poststratification](#), [SVY] [variance estimation](#)

differences of two means test, [SVY] [svy postestimation](#)

direct standardization, [SVY] [direct standardization](#),
[SVY] [Glossary](#)

E

effects, [estat](#) subcommand, [SVY] [estat](#)

Eltinge, J. L., [SVY] [estat](#), [SVY] [survey](#), [SVY] [svy postestimation](#), [SVY] [svydescribe](#),
[SVY] [variance estimation](#)

endogenous variable, [SVY] [svy estimation](#)

Engel, A., [SVY] [estat](#), [SVY] [subpopulation estimation](#), [SVY] [survey](#), [SVY] [svy](#),
[SVY] [svy brr](#), [SVY] [svy estimation](#),
[SVY] [svy jackknife](#), [SVY] [svy postestimation](#), [SVY] [svy: tabulate oneway](#),
[SVY] [svy: tabulate twoway](#), [SVY] [svydescribe](#)

equality test of coefficients, [SVY] [svy postestimation](#)

equality test of means, [SVY] [svy postestimation](#)

[estat](#)

cv command, [SVY] [estat](#)

effects command, [SVY] [estat](#)

gof command, [SVY] [estat](#)

lceffects command, [SVY] [estat](#)

estat, continued

- `sd` command, [SVY] **estat**
- `size` command, [SVY] **estat**
- `strata` command, [SVY] **estat**
- `svyset` command, [SVY] **estat**
- `vce` command, [SVY] **estat**

`estimates` command, [SVY] **svy postestimation**
exp_list, [SVY] **svy bootstrap**, [SVY] **svy brr**,
[SVY] **svy jackknife**, [SVY] **svy sdr**

F

failure-time model, see survival analysis

Fay, R. E., [SVY] **survey**, [SVY] **svy sdr**,

[SVY] **variance estimation**

Feldman, J. J., [SVY] **survey**, [SVY] **svy estimation**

finite population correction, [SVY] **survey**, [SVY] **svy estimation**, [SVY] **svyset**, [SVY] **variance estimation**, [SVY] **Glossary**

FPC, see finite population correction

Frankel, M. R., [SVY] **variance estimation**

Freeman, D. H., Jr., [SVY] **svy: tabulate twoway**

Freeman, J. L., [SVY] **svy: tabulate twoway**

frequencies, table of, [SVY] **svy: tabulate oneway**,
[SVY] **svy: tabulate twoway**

Fuller, W. A., [SVY] **svy: tabulate twoway**,
[SVY] **variance estimation**

G

generalized

linear models, [SVY] **svy estimation**

negative binomial regression, [SVY] **svy estimation**

Gerow, K. G., [SVY] **survey**

Godambe, V. P., [SVY] **variance estimation**

`gof`, *estat* subcommand, [SVY] **estat**

Golden, C. D., [SVY] **survey**, [SVY] **svy estimation**

Gonzalez, J. F., Jr., [SVY] **estat**, [SVY] **subpopulation estimation**, [SVY] **svy bootstrap**, [SVY] **svy estimation**

goodness of fit, [SVY] **estat**

Gould, W. W., [SVY] **ml for svy**, [SVY] **survey**

Graubard, B. I., [SVY] **direct standardization**,
[SVY] **estat**, [SVY] **survey**, [SVY] **svy**,
[SVY] **svy estimation**, [SVY] **svy postestimation**, [SVY] **svy: tabulate twoway**,
[SVY] **variance estimation**

H

Hadamard matrix, [SVY] **svy brr**, [SVY] **Glossary**

Heckman selection model, [SVY] **svy estimation**

Heeringa, S. G., [SVY] **subpopulation estimation**,
[SVY] **survey**

heteroskedastic probit regression, [SVY] **svy estimation**

heteroskedasticity robust variances, see robust,

Huber/White/sandwich estimator of variance

Holt, D., [SVY] **estat**, [SVY] **survey**

Hosmer–Lemeshow goodness of fit, [SVY] **estat**

Huber/White/sandwich estimator of variance, see robust,
Huber/White/sandwich estimator of variance

I

independence test, [SVY] **svy: tabulate twoway**

instrumental-variables regression, [SVY] **svy estimation**

interval regression, [SVY] **svy estimation**

J

jackknife estimation, [SVY] **jackknife_options**,
[SVY] **svy jackknife**, [SVY] **variance estimation**, [SVY] **Glossary**

jackknife_options, [SVY] **jackknife_options**

jackknife standard errors, [SVY] **svy jackknife**,
[SVY] **variance estimation**

Jang, D. S., [SVY] **variance estimation**

Jann, B., [SVY] **svy: tabulate twoway**

Johnson, W., [SVY] **survey**

Judkins, D. R., [SVY] **svy brr**, [SVY] **svyset**,
[SVY] **variance estimation**

K

Kennedy, W. J., Jr., [SVY] **svy: tabulate twoway**

Kish design effects, [SVY] **estat**

Kish, L., [SVY] **estat**, [SVY] **survey**, [SVY] **variance estimation**

Koch, G. G., [SVY] **svy: tabulate twoway**

Kolenikov, S., [SVY] **svy bootstrap**, [SVY] **variance estimation**

Korn, E. L., [SVY] **direct standardization**,
[SVY] **estat**, [SVY] **survey**, [SVY] **svy**,
[SVY] **svy estimation**, [SVY] **svy postestimation**, [SVY] **svy: tabulate twoway**,
[SVY] **variance estimation**

Krauss, N., [SVY] **estat**, [SVY] **subpopulation estimation**, [SVY] **svy bootstrap**, [SVY] **svy estimation**

Kreuter, F., [SVY] **survey**

L

Lane, M. A., [SVY] **survey**, [SVY] **svy estimation**

`lceffects`, *estat* subcommand, [SVY] **estat**

Lemeshow, S. A., [SVY] **estat**,

[SVY] **poststratification**, [SVY] **survey**

Levy, P. S., [SVY] **poststratification**, [SVY] **survey**

Lin, D. Y., [SVY] **svy estimation**

`lincom` command, [SVY] **svy postestimation**

Lindelow, M., [SVY] **svy estimation**, [SVY] **svyset**

linear combinations, [SVY] **estat**, [SVY] **svy postestimation**

linear regression, [SVY] **svy estimation**

linearization, see linearized variance estimator

linearized variance estimator, [SVY] **variance estimation**, [SVY] **Glossary**

Liu, T.-P., [SVY] **svy bootstrap**, [SVY] **variance estimation**
 logistic and logit regression, [SVY] **svy estimation**
 log-linear model, [SVY] **svy estimation**
 longitudinal survey data, [SVY] **svy estimation**

M

Madans, J. H., [SVY] **survey**, [SVY] **svy estimation**
 Mantel, H., [SVY] **svy bootstrap**, [SVY] **variance estimation**
 margins command, [SVY] **svy postestimation**
 Massey, J. T., [SVY] **estat**, [SVY] **subpopulation estimation**, [SVY] **survey**, [SVY] **svy**, [SVY] **svy brr**, [SVY] **svy estimation**, [SVY] **svy jackknife**, [SVY] **svy postestimation**, [SVY] **svy: tabulate oneway**, [SVY] **svy: tabulate twoway**, [SVY] **svydescribe**
 Maurer, K., [SVY] **estat**, [SVY] **subpopulation estimation**, [SVY] **survey**, [SVY] **svy**, [SVY] **svy brr**, [SVY] **svy estimation**, [SVY] **svy jackknife**, [SVY] **svy postestimation**, [SVY] **svy: tabulate oneway**, [SVY] **svy: tabulate twoway**, [SVY] **svydescribe**
 maximum pseudolikelihood estimation, [SVY] **ml for svy**, [SVY] **variance estimation**
 McCabe, S. E., [SVY] **estat**
 McCarthy, P. J., [SVY] **survey**, [SVY] **svy bootstrap**, [SVY] **svy brr**, [SVY] **variance estimation**
 McDowell, A., [SVY] **estat**, [SVY] **subpopulation estimation**, [SVY] **survey**, [SVY] **svy**, [SVY] **svy brr**, [SVY] **svy estimation**, [SVY] **svy jackknife**, [SVY] **svy postestimation**, [SVY] **svy: tabulate oneway**, [SVY] **svy: tabulate twoway**, [SVY] **svydescribe**
 means, survey data, [SVY] **svy estimation**
 MEF, see misspecification effects
 MEFT, see misspecification effects
 Mendenhall, W., III, [SVY] **survey**
 Midthune, D., [SVY] **estat**, [SVY] **svy estimation**
 Miller, H. W., [SVY] **survey**, [SVY] **svy estimation**
 misspecification effects, [SVY] **estat**, [SVY] **Glossary**
 ml command, [SVY] **ml for svy**
 model coefficients test, [SVY] **svy postestimation**
 multinomial
 logistic regression, [SVY] **svy estimation**
 probit regression, [SVY] **svy estimation**
 multistage clustered sampling, [SVY] **survey**, [SVY] **svydescribe**, [SVY] **svyset**
 Murphy, R. S., [SVY] **survey**, [SVY] **svy estimation**
 Mussolino, M. E., [SVY] **survey**, [SVY] **svy estimation**

N

negative binomial regression, [SVY] **svy estimation**
 Neyman allocation, [SVY] **estat**
 nlcom command, [SVY] **svy postestimation**
 nonconstant variance, [SVY] **variance estimation**

nonlinear combinations, predictions, and tests, [SVY] **svy postestimation**
 nonlinear least squares, [SVY] **svy estimation**
 nonlinear test, [SVY] **svy postestimation**

O

odds ratio, [SVY] **svy estimation**
 differences, [SVY] **svy postestimation**
 O'Donnell, O., [SVY] **svy estimation**, [SVY] **svyset**
 ordered
 logistic regression, [SVY] **svy estimation**
 probit regression, [SVY] **svy estimation**
 probit with sample selection, [SVY] **svy estimation**
 Ott, R. L., [SVY] **survey**

P

parametric survival models, [SVY] **svy estimation**
 Park, H. J., [SVY] **svy: tabulate twoway**
 Pitblado, J. S., [SVY] **ml for svy**, [SVY] **survey**
 Poi, B. P., [SVY] **ml for svy**, [SVY] **survey**
 point estimate, [SVY] **Glossary**
 Poisson regression, [SVY] **svy estimation**
 polytomous logistic regression, [SVY] **svy estimation**
 population standard deviation, see subpopulation, standard deviations of
 postestimation command, [SVY] **estat**, [SVY] **svy postestimation**
 poststratification, [SVY] **poststratification**, [SVY] **Glossary**
 predict command, [SVY] **svy postestimation**
 predictions, [SVY] **svy postestimation**
 predictive margins, [SVY] **Glossary**
 predictnl command, [SVY] **svy postestimation**
 primary sampling unit, [SVY] **svydescribe**, [SVY] **svyset**, [SVY] **Glossary**
 probability weight, see sampling weight
 probit regression, [SVY] **svy estimation**
 with endogenous regressors, [SVY] **svy estimation**
 with sample selection, [SVY] **svy estimation**
 proportional hazards model, [SVY] **svy estimation**
 proportions, survey data, [SVY] **svy estimation**, [SVY] **svy: tabulate oneway**, [SVY] **svy: tabulate twoway**
 pseudolikelihood, [SVY] **Glossary**
 PSU, see primary sampling unit
 pwcompare command, [SVY] **svy postestimation**
 pweight, see sampling weight

Q

quadratic terms, [SVY] **svy postestimation**
 qualitative dependent variables, [SVY] **svy estimation**

R

Rao, J. N. K., [SVY] **direct standardization**, [SVY] **poststratification**, [SVY] **svy bootstrap**, [SVY] **svy: tabulate twoway**, [SVY] **variance estimation**

ratios, survey data, [SVY] **svy estimation**, [SVY] **svy: tabulate twoway**

regression diagnostics, [SVY] **estat**, [SVY] **svy postestimation**

replicate-weight variable, [SVY] **survey**, [SVY] **svy bootstrap**, [SVY] **svy brr**, [SVY] **svy jackknife**, [SVY] **svy sdr**, [SVY] **svyset**, [SVY] **Glossary**

replication method, [SVY] **svy bootstrap**, [SVY] **svy brr**, [SVY] **svy jackknife**, [SVY] **svy sdr**, [SVY] **svyset**, [SVY] **variance estimation**

resampling, [SVY] **Glossary**

Research Triangle Institute, [SVY] **svy: tabulate twoway**

robust, Huber/White/sandwich estimator of variance, [SVY] **variance estimation**

Rothwell, S. T., [SVY] **survey**, [SVY] **svy estimation**

S

sample, [SVY] **Glossary**

sampling, [SVY] **survey**, [SVY] **svydescribe**, [SVY] **svyset**, [SVY] **Glossary**

stage, [SVY] **estat**, [SVY] **Glossary**

unit, [SVY] **survey**, [SVY] **Glossary**, *also see* primary sampling unit

weight, [SVY] **poststratification**, [SVY] **survey**, [SVY] **Glossary**

with and without replacement, [SVY] **Glossary**

sandwich/Huber/White estimator of variance, *see* robust, Huber/White/sandwich estimator of variance

Särndal, C.-E., [SVY] **variance estimation**

Satterthwaite, F. E., [SVY] **variance estimation**

Scheaffer, R. L., [SVY] **survey**

Schnell, D., [SVY] **svy: tabulate twoway**

Scott, A. J., [SVY] **estat**, [SVY] **svy: tabulate twoway**

Scott, C., [SVY] **estat**, [SVY] **subpopulation estimation**, [SVY] **svy bootstrap**, [SVY] **svy estimation**

sd, **estat** subcommand, [SVY] **estat**

SDR, *see* successive difference replication

sdr_options, [SVY] **sdr_options**

secondary sampling unit, [SVY] **Glossary**

selection models, [SVY] **svy estimation**

Shah, B. V., [SVY] **direct standardization**, [SVY] **poststratification**, [SVY] **variance estimation**

Shao, J., [SVY] **survey**, [SVY] **svy jackknife**, [SVY] **variance estimation**

simple random sample, [SVY] **Glossary**

singleton strata, [SVY] **estat**, [SVY] **variance estimation**

size, **estat** subcommand, [SVY] **estat**

skewed logistic regression, [SVY] **svy estimation**

Skinner, C. J., [SVY] **estat**, [SVY] **survey**, [SVY] **svy estimation**, [SVY] **variance estimation**

Smith, T. M. F., [SVY] **survey**

Snowden, C. B., [SVY] **svy bootstrap**, [SVY] **variance estimation**

Sribney, W. M., [SVY] **estat**, [SVY] **svy postestimation**, [SVY] **svy: tabulate twoway**, [SVY] **svydescribe**

SRS, *see* simple random sample

SSU, *see* secondary sampling unit

standard deviations, subpopulations, *see* subpopulation, standard deviations of

standard errors,

- balanced repeated replication, *see* balanced repeated replication standard errors
- bootstrap, *see* bootstrap standard errors
- jackknife, *see* jackknife standard errors
- successive difference replication, *see* successive difference replication standard errors

standard strata, *see* direct standardization

standard weights, *see* direct standardization

stereotype logistic regression, [SVY] **svy estimation**

strata, **estat** subcommand, [SVY] **estat**

strata with one sampling unit, [SVY] **variance estimation**

stratification, *see* stratified sampling

stratified sampling, [SVY] **survey**, [SVY] **svydescribe**, [SVY] **svyset**, [SVY] **Glossary**

stratum collapse, [SVY] **svydescribe**

structural equation modeling, [SVY] **svy estimation**

Stuart, A., [SVY] **survey**

subpopulation

- differences, [SVY] **survey**, [SVY] **svy postestimation**
- estimation, [SVY] **subpopulation estimation**, [SVY] **svy estimation**, [SVY] **Glossary**
- means, [SVY] **svy estimation**
- proportions, [SVY] **svy estimation**, [SVY] **svy: tabulate oneway**, [SVY] **svy: tabulate twoway**
- ratios, [SVY] **svy estimation**, [SVY] **svy: tabulate oneway**, [SVY] **svy: tabulate twoway**
- standard deviations of, [SVY] **estat**
- totals, [SVY] **svy estimation**, [SVY] **svy: tabulate oneway**, [SVY] **svy: tabulate twoway**

successive difference replication, [SVY] **sdr_options**, [SVY] **svy sdr**, [SVY] **variance estimation**, [SVY] **Glossary**

successive difference replication standard errors, [SVY] **svy sdr**, [SVY] **variance estimation**

suest command, [SVY] **svy postestimation**

Sullivan, G., [SVY] **svy: tabulate twoway**

summarizing data, [SVY] **svy: tabulate twoway**

survey

- data, [SVY] **survey**, [SVY] **svydescribe**, [SVY] **svyset**, [SVY] **Glossary**
- design, [SVY] **Glossary**
- postestimation, [SVY] **svy postestimation**

survey, *continued*

prefix command, [SVY] [svy](#)

sampling, [SVY] [survey](#), [SVY] [svydescribe](#),
[SVY] [svyset](#)

survival analysis, [SVY] [svy estimation](#)

survival models, [SVY] [svy estimation](#)

svy: [biprobit](#) command, [SVY] [svy estimation](#)

svy: [clogit](#) command, [SVY] [svy estimation](#)

svy: [cloglog](#) command, [SVY] [svy estimation](#)

svy: [cnsreg](#) command, [SVY] [svy estimation](#)

svy: [etregress](#) command, [SVY] [svy estimation](#)

svy: [glm](#) command, [SVY] [svy estimation](#)

svy: [gnbreg](#) command, [SVY] [svy estimation](#)

svy: [heckman](#) command, [SVY] [svy estimation](#)

svy: [heckoprobit](#) command, [SVY] [svy estimation](#)

svy: [heckprobit](#) command, [SVY] [svy estimation](#)

svy: [hetprobit](#) command, [SVY] [svy estimation](#)

svy: [intreg](#) command, [SVY] [svy estimation](#)

svy: [ivprobit](#) command, [SVY] [svy estimation](#)

svy: [ivregress](#) command, [SVY] [svy estimation](#)

svy: [ivtobit](#) command, [SVY] [svy estimation](#)

svy: [logistic](#) command, [SVY] [svy estimation](#),
[SVY] [svy postestimation](#)

svy: [logit](#) command, [SVY] [svy estimation](#)

svy: [mean](#) command, [SVY] [estat](#),
[SVY] [poststratification](#), [SVY] [subpopulation
estimation](#), [SVY] [survey](#), [SVY] [svy](#),
[SVY] [svy estimation](#), [SVY] [svy
postestimation](#), [SVY] [svydescribe](#),
[SVY] [svyset](#)

svy: [mlogit](#) command, [SVY] [svy estimation](#)

svy: [mprobit](#) command, [SVY] [svy estimation](#)

svy: [nbreg](#) command, [SVY] [svy estimation](#)

svy: [nl](#) command, [SVY] [svy estimation](#)

svy: [ologit](#) command, [SVY] [svy estimation](#),
[SVY] [svy postestimation](#)

svy: [oprobit](#) command, [SVY] [svy estimation](#)

svy: [poisson](#) command, [SVY] [svy estimation](#)

svy: [probit](#) command, [SVY] [svy estimation](#)

svy: [proportion](#) command, [SVY] [svy estimation](#)

svy: [ratio](#) command, [SVY] [direct standardization](#),
[SVY] [svy brr](#), [SVY] [svy estimation](#),
[SVY] [svy: tabulate twoway](#)

svy: [regress](#) command, [SVY] [survey](#), [SVY] [svy](#),
[SVY] [svy estimation](#), [SVY] [svy jackknife](#),
[SVY] [svy postestimation](#)

svy: [scobit](#) command, [SVY] [svy estimation](#)

svy: [sem](#) command, [SVY] [svy estimation](#)

svy: [slogit](#) command, [SVY] [svy estimation](#)

svy: [stcox](#) command, [SVY] [svy estimation](#)

svy: [streg](#) command, [SVY] [svy estimation](#)

svy: [tabulate](#) command, [SVY] [svy: tabulate
oneway](#), [SVY] [svy: tabulate twoway](#)

svy: [tmbreg](#) command, [SVY] [svy estimation](#)

svy: [tobit](#) command, [SVY] [svy estimation](#)

svy: [total](#) command, [SVY] [svy brr](#), [SVY] [svy
estimation](#)

svy: [tpoisson](#) command, [SVY] [svy estimation](#)

svy: [truncreg](#) command, [SVY] [svy estimation](#)

svy: [zinb](#) command, [SVY] [svy estimation](#)

svy: [zip](#) command, [SVY] [svy estimation](#)

[svy bootstrap](#) prefix command, [SVY] [svy bootstrap](#)

[svy brr](#) prefix command, [SVY] [svy brr](#)

[svy jackknife](#) prefix command, [SVY] [svy jackknife](#)

[svy](#) prefix command, [SVY] [svy](#)

[svy sdr](#) prefix command, [SVY] [svy sdr](#)

[svydescribe](#) command, [SVY] [survey](#),
[SVY] [svydescribe](#)

[svymarkout](#) command, [SVY] [svymarkout](#)

[svyset](#) command, [SVY] [survey](#), [SVY] [svyset](#)

[svyset](#), [estat](#) subcommand, [SVY] [estat](#)

Swensson, B., [SVY] [variance estimation](#)

T

tables

contingency, [SVY] [svy: tabulate twoway](#)

frequency, [SVY] [svy: tabulate oneway](#),
[SVY] [svy: tabulate twoway](#)

tabulate

one-way, [SVY] [svy: tabulate oneway](#)

two-way, [SVY] [svy: tabulate twoway](#)

Taylor linearization, see [linearized variance estimator
test](#),

association, see [association test](#)

differences of two means, see [differences of two
means test](#)

equality of

coefficients, see [equality test of coefficients](#)

means, see [equality test of means](#)

goodness-of-fit, see [goodness of fit](#)

independence, see [independence test](#)

model coefficients, see [model coefficients test](#)

nonlinear, see [nonlinear test](#)

Wald, see [Wald test](#)

[test](#) command, [SVY] [survey](#), [SVY] [svy
postestimation](#)

[testnl](#) command, [SVY] [svy postestimation](#)

[testparm](#) command, [SVY] [svy postestimation](#)

Thomas, D. R., [SVY] [svy: tabulate twoway](#)

Thompson, S. K., [SVY] [survey](#)

tobit regression, [SVY] [svy estimation](#)

with endogenous regressors, [SVY] [svy estimation](#)

totals, survey data, [SVY] [svy estimation](#)

Train, G. F., [SVY] [survey](#), [SVY] [svy sdr](#),
[SVY] [variance estimation](#)

treatment-effects regression, [SVY] [svy estimation](#)
truncated

negative binomial regression, [SVY] [svy estimation](#)

Poisson regression, [SVY] [svy estimation](#)
regression, [SVY] [svy estimation](#)

Tu, D., [SVY] [survey](#), [SVY] [svy jackknife](#),
[SVY] [variance estimation](#)

Tukey, J. W., [SVY] [svy jackknife](#)

two-stage least squares, [SVY] [svy estimation](#)

V

Valliant, R., [SVY] **survey**
van Doorslaer, E., [SVY] **svy estimation**, [SVY] **svyset**
variance,
 Huber/White/sandwich estimator, *see* **robust**,
 Huber/White/sandwich estimator of variance
 linearized, [SVY] **variance estimation**
 nonconstant, [SVY] **variance estimation**
variance estimation, [SVY] **variance estimation**,
 [SVY] **Glossary**
vce, estat subcommand, [SVY] **estat**

W

Wagstaff, A., [SVY] **svy estimation**, [SVY] **svyset**
Wald test, [SVY] **svy postestimation**
Wei, L. J., [SVY] **svy estimation**
weights,
 probability, [SVY] **survey**, [SVY] **svydescribe**,
 [SVY] **svyset**
 sampling, [SVY] **survey**, [SVY] **svydescribe**,
 [SVY] **svyset**
West, B. T., [SVY] **estat**, [SVY] **subpopulation**
 estimation, [SVY] **survey**
White/Huber/sandwich estimator of variance, *see* **robust**,
 Huber/White/sandwich estimator of variance
Williams, B., [SVY] **survey**
Winter, N. J. G., [SVY] **survey**
Wolter, K. M., [SVY] **survey**, [SVY] **svy brr**,
 [SVY] **variance estimation**
Wretman, J., [SVY] **variance estimation**
Wu, C. F. J., [SVY] **svy bootstrap**, [SVY] **variance**
 estimation

Y

Yeo, D., [SVY] **svy bootstrap**, [SVY] **variance**
 estimation
Yue, K., [SVY] **svy bootstrap**, [SVY] **variance**
 estimation
Yung, W., [SVY] **svy bootstrap**, [SVY] **variance**
 estimation

Z

zero-inflated
 negative binomial regression, [SVY] **svy estimation**
 Poisson regression, [SVY] **svy estimation**

