

svy sdr — Successive difference replication for survey data

[Syntax](#)[Options](#)[Methods and formulas](#)[Menu](#)[Remarks and examples](#)[Reference](#)[Description](#)[Stored results](#)[Also see](#)

Syntax

[*svy*] **sdr** *exp_list* [, *svy_options sdr_options eform_option*] : *command*

svy_options

Description

if/in

subpop([*varname*] [*if*]) identify a subpopulation

Reporting

_level(#) set confidence level; default is `level(95)`

noheader suppress table header

nolegend suppress table legend

noadjust do not adjust model Wald statistic

nocnsreport do not display constraints

display_options control column formats, row spacing, line width, display of omitted variables and base and empty cells, and factor-variable labeling

coeflegend display legend instead of statistics

`coeflegend` is not shown in the dialog boxes for estimation commands.

2 svy sdr — Successive difference replication for survey data

<i>sdr_options</i>	Description
Options	
<code>saving(<i>filename</i> [, ...])</code>	save results to <i>filename</i> ; save statistics in double precision; save results to <i>filename</i> every # replications
<code>mse</code>	use MSE formula for variance
Reporting	
<code>verbose</code>	display the full table legend
<code>nodots</code>	suppress replication dots
<code>noisily</code>	display any output from <i>command</i>
<code>trace</code>	trace <i>command</i>
<code>title(<i>text</i>)</code>	use <i>text</i> as title for SDR results
Advanced	
<code>nodrop</code>	do not drop observations
<code>reject(<i>exp</i>)</code>	identify invalid results
<code>dof(#)</code>	design degrees of freedom

svy requires that the survey design variables be identified using `svyset`; see [SVY] `svyset`.

See [U] 20 Estimation and postestimation commands for more capabilities of estimation commands.

Warning: Using `if` or `in` restrictions will often not produce correct variance estimates for subpopulations. To compute estimates for subpopulations, use the `subpop()` option.

svy `sdr` requires that the successive difference replicate weights be identified using `svyset`.

exp_list contains (name: *elist*)
elist
eexp

elist contains *newvarname* = (*exp*)
(*exp*)

eexp is *specname*
[*eqno*]*specname*

specname is `_b`
`_b []`
`_se`
`_se []`

eqno is `##`
name

exp is a standard Stata expression; see [U] 13 Functions and expressions.

Distinguish between `[]`, which are to be typed, and `[][]`, which indicate optional arguments.

Menu

Statistics > Survey data analysis > Resampling > Successive difference replications estimation

Description

`svy sdr` performs successive difference replication (SDR) for complex survey data. Typing

```
. svy sdr exp_list: command
```

executes *command* once for each replicate, using sampling weights that are adjusted according to the SDR methodology.

command defines the statistical command to be executed. Most Stata commands and user-written programs can be used with `svy sdr` as long as they follow standard Stata syntax, allow the `if` qualifier, and allow `pweights` and `iweights`; see [U] 11 [Language syntax](#). The `by` prefix may not be part of *command*.

exp_list specifies the statistics to be collected from the execution of *command*. *exp_list* is required unless *command* has the `svyb` program property, in which case *exp_list* defaults to `_b`; see [P] [program properties](#).

Options

svy_options; see [SVY] [svy](#).

Options

`saving(filename [, suboptions])` creates a Stata data file (`.dta` file) consisting of (for each statistic in *exp_list*) a variable containing the replicates.

`double` specifies that the results for each replication be stored as `doubles`, meaning 8-byte reals.

By default, they are stored as `floats`, meaning 4-byte reals. This option may be used without the `saving()` option to compute the variance estimates by using double precision.

`every(#)` specifies that results be written to disk every *#*th replication. `every()` should be specified in conjunction with `saving()` only when *command* takes a long time for each replication. This will allow recovery of partial results should some other software crash your computer. See [P] [postfile](#).

`replace` indicates that *filename* be overwritten if it exists. This option is not shown on the dialog box.

`mse` specifies that `svy sdr` compute the variance by using deviations of the replicates from the observed value of the statistics based on the entire dataset. By default, `svy sdr` computes the variance by using deviations of the replicates from their mean.

Reporting

`verbose` requests that the full table legend be displayed.

`nodots` suppresses display of the replication dots. By default, one dot character is printed for each successful replication. A red ‘x’ is printed if *command* returns with an error, and ‘e’ is printed if one of the values in *exp_list* is missing.

`noisily` requests that any output from *command* be displayed. This option implies the `nodots` option.

`trace` causes a trace of the execution of *command* to be displayed. This option implies the `noisily` option.

`title(text)` specifies a title to be displayed above the table of SDR results; the default title is “SDR results”.

eform_option; see [R] *eform_option*. This option is ignored if *exp_list* is not `_b`.

Advanced

`nodrop` prevents observations outside `e(sample)` and the `if` and `in` qualifiers from being dropped before the data are resampled.

`reject(exp)` identifies an expression that indicates when results should be rejected. When *exp* is true, the resulting values are reset to missing values.

`dof(#)` specifies the design degrees of freedom, overriding the default calculation, $df = N_{psu} - N_{strata}$.

Remarks and examples

[stata.com](http://www.stata.com)

SDR was first introduced by [Fay and Train \(1995\)](#) as a method of variance estimation for annual demographic supplements to the Current Population Survey (CPS). In SDR, the model is fit multiple times, once for each of a set of adjusted sampling weights. The variance is estimated using the resulting replicated point estimates.

▷ Example 1

The U.S. Census Bureau publishes public-use data from several of its surveys. This data can be downloaded from <http://factfinder.census.gov>. We downloaded the American Community Survey (ACS) Public Use Microdata Sample (PUMS) data collected in 2007. We extracted data for the state of Texas and kept the variables containing age, sex, and sampling weight for each person in the dataset. This sample dataset also contains 80 SDR weight variables.

```
. use http://www.stata-press.com/data/r13/ss07ptx
. svyset
      pweight: pwgtp
          VCE: sdr
          MSE: off
sdrweight: pwgtp1 pwgtp2 pwgtp3 pwgtp4 pwgtp5 pwgtp6 pwgtp7 pwgtp8 pwgtp9
           pwgtp10 pwgtp11 pwgtp12 pwgtp13 pwgtp14 pwgtp15 pwgtp16
           (output omitted)
           pwgtp73 pwgtp74 pwgtp75 pwgtp76 pwgtp77 pwgtp78 pwgtp79
           pwgtp80
Single unit: missing
Strata 1: <one>
SU 1: <observations>
FPC 1: <zero>
```

This dataset was already `svyset` as

```
. svyset [pw=pwgtp], sdrweight(pwgtp1-pwgtp80) vce(sdr)
```

Here we estimate the average age of the males and of the females for our Texas subpopulation. The standard errors are estimated using SDR.

Also see

[SVY] **svy postestimation** — Postestimation tools for svy

[SVY] **svy bootstrap** — Bootstrap for survey data

[SVY] **svy brr** — Balanced repeated replication for survey data

[SVY] **svy jackknife** — Jackknife estimation for survey data

[U] **20 Estimation and postestimation commands**

[SVY] **poststratification** — Poststratification for survey data

[SVY] **subpopulation estimation** — Subpopulation estimation for survey data

[SVY] **variance estimation** — Variance estimation for survey data