

estat acplot — Plot parametric autocorrelation and autocovariance functions

[Syntax](#) [Menu for estat](#) [Description](#) [Options](#)
[Remarks and examples](#) [Methods and formulas](#) [References](#) [Also see](#)

Syntax

```
estat acplot [ , options ]
```

<i>options</i>	Description
saving (<i>filename</i> [, ...])	save results to <i>filename</i> ; save variables in double precision; save variables with prefix <i>stubname</i>
level (#)	set confidence level; default is level(95)
lags (#)	use # autocorrelations
covariance	calculate autocovariances; the default is to calculate autocorrelations
memory	report short-memory ACF; only allowed after arfima
CI plot	
ciopts (<i>rcap_options</i>)	affect rendition of the confidence bands
Plot	
marker_options	change look of markers (color, size, etc.)
marker_label_options	add marker labels; change look or position
cline_options	affect rendition of the plotted points
Y axis, X axis, Titles, Legend, Overall	
twoway_options	any options other than by() documented in [G-3] twoway_options

Menu for estat

Statistics > Postestimation > Reports and statistics

Description

`estat acplot` plots the estimated autocorrelation and autocovariance functions of a stationary process using the parameters of a previously fit parametric model.

`estat acplot` is available after [arima](#) and [arfima](#); see [TS] [arima](#) and [TS] [arfima](#).

Options

`saving`(*filename* [, *suboptions*]) creates a Stata data file (.dta file) consisting of the autocorrelation estimates, standard errors, and confidence bounds.

Five variables are saved: `lag` (lag number), `ac` (autocorrelation estimate), `se` (standard error), `ci_l` (lower confidence bound), and `ci_u` (upper confidence bound).

`double` specifies that the variables be saved as doubles, meaning 8-byte reals. By default, they are saved as `floats`, meaning 4-byte reals.

`name(stubname)` specifies that variables be saved with prefix *stubname*.

`replace` indicates that *filename* be overwritten if it exists.

`level(#)` specifies the confidence level, as a percentage, for confidence intervals. The default is `level(95)` or as set by `set level`; see [R] [level](#).

`lags(#)` specifies the number of autocorrelations to calculate. The default is to use $\min\{\text{floor}(n/2) - 2, 40\}$, where $\text{floor}(n/2)$ is the greatest integer less than or equal to $n/2$ and n is the number of observations.

`covariance` specifies the calculation of autocovariances instead of the default autocorrelations.

`smemory` specifies that the ARFIMA fractional integration parameter be ignored. The computed autocorrelations are for the short-memory ARMA component of the model. This option is allowed only after `arfima`.

CI plot

`ciopts(rcap_options)` affects the rendition of the confidence bands; see [G-3] [rcap_options](#).

Plot

`marker_options` affect the rendition of markers drawn at the plotted points, including their shape, size, color, and outline; see [G-3] [marker_options](#).

`marker_label_options` specify if and how the markers are to be labeled; see [G-3] [marker_label_options](#).

`cline_options` affect whether lines connect the plotted points and the rendition of those lines; see [G-3] [cline_options](#).

Y axis, X axis, Titles, Legend, Overall

`twoway_options` are any of the options documented in [G-3] [twoway_options](#), except `by()`. These include options for titling the graph (see [G-3] [title_options](#)) and options for saving the graph to disk (see [G-3] [saving_option](#)).

Remarks and examples

[stata.com](http://www.stata.com)

The dependent variable evolves over time because of random shocks in the time domain representation. The autocovariances γ_j , $j \in \{0, 1, \dots, \infty\}$, of a covariance-stationary process y_t specify its variance and dependence structure, and the autocorrelations ρ_j , $j \in \{1, 2, \dots, \infty\}$, provide a scale-free measure of y_t 's dependence structure. The autocorrelation at lag j specifies whether realizations at time t and realizations at time $t - j$ are positively related, unrelated, or negatively related. `estat acplot` uses the estimated parameters of a parametric model to estimate and plot the autocorrelations and autocovariances of a stationary process.

► Example 1

In example 1 of [TS] arima, we fit an ARIMA(1,1,1) model of the U.S. Wholesale Price Index (WPI) using quarterly data over the period 1960q1 through 1990q4.


```
. use http://www.stata-press.com/data/r13/wpi1
. arima wpi, arima(1,1,1)
(setting optimization to BHHH)
Iteration 0: log likelihood = -139.80133
Iteration 1: log likelihood = -135.6278
Iteration 2: log likelihood = -135.41838
Iteration 3: log likelihood = -135.36691
Iteration 4: log likelihood = -135.35892
(switching optimization to BFGS)
Iteration 5: log likelihood = -135.35471
Iteration 6: log likelihood = -135.35135
Iteration 7: log likelihood = -135.35132
Iteration 8: log likelihood = -135.35131
ARIMA regression
Sample: 1960q2 - 1990q4                Number of obs   =      123
                                         Wald chi2(2)    =     310.64
Log likelihood = -135.3513              Prob > chi2     =      0.0000
```

D.wpi	Coef.	OPG Std. Err.	z	P> z	[95% Conf. Interval]	
wpi						
_cons	.7498197	.3340968	2.24	0.025	.0950019	1.404637
ARMA						
ar						
L1.	.8742288	.0545435	16.03	0.000	.7673256	.981132
ma						
L1.	-.4120458	.1000284	-4.12	0.000	-.6080979	-.2159938
/sigma	.7250436	.0368065	19.70	0.000	.6529042	.7971829

Note: The test of the variance against zero is one sided, and the two-sided confidence interval is truncated at zero.

Now we use estat acplot to estimate the autocorrelations implied by the estimated ARMA parameters. We include lags(50) to indicate that autocorrelations be computed for 50 lags. By default, a 95% confidence interval is provided for each autocorrelation.

```
. estat acplot, lags(50)
```



The graph is similar to a typical autocorrelation function of an AR(1) process with a positive coefficient. The autocorrelations of a stationary AR(1) process decay exponentially toward zero.

◀

Methods and formulas

The autocovariance function for ARFIMA models is described in *Methods and formulas* of [TS] `arfima`. The autocovariance function for ARIMA models is obtained by setting the fractional difference parameter to zero.

Box, Jenkins, and Reinsel (2008) provide excellent descriptions of the autocovariance function for ARIMA and seasonal ARIMA models. Palma (2007) provides an excellent summary of the autocovariance function for ARFIMA models.

References

- Box, G. E. P., G. M. Jenkins, and G. C. Reinsel. 2008. *Time Series Analysis: Forecasting and Control*. 4th ed. Hoboken, NJ: Wiley.
- Palma, W. 2007. *Long-Memory Time Series: Theory and Methods*. Hoboken, NJ: Wiley.

Also see

- [TS] `arfima` — Autoregressive fractionally integrated moving-average models
- [TS] `arima` — ARIMA, ARMAX, and other dynamic regression models