

# Subject and author index

This is the subject and author index for the *User's Guide*. You may also want to consult the [combined subject index](#) (and the [combined author index](#)) in the *Glossary and Index*.

## Symbols

! (not), see [logical operators](#)  
!= (not equal), see [relational operators](#)  
& (and), see [logical operators](#)  
\* abbreviation character, see [abbreviations](#)  
- abbreviation character, see [abbreviations](#)  
< (less than), see [relational operators](#)  
<= (less than or equal), see [relational operators](#)  
== (equality), see [relational operators](#)  
> (greater than), see [relational operators](#)  
>= (greater than or equal), see [relational operators](#)  
? abbreviation characters, see [abbreviations](#)  
| (or), see [logical operators](#)  
~ (not), see [logical operators](#)  
~ abbreviation character, see [abbreviations](#)  
~= (not equal), see [relational operators](#)

## A

.a, .b, . . . , .z, see [missing values](#)  
abbreviations, [U] [11.1.1 varlist](#), [U] [11.2 Abbreviation rules](#), [U] [11.4 varlists](#)  
aborting command execution, [U] [9 The Break key](#), [U] [10 Keyboard use](#)  
Access, Microsoft, reading data from, [U] [21.4 Transfer programs](#)  
addition operator, see [arithmetic operators](#)  
.ado file, [U] [11.6 File naming conventions](#)  
ado-files, [U] [3.5 The Stata Journal](#), [U] [17 Ado-files](#), [U] [18.11 Ado-files](#)  
    downloading, see [files](#), [downloading](#)  
    installing, [U] [17.6 How do I install an addition?](#)  
    location, [U] [17.5 Where does Stata look for ado-files?](#)  
    long lines, [U] [18.11.2 Comments and long lines in ado-files](#)  
    official, [U] [28 Using the Internet to keep up to date](#)  
adopath command, [U] [17.5 Where does Stata look for ado-files?](#)  
adosize, set subcommand, [U] [18.11 Ado-files](#)  
Afifi, A. A., [U] [20.25 References](#)  
algebraic expressions, functions, and operators, [U] [13 Functions and expressions](#)  
\_all, [U] [11.1.1 varlist](#)  
alphanumeric variables, see [string variables](#)  
analytic weight, [U] [11.1.6 weight](#), [U] [20.23.2 Analytic weights](#)  
and operator, [U] [13.2.4 Logical operators](#)  
Angrist, J. D., [U] [20.25 References](#)

append command, [U] [22 Combining datasets](#)  
appending data, [U] [22 Combining datasets](#)  
arithmetic operators, [U] [13.2.1 Arithmetic operators](#)  
Author Support Program, [U] [3.8.2 For authors](#)  
auto.dta, [U] [1.2.2 Example datasets](#)  
autocode() function, [U] [25.1.2 Converting continuous variables to categorical variables](#)  
[aweight=*exp*] modifier, [U] [11.1.6 weight](#), [U] [20.23.2 Analytic weights](#)  
Azen, S. P., [U] [20.25 References](#)

## B

\_b[], [U] [13.5 Accessing coefficients and standard errors](#)  
BASE directory, [U] [17.5 Where does Stata look for ado-files?](#)  
base level, [U] [11.4.3 Factor variables](#)  
Baum, C. F., [U] [11.7 References](#), [U] [16.5 References](#), [U] [18.14 References](#), [U] [20.25 References](#)  
Belsley, D. A., [U] [18.14 References](#)  
Binder, D. A., [U] [20.25 References](#)  
biyearly() function, [U] [25 Working with categorical data and factor variables](#)  
blog, see [Stata Blog](#)  
Break key, [U] [9 The Break key](#), [U] [16.1.4 Error handling in do-files](#)  
built-in variables, [U] [11.3 Naming conventions](#), [U] [13.4 System variables \(\\_variables\)](#)  
Buja, A., [U] [20.25 References](#)  
business calendars, [U] [24.7 Business dates and calendars](#)  
by *varlist*: prefix, [U] [11.5 by varlist: construct](#), [U] [13.7 Explicit subscripting](#), [U] [27.2 The by construct](#)  
by-groups, [U] [11.5 by varlist: construct](#)  
byte (storage type), [U] [12.2.2 Numeric storage types](#)

## C

categorical variables, [U] [25.1.2 Converting continuous variables to categorical variables](#)  
Chambers, J. M., [U] [1.4 References](#)  
char command, [U] [12.8 Characteristics](#)  
character data, see [string variables](#)  
characteristics, [U] [12.8 Characteristics](#), [U] [18.3.6 Extended macro functions](#), [U] [18.3.13 Referring to characteristics](#)  
clear option, [U] [11.2 Abbreviation rules](#)  
Cleveland, W. S., [U] [1.4 References](#)  
cluster analysis, [U] [26.26 Multivariate and cluster analysis](#)  
cmdlog command, [U] [15 Saving and printing output—log files](#)  
\_coef[], [U] [13.5 Accessing coefficients and standard errors](#)  
coefficients (from estimation),  
    accessing, [U] [13.5 Accessing coefficients and standard errors](#)

- coefficients (from estimation), *continued*
    - estimated linear combinations, see linear combinations of estimators
  - columns of matrix, names of, [U] [14.2 Row and column names](#)
  - combining datasets, [U] [22 Combining datasets](#)
  - command
    - arguments, [U] [18.4 Program arguments](#)
    - parsing, [U] [18.4 Program arguments](#)
    - timings, [U] [8 Error messages and return codes](#)
  - commands,
    - abbreviating, [U] [11.2 Abbreviation rules](#)
    - aborting, [U] [9 The Break key](#), [U] [10 Keyboard use](#)
    - editing and repeating, [U] [10 Keyboard use](#)
    - immediate, [U] [19 Immediate commands](#)
  - comments in programs, do-files, etc.,
    - [U] [16.1.2 Comments and blank lines in do-files](#), [U] [18.11.2 Comments and long lines in ado-files](#)
  - concatenating strings, [U] [13.2.2 String operators](#)
  - confidence interval, [U] [20.7 Specifying the width of confidence intervals](#)
  - contrast command, [U] [20.18 Obtaining contrasts, tests of interactions, and main effects](#)
  - contrasts, [U] [20.18 Obtaining contrasts, tests of interactions, and main effects](#)
    - graphing, [U] [20.19 Graphing margins, marginal effects, and contrasts](#)
  - Cook, I. T., [U] [1.4 References](#)
  - count data, estimation, [U] [26.11 Count dependent-variable models](#)
  - courses about Stata, [U] [3.7.2 NetCourses](#)
  - Cox, N. J., [U] [11.7 References](#), [U] [12.10 References](#), [U] [13.12 References](#), [U] [17.10 Reference](#), [U] [23.5 Reference](#), [U] [24.8 References](#)
- ## D
- data,
    - appending, see [appending data](#)
    - characteristics of, see [characteristics](#)
    - combining, see [combining datasets](#)
    - experimental, see [experimental data](#)
    - exporting, see [exporting data](#)
    - importing, see [importing data](#)
    - inputting, see [reading data from disk](#)
    - labeling, see [labeling data](#)
    - large, dealing with, see [memory](#)
    - missing values, see [missing values](#)
    - observational, see [observational data](#)
    - reading, see [reading data from disk](#)
    - strings, see [string variables](#)
    - survey, see [survey data](#)
  - data entry, see [reading data from disk](#)
  - data types, [U] [12 Data](#)
  - database, reading data from other software, [U] [21.4 Transfer programs](#)
  - datasets, example, [U] [1.2.2 Example datasets](#)
  - date,
    - displaying, [U] [12.5.3 Date and time formats](#), [U] [24.3 Displaying dates and times](#)
    - formats, [U] [12.5.3 Date and time formats](#), [U] [24.3 Displaying dates and times](#)
    - functions, [U] [24.5 Extracting components of dates and times](#)
    - inputting, [U] [24.2 Inputting dates and times](#)
    - variables, [U] [24 Working with dates and times](#)
  - datelist, [U] [11.1.9 datelist](#)
  - day() function, [U] [24.5 Extracting components of dates and times](#)
  - dBASE, reading data from, [U] [21.4 Transfer programs](#)
  - .dct file, [U] [11.6 Filenaming conventions](#)
  - Deaton, A. S., [U] [20.25 References](#)
  - describe command, [U] [12.6 Dataset, variable, and value labels](#)
  - difference of estimated coefficients, see linear combinations of estimators
  - difference operator, [U] [11.4.4 Time-series varlists](#)
  - digits, controlling the number displayed,
    - [U] [12.5 Formats: Controlling how data are displayed](#)
  - directories, [U] [11.6 Filenaming conventions](#), [U] [18.3.11 Constructing Windows filenames by using macros](#)
    - location of ado-files, [U] [17.5 Where does Stata look for ado-files?](#)
  - discard command, [U] [18.11.3 Debugging ado-files](#)
  - display command, [U] [19.1.2 A list of the immediate commands](#)
  - display formats, [U] [12.5 Formats: Controlling how data are displayed](#), [U] [24.3 Displaying dates and times](#)
  - displaying long strings, see [string variables](#), long
  - division operator, see [arithmetic operators](#)
  - do command, [U] [16 Do-files](#)
  - .do file, [U] [11.6 Filenaming conventions](#)
  - documentation, [U] [1 Read this—it will help](#)
    - keyword search on, [U] [4 Stata's help and search facilities](#)
  - do-files, [U] [16 Do-files](#), [U] [18.2 Relationship between a program and a do-file](#)
    - long lines, [U] [18.11.2 Comments and long lines in ado-files](#)
  - double (storage type), [U] [12.2.2 Numeric storage types](#)
  - double-precision floating point number,
    - [U] [12.2.2 Numeric storage types](#)
  - dow() function, [U] [24.5 Extracting components of dates and times](#)
  - .dta file, [U] [11.6 Filenaming conventions](#)
  - .dtasig file, [U] [11.6 Filenaming conventions](#)
  - dummy variables, see [indicators](#)
  - dynamic forecast, [U] [20.20 Dynamic forecasts and simulations](#)

## E

e() stored results, [U] 18.8 Accessing results calculated by other programs, [U] 18.9 Accessing results calculated by estimation commands, [U] 18.10.2 Storing results in e()

EBCDIC files, [U] 21.2.9 If you have EBCDIC data

e-class command, [U] 18.8 Accessing results calculated by other programs

editing
 

- commands, [U] 10 Keyboard use
- output, [U] 15 Saving and printing output—log files

encode command, [U] 23.2 Categorical string variables

entering data, see reading data from disk

equality operator, [U] 13.2.3 Relational operators

equation names of matrix, [U] 14.2 Row and column names

error
 

- handling, [U] 16.1.4 Error handling in do-files
- messages and return codes, [U] 4.8.5 Return codes, [U] 8 Error messages and return codes, *also* see error handling

estimate linear combinations of coefficients, see linear combinations of estimators

estimation commands, [U] 18.9 Accessing results calculated by estimation commands, [U] 26 Overview of Stata estimation commands

estimators,
 

- covariance matrix of, [U] 20.9 Obtaining the variance–covariance matrix
- linear combinations, [U] 20.13 Obtaining linear combinations of coefficients

Everitt, B. S., [U] 1.4 References

exact statistics, [U] 26.12 Exact estimators

example datasets, [U] 1.2.2 Example datasets

Excel, [U] 21 Entering and importing data

exit command, [U] 16.1.4 Error handling in do-files

*=exp*, [U] 11 Language syntax

experimental data, [U] 12 Data, [U] 20 Estimation and postestimation commands, [U] 26.4 Structural equation modeling (SEM), [U] 26.19 Multilevel mixed-effects models, [U] 26.20 Survival-time (failure-time) models

exponential notation, [U] 12.2 Numbers

exporting data, [U] 21.4 Transfer programs

expressions, [U] 13 Functions and expressions

F

Facebook, see Stata on Facebook

factor variables, [U] 11.4.3 Factor variables, [U] 13.8 Indicator values for levels of factor variables, [U] 14.2.2 Two-part names, [U] 20.11 Accessing estimated coefficients, [U] 25 Working with categorical data and factor variables

factorial, [U] 11.4.3 Factor variables

failure-time model, see survival analysis

FAQs, [U] 3.2.1 The Stata website ([www.stata.com](http://www.stata.com))
 

- search, [U] 4.8.4 FAQ searches

files,
 

- downloading, [U] 28 Using the Internet to keep up to date
- exporting, see exporting data
- extensions, [U] 11.6 Filenaming conventions
- importing, see importing data
- names, [U] 11.6 Filenaming conventions, [U] 18.3.11 Constructing Windows filenames by using macros

F-keys, [U] 10 Keyboard use

float, [U] 13.11 Precision and problems therein

float (storage type), [U] 12.2.2 Numeric storage types

float() function, [U] 13.11 Precision and problems therein

%fmts, [U] 12.5 Formats: Controlling how data are displayed

forecast, econometric model, [U] 20.20 Dynamic forecasts and simulations

formats, [U] 12.5 Formats: Controlling how data are displayed, [U] 20.8 Formatting the coefficient table, [U] 24.3 Displaying dates and times

formatted data, reading, see importing data

forum, [U] 3.4 The Stata forum

FoxPro, reading data from, [U] 21.4 Transfer programs

Frankel, M. R., [U] 20.25 References

Freese, J., [U] 20.25 References

frequency weight, [U] 11.1.6 weight, [U] 20.23.1 Frequency weights

[*frequency=exp*] modifier, [U] 11.1.6 weight, [U] 20.23.1 Frequency weights

frontier model, see stochastic frontier model

full factorial, [U] 11.4.3 Factor variables

Fuller, W. A., [U] 20.25 References

functions, [U] 13.3 Functions
 

- date, [U] 24.5 Extracting components of dates and times
- matrix, [U] 14.8 Matrix functions
- [*fweight=exp*] modifier, [U] 11.1.6 weight, [U] 20.23.1 Frequency weights

## G

Gail, M. H., [U] 20.25 References

Gauss, reading data from, [U] 21.4 Transfer programs

generalized
 

- linear models, [U] 26.6 Generalized linear models, [U] 26.18.3 Generalized linear models with panel data
- method of moments, [U] 26.22 Generalized method of moments (GMM)

getting started, [U] 1 Read this—it will help

*Getting Started with Stata* manuals, [U] 1.1 Getting Started with Stata

keyword search of, [U] 4 Stata's help and search facilities

GLM, see [generalized linear models](#)

global command, [U] [18.3.2 Global macros](#), [U] [18.3.10 Advanced global macro manipulation](#)

GMM, see [generalized method of moments](#)

Golbe, D. L., [U] [22.1 References](#)

Gould, W. W., [U] [13.12 References](#), [U] [18.14 References](#), [U] [22.1 References](#), [U] [26.31 References](#)

.gph file, [U] [11.6 Filenaming conventions](#)

graphical user interface, examples of, [U] [2 A brief description of Stata](#)

graphs,  
    contrasts, see [subentry margins](#)  
    margins, [U] [20.19 Graphing margins, marginal effects, and contrasts](#)

greater than (or equal) operator, [U] [13.2.3 Relational operators](#)

.grec file, [U] [11.6 Filenaming conventions](#)

groupvar, [U] [11.4 varlists](#)

GUI, see [graphical user interface, examples of](#)

## H

Hampel, F. R., [U] [20.25 References](#)

help command, [U] [4 Stata's help and search facilities](#), [U] [7 –more– conditions](#)  
    writing your own, [U] [18.11.6 Writing system help](#)

help—I don't know what to do, [U] [3 Resources for learning and using Stata](#)

Herrin, J., [U] [18.14 References](#)

heteroskedastic errors, see [linear regression with heteroskedastic errors](#)

Heyde, C. C., [U] [1.4 References](#)

hierarchical model, [U] [26.19 Multilevel mixed-effects models](#)

<http://www.stata.com>, [U] [3.2.1 The Stata website \(www.stata.com\)](#)

Huber, P. J., [U] [20.25 References](#)

hypertext help, [U] [4 Stata's help and search facilities](#), [U] [18.11.6 Writing system help](#)

## I

if exp, [U] [11 Language syntax](#)

immediate commands, [U] [18.4.5 Parsing immediate commands](#), [U] [19 Immediate commands](#)

importance weight, [U] [11.1.6 weight](#), [U] [20.23.4 Importance weights](#)

importing data, [U] [21 Entering and importing data](#), [U] [21.4 Transfer programs](#)

in range modifier, [U] [11 Language syntax](#)

index search, [U] [4 Stata's help and search facilities](#)

indicators, [U] [11.4.3 Factor variables](#)

Informix, reading data from, [U] [21.4 Transfer programs](#)

inputting data from a file, see [reading data from disk](#)

installation  
    of official updates, [U] [28 Using the Internet to keep up to date](#)  
    of SJ and STB, [U] [3.6 Updating and adding features from the web](#), [U] [17.6 How do I install an addition?](#)

int (storage type), [U] [12.2.2 Numeric storage types](#)

interaction, [U] [11.4.3 Factor variables](#), [U] [13.5.3 Factor variables and time-series operators](#), [U] [20.18 Obtaining contrasts, tests of interactions, and main effects](#), [U] [25.2 Estimation with factor variables](#)

Internet,  
    installation of updates from, [U] [28 Using the Internet to keep up to date](#)  
    Stata, [U] [3.2.1 The Stata website \(www.stata.com\)](#)  
    Stata Journal, [U] [3.5 The Stata Journal](#)  
    Stata Press, [U] [3.3 Stata Press](#)

interrupting command execution, [U] [10 Keyboard use](#)

.irf file, [U] [11.6 Filenaming conventions](#)

[iweight=exp] modifier, [U] [11.1.6 weight](#), [U] [20.23.4 Importance weights](#)

## J

Johnson, N. L., [U] [1.4 References](#)

joinby command, [U] [22 Combining datasets](#)

joining datasets, see [combining datasets](#)

## K

Kent, J. T., [U] [20.25 References](#)

keyboard  
    entry, [U] [10 Keyboard use](#)  
    search, [U] [4 Stata's help and search facilities](#)

Kish, L., [U] [20.25 References](#)

Kleiner, B., [U] [1.4 References](#)

Kolev, G. I., [U] [11.7 References](#)

Kotz, S., [U] [1.4 References](#)

Kuh, E., [U] [18.14 References](#)

Künsch, H. R., [U] [20.25 References](#)

## L

label command, [U] [12.6 Dataset, variable, and value labels](#)

label values, [U] [12.6 Dataset, variable, and value labels](#), [U] [13.10 Label values](#)

labeling data, [U] [12.6 Dataset, variable, and value labels](#)

labeling data in other languages, [U] [12.6.4 Labels in other languages](#)

lag operator, [U] [11.4.4 Time-series varlists](#)

lagged values, [U] [11.4.4 Time-series varlists](#), [U] [13 Functions and expressions](#), [U] [13.7 Explicit subscripting](#), [U] [13.9.1 Generating lags, leads, and differences](#)

language syntax, [U] [11 Language syntax](#)

- lead
- operator, [U] **11.4.4 Time-series varlists**
  - values, see *lagged values*
- least-squares means, [U] **20.15.1 Obtaining estimated marginal means**
- less than (or equal) operator, [U] **13.2.3 Relational operators**
- levels, [U] **11.4.3 Factor variables**
- likelihood-ratio test, [U] **20.12.3 Likelihood-ratio tests**
- limits, [U] **6 Managing memory**
- Lin, D. Y., [U] **20.25 References**
- linear combinations of estimators, [U] **20.13 Obtaining linear combinations of coefficients**
- linear regression, *also see generalized linear models, also see panel data, also see random-coefficients model*
- conditional, [U] **26.9 Conditional logistic regression**
  - with heteroskedastic errors, [U] **26.13 Linear regression with heteroskedastic errors**
  - with simple error structures, [U] **26.3 Linear regression with simple error structures**
- lines, long, in do-files and ado-files, [U] **18.11.2 Comments and long lines in ado-files**
- Linhart, J. M., [U] **13.12 References**
- listing strings, [U] **12.4.12 How to see the full contents of a strL or a str# variable**
- loading data, see *reading data from disk*
- local command, [U] **18.3.1 Local macros, [U] 18.3.9 Advanced local macro manipulation**
- log command, [U] **15 Saving and printing output—log files, [U] 16.1.2 Comments and blank lines in do-files**
- .log file, [U] **11.6 Filenaming conventions**
- log files, see *log command*
- logical operators, [U] **13.2.4 Logical operators**
- long lines in ado-files and do-files, [U] **18.11.2 Comments and long lines in ado-files**
- long strings, see *string variables, long*
- long (storage type), [U] **12.2.2 Numeric storage types**
- Long, J. S., [U] **12.10 References, [U] 16.5 References, [U] 20.25 References**
- Longest, K. C., [U] **12.10 References**
- longitudinal data, see *panel data*
- Lotus 1-2-3, reading data from, see *spreadsheets*
- M**
- Mac,
- keyboard use, [U] **10 Keyboard use**
  - specifying filenames, [U] **11.6 Filenaming conventions**
- MacKinnon, J. G., [U] **20.25 References**
- macros, [U] **18.3 Macros**
- marginal
- effects, [U] **20.15 Obtaining marginal means, adjusted predictions, and predictive margins, [U] 20.19 Graphing margins, marginal effects, and contrasts**
  - means, [U] **20.15 Obtaining marginal means, adjusted predictions, and predictive margins**
- margins command, [U] **20.15 Obtaining marginal means, adjusted predictions, and predictive margins**
- marginsplot command, [U] **20.19 Graphing margins, marginal effects, and contrasts**
- .mata source code file, [U] **11.6 Filenaming conventions**
- mathematical functions and expressions, [U] **13.3 Functions**
- Matlab, reading data from, [U] **21.4 Transfer programs**
- matrices, [U] **14 Matrix expressions**
- input, [U] **14.4 Inputting matrices by hand**
  - operators such as addition, [U] **14.7 Matrix operators**
  - row and column names, [U] **14.2 Row and column names**
  - subscripting, [U] **14.9 Subscripting**
- matsize command, [U] **14 Matrix expressions**
- maximum
- number of variables and observations, [U] **6 Managing memory**
  - size of dataset, [U] **6 Managing memory**
- McAlear, M., [U] **20.25 References**
- memory, [U] **6 Managing memory**
- memory command, [U] **6 Managing memory**
- merge command, [U] **22 Combining datasets**
- merging data, see *combining datasets*
- messages and return codes, see *error messages and return codes*
- Microsoft
- Access, reading data from, [U] **21.4 Transfer programs**
  - Windows, see *Windows*
- missing values, [U] **12.2.1 Missing values, [U] 13 Functions and expressions**
- Mitchell, M. N., [U] **11.7 References, [U] 12.10 References, [U] 13.12 References, [U] 20.25 References, [U] 22.1 References**
- Miura, H., [U] **14.11 Reference**
- mixed model, [U] **26.19 Multilevel mixed-effects models**
- .mlib library file, [U] **11.6 Filenaming conventions**
  - .mmat matrix file, [U] **11.6 Filenaming conventions**
  - .mo object code file, [U] **11.6 Filenaming conventions**
- month() function, [U] **24.5 Extracting components of dates and times**
- more command and parameter, [U] **7 –more– conditions, [U] 16.1.6 Preventing –more– conditions**
- multilevel model, [U] **26.19 Multilevel mixed-effects models**
- multiple imputation, [U] **26.25 Multiple imputation**

multiplication operator, see arithmetic operators  
 multivariate analysis, [U] 26.26 Multivariate and cluster analysis

## N

`_n` and `_N` built-in variables, [U] 13.4 System variables (`_variables`), [U] 13.7 Explicit subscripting  
 names, [U] 11.3 Naming conventions  
 negation operator, see arithmetic operators  
 NetCourseNow, [U] 3.7.2 NetCourses  
 NetCourses, [U] 3.7.2 NetCourses  
 newsletter, [U] 3 Resources for learning and using Stata  
 Not Elsewhere Classified, see Stata Blog  
 not equal operator, [U] 13.2.3 Relational operators  
 not operator, [U] 13.2.4 Logical operators  
 number to string conversion, see string functions  
 numbers, [U] 12.2 Numbers  
 numeric list, [U] 11.1.8 numlist  
 numerical precision, [U] 13.11 Precision and problems therein  
 numlist command, [U] 11.1.8 numlist

## O

observational data, [U] 12 Data, [U] 20 Estimation and postestimation commands, [U] 26.4 Structural equation modeling (SEM), [U] 26.17 Models with time-series data, [U] 26.18 Panel-data models, [U] 26.19 Multilevel mixed-effects models, [U] 26.20 Survival-time (failure-time) models, [U] 26.21 Treatment-effect models, [U] 26.24 Survey data, [U] 26.26 Multivariate and cluster analysis  
 observations,  
   built-in counter variable, [U] 11.3 Naming conventions  
   maximum number of, [U] 6 Managing memory  
 ODBC data source, reading data from,  
   [U] 21.4 Transfer programs, [U] 21.5 ODBC sources  
 OLDPLACE directory, [U] 17.5 Where does Stata look for ado-files?  
 online help, [U] 7 `–more–` conditions  
 operator, [U] 13.2 Operators  
   difference, [U] 11.4.4 Time-series varlists  
   lag, [U] 11.4.4 Time-series varlists  
   lead, [U] 11.4.4 Time-series varlists  
   order of evaluation, [U] 13.2.5 Order of evaluation, all operators  
   seasonal lag, [U] 11.4.4 Time-series varlists  
 options, [U] 11 Language syntax  
 or operator, [U] 13.2.4 Logical operators  
 Oracle, reading data from, [U] 21.4 Transfer programs  
 out-of-sample predictions, [U] 20.10.3 Making out-of-sample predictions  
 output, printing, [U] 15 Saving and printing output—log files

## P

pairwise comparisons, [U] 20.17 Obtaining pairwise comparisons  
 panel data, [U] 26.18 Panel-data models  
 Paradox, reading data from, [U] 21.4 Transfer programs  
 parsing, [U] 18.4 Program arguments  
 partitioning memory, [U] 6 Managing memory  
 paths, [U] 11.6 Filenaming conventions  
 PERSONAL directory, [U] 17.5 Where does Stata look for ado-files?  
 pharmacokinetic data, [U] 26.27 Pharmacokinetic data  
`_pi` built-in variable, [U] 11.3 Naming conventions  
`pi`, value of, [U] 11.3 Naming conventions, [U] 13.4 System variables (`_variables`)  
 Piantadosi, S., [U] 20.25 References  
 Pischke, J.-S., [U] 20.25 References  
 platforms for which Stata is available,  
   [U] 5.1 Platforms  
 PLUS directory, [U] 17.5 Where does Stata look for ado-files?  
 power, [U] 19.3 The power command,  
   [U] 26.29 Power and sample-size analysis  
 power, raise to, function, see arithmetic operators  
 precision, [U] 13.11 Precision and problems therein  
 predict command, [U] 20.10 Obtaining predicted values  
 predictive margins, [U] 20.15 Obtaining marginal means, adjusted predictions, and predictive margins  
 prefix command, [U] 11.1.10 Prefix commands  
 printing, logs (output), [U] 15 Saving and printing output—log files  
 probability weight, see sampling weight  
 pwcompare command, [U] 20.17 Obtaining pairwise comparisons  
 [`pweight=exp`] modifier, [U] 11.1.6 weight,  
   [U] 20.23.3 Sampling weights  
 Pérez-Amaral, T., [U] 20.25 References

## Q

qualitative dependent variables, [U] 26.7 Binary-outcome qualitative dependent-variable models, [U] 26.10 Multiple-outcome qualitative dependent-variable models, [U] 26.18.4 Qualitative dependent-variable models with panel data  
 Quattro Pro, reading data from, [U] 21.4 Transfer programs  
 quitting Stata, see exit command  
 quotes  
   to delimit strings, [U] 18.3.5 Double quotes  
   to expand macros, [U] 18.3.1 Local macros

## R

`r()` stored results, [U] 18.8 Accessing results calculated by other programs, [U] 18.10.1 Storing results in `r()`

raise to a power function, [U] 13.2.1 Arithmetic operators

random sample, [U] 21.3 If you run out of memory

random-coefficients model, [U] 26.18.6 Random-coefficients model with panel data

raw data, [U] 12 Data

`.raw` file, [U] 11.6 Filenaming conventions

`rc` (return codes), see error messages and return codes

`_rc` built-in variable, [U] 13.4 System variables (`_variables`)

`r-class` command, [U] 18.8 Accessing results calculated by other programs

reading data from disk, [U] 21 Entering and importing data, [U] 21.4 Transfer programs

receiver operating characteristic analysis, [U] 26.8 ROC analysis

`recode()` function, [U] 25.1.2 Converting continuous variables to categorical variables

record I/O versus stream I/O, [U] 21 Entering and importing data

recording sessions, [U] 15 Saving and printing output—log files

regression (in generic sense), see estimation commands  
accessing coefficients and standard errors, [U] 13.5 Accessing coefficients and standard errors

relational operators, [U] 13.2.3 Relational operators

repeating and editing commands, [U] 10 Keyboard use

`replace` option, [U] 11.2 Abbreviation rules

reserved names, [U] 11.3 Naming conventions

return codes, see error messages and return codes

`#review` command, [U] 10 Keyboard use, [U] 15 Saving and printing output—log files

Rising, W. R., [U] 12.10 References

`rmsg`, [U] 8 Error messages and return codes

ROC, see receiver operating characteristic analysis

Rogers, W. H., [U] 20.25 References

roundoff error, [U] 13.11 Precision and problems therein

Royall, R. M., [U] 20.25 References

`run` command, [U] 16 Do-files

Ryan, P., [U] 11.7 References

## S

`s()` stored results, [U] 18.8 Accessing results calculated by other programs, [U] 18.10.3 Storing results in `s()`

sample size, [U] 26.29 Power and sample-size analysis

sample, random, see random sample

sampling weight, [U] 11.1.6 weight, [U] 20.23.3 Sampling weights, *also see* survey data

Samuels, S. J., [U] 24.8 References

SAS, reading data from, [U] 21.4 Transfer programs

saved results, see stored results

scientific notation, [U] 12.2 Numbers

`s-class` command, [U] 18.8 Accessing results calculated by other programs

scores, obtaining, [U] 20.22 Obtaining scores

`_se[]`, [U] 13.5 Accessing coefficients and standard errors

`search` command, [U] 4 Stata's help and search facilities

seasonal lag operator, [U] 11.4.4 Time-series varlists

SEM, see structural equation modeling

Seneta, E., [U] 1.4 References

sensitivity, see receiver operating characteristic analysis

session, recording, [U] 15 Saving and printing output—log files

`set adosize` command, [U] 18.11 Ado-files

significance level, [U] 20.7 Specifying the width of confidence intervals

simulation, [U] 20.20 Dynamic forecasts and simulations

single-precision floating point number, [U] 12.2.2 Numeric storage types

SITE directory, [U] 17.5 Where does Stata look for ado-files?

Skrondal, A., [U] 1.4 References

Small Stata, [U] 5 Flavors of Stata

`.smc1` file, [U] 11.6 Filenaming conventions

sort order for strings, [U] 13.2.3 Relational operators

specificity, see receiver operating characteristic analysis

S-Plus, reading data from, [U] 21.4 Transfer programs

spreadsheets, transferring  
from Stata, [U] 21.4 Transfer programs  
into Stata, [U] 21 Entering and importing data, [U] 21.4 Transfer programs

SPSS, reading data from, [U] 21.4 Transfer programs

standard errors, accessing, [U] 13.5 Accessing coefficients and standard errors

Stat/Transfer, [U] 21.4 Transfer programs

Stata  
Blog, [U] 3.2.3 The Stata Blog—Not Elsewhere Classified  
conference, [U] 3.7.1 Conferences and users group meetings  
description, [U] 2 A brief description of Stata documentation, [U] 1 Read this—it will help  
example datasets, [U] 1.2.2 Example datasets  
exiting, see `exit` command  
for Mac, see Mac  
for Unix, see Unix  
for Windows, see Windows  
forum, [U] 3.4 The Stata forum  
limits, [U] 5 Flavors of Stata  
NetCourseNow, [U] 3.7.2 NetCourses  
NetCourses, [U] 3.7.2 NetCourses  
on Facebook, [U] 3.2.4 Stata on Twitter and Facebook

- Stata, *continued*
- on Twitter, [U] [3.2.4 Stata on Twitter and Facebook](#)
  - platforms, [U] [5.1 Platforms](#)
  - Press, [U] [3.3 Stata Press](#)
  - Small, see [Small Stata](#)
  - Stata/IC, see [Stata/IC](#)
  - Stata/MP, see [Stata/MP](#)
  - Stata/SE, see [Stata/SE](#)
  - supplementary material, [U] [3 Resources for learning and using Stata](#)
  - support, [U] [3 Resources for learning and using Stata](#)
  - training, [U] [3.7 Conferences and training](#)
  - updates, see [updates to Stata](#)
  - users group meeting, [U] [3.7.1 Conferences and users group meetings](#)
  - website, [U] [3.2.1 The Stata website \(www.stata.com\)](#)
  - YouTube Channel, [U] [3.2.2 The Stata YouTube Channel](#)
- Stata Journal* and *Stata Technical Bulletin*, [U] [3.5 The Stata Journal](#)
- installation of, [U] [17.6 How do I install an addition?](#)
  - keyword search of, [U] [4 Stata's help and search facilities](#)
- Stata News*, [U] [3 Resources for learning and using Stata](#)
- Stata Technical Bulletin Reprints*, [U] [3.5 The Stata Journal](#)
- Stata/IC, [U] [5 Flavors of Stata](#)
- Stata/MP, [U] [5 Flavors of Stata](#)
- Stata/SE, [U] [5 Flavors of Stata](#)
- Statalist, [U] [3.4 The Stata forum](#)
- STB, see [Stata Journal](#) and [Stata Technical Bulletin](#)
- .stbcal file, [U] [11.6 Filenaming conventions](#)
- .ster file, [U] [11.6 Filenaming conventions](#)
- .sthlp file, [U] [4 Stata's help and search facilities](#), [U] [11.6 Filenaming conventions](#), [U] [18.11.6 Writing system help](#)
- stochastic frontier model, [U] [26.14 Stochastic frontier models](#)
- stopping command execution, [U] [10 Keyboard use](#)
- storage types, [U] [11.4 varlists](#), [U] [12.2.2 Numeric storage types](#), [U] [12.4 Strings](#)
- stored results, [U] [18.8 Accessing results calculated by other programs](#), [U] [18.9 Accessing results calculated by estimation commands](#), [U] [18.10 Storing results](#)
- .stpr file, [U] [11.6 Filenaming conventions](#)
- .stptrace file, [U] [11.6 Filenaming conventions](#)
- str#, [U] [12.4 Strings](#)
- stream I/O versus record I/O, [U] [21 Entering and importing data](#)
- string functions, [U] [12.4 Strings](#), [U] [23 Working with strings](#)
- string variables, [U] [12.4 Strings](#), [U] [23 Working with strings](#)
- inputting, [U] [21 Entering and importing data](#)
  - long, [U] [12.4.12 How to see the full contents of a strL or a str# variable](#), also see [strL](#)
  - sort order, [U] [13.2.3 Relational operators](#)
- strL, [U] [12.4 Strings](#)
- displaying, [U] [12.4.12 How to see the full contents of a strL or a str# variable](#)
- structural equation modeling, [U] [26.4 Structural equation modeling \(SEM\)](#)
- .stsem file, [U] [11.6 Filenaming conventions](#)
- subdirectories, [U] [11.6 Filenaming conventions](#)
- subscripts in expressions, [U] [13.7 Explicit subscripting](#)
- subtraction operator, see [arithmetic operators](#)
- .sum file, [U] [11.6 Filenaming conventions](#)
- support of Stata, [U] [3 Resources for learning and using Stata](#)
- survey data, [U] [26.24 Survey data](#)
- survival analysis, [U] [26.20 Survival-time \(failure-time\) models](#)
- survival-time data, see [survival analysis](#)
- Swagel, P. L., [U] [21.6 Reference](#)
- Sybase, reading data from, [U] [21.4 Transfer programs](#)
- syntax of Stata's language, [U] [11 Language syntax](#)
- sysdir command, [U] [17.5 Where does Stata look for ado-files?](#)
- Systat, reading data from, [U] [21.4 Transfer programs](#)
- system estimators, [U] [26.15 Regression with systems of equations](#), also see [generalized method of moments](#)
- system variables, [U] [13.4 System variables \(\\_variables\)](#)

## T

- tab expansion of variable names, [U] [10.6 Tab expansion of variable names](#)
- tables, printing, [U] [15 Saving and printing output—log files](#)
- Tan, W. Y., [U] [20.25 References](#)
- technical support, [U] [3.9 Technical support](#)
- temporary
- names, [U] [18.7.2 Temporary scalars and matrices](#)
  - variables, [U] [18.7.1 Temporary variables](#)
- termcap(5), [U] [10 Keyboard use](#)
- terminfo(4), [U] [10 Keyboard use](#)
- test command, [U] [20.12 Performing hypothesis tests on the coefficients](#)
- time-series
- estimation, [U] [26.17 Models with time-series data](#)
  - operators, [U] [13.9 Time-series operators](#)
  - varlists, [U] [11.4.4 Time-series varlists](#)
- training, [U] [3.7 Conferences and training](#)
- transferring data
- from Stata, [U] [21.4 Transfer programs](#)
  - into Stata, [U] [21 Entering and importing data](#), [U] [21.4 Transfer programs](#)



treatment-effect models, [U] [26.21 Treatment-effect models](#)

Tukey, P. A., [U] [1.4 References](#)

tutorials, [U] [1.2.2 Example datasets](#)

Twitter, see [Stata on Twitter](#)

## U

underlining in syntax diagram, [U] [11 Language syntax](#)

underscore variables, [U] [13.4 System variables \(\\_variables\)](#)

Unix,

  keyboard use, [U] [10 Keyboard use](#)

  specifying filenames, [U] [11.6 Filenaming conventions](#)

updates to Stata, [U] [3.5 The Stata Journal](#),  
  [U] [3.6 Updating and adding features from the web](#), [U] [17.6 How do I install an addition?](#),  
  [U] [28 Using the Internet to keep up to date](#)

Upton, G. J. G., [U] [1.4 References](#)

## V

value labels, [U] [12.6.3 Value labels](#), [U] [13.10 Label values](#)

variable

  labels, [U] [11.4 varlists](#), [U] [12.6.2 Variable labels](#)

  lists, see [varlist](#)

  types, [U] [11.4 varlists](#), [U] [12.2.2 Numeric storage types](#), [U] [12.4 Strings](#)

*\_variables*, [U] [11.3 Naming conventions](#),  
  [U] [13.4 System variables \(\\_variables\)](#)

variables,

  characteristics of, [U] [12.8 Characteristics](#)

  dummy, see [indicators](#)

  in dataset, maximum number of, [U] [6 Managing memory](#)

  naming, [U] [11.2 Abbreviation rules](#),  
  [U] [11.3 Naming conventions](#)

  storage types, see [storage types](#)

  string, see [string variables](#)

  system, see [system variables](#)

  tab expansion of, [U] [10.6 Tab expansion of variable names](#)

variance–covariance matrix of estimators,  
  [U] [20.9 Obtaining the variance–covariance matrix](#)

*varlist*, [U] [11 Language syntax](#), [U] [11.4 varlists](#)

  existing, [U] [11.4.1 Lists of existing variables](#)

  new, [U] [11.4.2 Lists of new variables](#)

  time series, [U] [11.4.4 Time-series varlists](#)

version command, [U] [16.1.1 Version](#),  
  [U] [18.11.1 Version](#)

version control, see [version command](#)

videos, see [Stata YouTube Channel](#)

vignette, [U] [1.2.7 Vignette](#)

## W

Wald test, [U] [20.12 Performing hypothesis tests on the coefficients](#), [U] [20.12.4 Nonlinear Wald tests](#)

website,

  stata.com, [U] [3.2.1 The Stata website \(www.stata.com\)](#)

  stata-press.com, [U] [3.3 Stata Press](#)

Weesie, J., [U] [20.25 References](#)

Wei, L. J., [U] [20.25 References](#)

*[weight=exp]* modifier, [U] [11.1.6 weight](#),  
  [U] [20.23 Weighted estimation](#)

weighted data, [U] [11.1.6 weight](#), [U] [20.23 Weighted estimation](#), also see [survey data](#)

Weiss, M., [U] [13.12 References](#)

Welsch, R. E., [U] [18.14 References](#)

which command, [U] [17.3 How can I tell if a command is built in or an ado-file?](#)

White, H., [U] [20.21 Obtaining robust variance estimates](#)

White, H. L., Jr., [U] [20.25 References](#)

Williams, R., [U] [20.25 References](#)

Windows,

  filenames, [U] [18.3.11 Constructing Windows filenames by using macros](#)

  keyboard use, [U] [10 Keyboard use](#)

  specifying filenames, [U] [11.6 Filenaming conventions](#)

www.stata.com website, [U] [3.2.1 The Stata website \(www.stata.com\)](#)

www.stata-press.com website, [U] [3.3 Stata Press](#)

## Y

*year()* function, [U] [24.5 Extracting components of dates and times](#)

YouTube Channel, see [Stata YouTube Channel](#)

