

asrobit postestimation — Postestimation tools for asrobit

[Postestimation commands](#) [predict](#) [estat](#) [Remarks and examples](#)
[Stored results](#) [Also see](#)

Postestimation commands

The following postestimation commands are of special interest after `asrobit`:

Command	Description
<code>estat alternatives</code>	alternative summary statistics
<code>estat covariance</code>	covariance matrix of the latent-variable errors for the alternatives
<code>estat correlation</code>	correlation matrix of the latent-variable errors for the alternatives
<code>estat facweights</code>	covariance factor weights matrix
<code>estat mfx</code>	marginal effects

The following standard postestimation commands are also available:

Command	Description
<code>contrast</code>	contrasts and ANOVA-style joint tests of estimates
<code>estat ic</code>	Akaike's and Schwarz's Bayesian information criteria (AIC and BIC)
<code>estat summarize</code>	summary statistics for the estimation sample
<code>estat vce</code>	variance–covariance matrix of the estimators (VCE)
<code>estimates</code>	cataloging estimation results
<code>hausman</code>	Hausman's specification test
<code>lincom</code>	point estimates, standard errors, testing, and inference for linear combinations of coefficients
<code>lrtest</code>	likelihood-ratio test
<code>nlcom</code>	point estimates, standard errors, testing, and inference for nonlinear combinations of coefficients
<code>predict</code>	predicted probabilities, estimated linear predictor and its standard error
<code>predictnl</code>	point estimates, standard errors, testing, and inference for generalized predictions
<code>pwcompare</code>	pairwise comparisons of estimates
<code>test</code>	Wald tests of simple and composite linear hypotheses
<code>testnl</code>	Wald tests of nonlinear hypotheses

predict

Description for predict

`predict` creates a new variable containing predictions such as probabilities, linear predictions, and standard errors.

Menu for predict

Statistics > Postestimation

Syntax for predict

```
predict [type] newvar [if] [in] [, statistic altwise]
```

```
predict [type] {stub*|newvarlist} [if] [in], scores
```

<i>statistic</i>	Description
------------------	-------------

Main

<code>pr</code>	probability of each ranking, by case; the default
<code>pr1</code>	probability that each alternative is preferred
<code>xb</code>	linear prediction
<code>stdp</code>	standard error of the linear prediction

These statistics are available both in and out of sample; type `predict ... if e(sample) ...` if wanted only for the estimation sample.

Options for predict

Main

`pr`, the default, calculates the probability of each ranking. For each case, one probability is computed for the ranks in `e(depvar)`.

`pr1` calculates the probability that each alternative is preferred.

`xb` calculates the linear prediction $\mathbf{x}_{ij}\boldsymbol{\beta} + \mathbf{z}_i\boldsymbol{\alpha}_j$ for alternative j and case i .

`stdp` calculates the standard error of the linear predictor.

`altwise` specifies that alternativewise deletion be used when marking out observations due to missing values in your variables. The default is to use casewise deletion. The `xb` and `stdp` options always use alternativewise deletion.

`scores` calculates the scores for each coefficient in `e(b)`. This option requires a new variable list of length equal to the number of columns in `e(b)`. Otherwise, use the `stub*` syntax to have `predict` generate enumerated variables with prefix `stub`.

estat

Description for estat

`estat alternatives` displays summary statistics about the alternatives in the estimation sample. The command also provides a mapping between the index numbers that label the covariance parameters of the model and their associated values and labels for the alternative variable.

`estat covariance` computes the estimated variance–covariance matrix of the latent-variable errors for the alternatives. The estimates are displayed, and the variance–covariance matrix is stored in `r(cov)`.

`estat correlation` computes the estimated correlation matrix of the latent-variable errors for the alternatives. The estimates are displayed, and the correlation matrix is stored in `r(cor)`.

`estat facweights` displays the covariance factor weights matrix and stores it in `r(C)`.

`estat mfx` computes marginal effects of a simulated probability of a set of ranked alternatives. The probability is stored in `r(pr)`, the matrix of rankings is stored in `r(ranks)`, and the matrix of marginal-effect statistics is stored in `r(mfx)`.

Menu for estat

Statistics > Postestimation

Syntax for estat

Alternative summary statistics

```
estat alternatives
```

Covariance matrix of the latent-variable errors for the alternatives

```
estat covariance [ , format(%fmt) border(bspec) left(#) ]
```

Correlation matrix of the latent-variable errors for the alternatives

```
estat correlation [ , format(%fmt) border(bspec) left(#) ]
```

Covariance factor weights matrix

```
estat facweights [ , format(%fmt) border(bspec) left(#) ]
```

Marginal effects

```
estat mfx [if] [in] [ , estat_mfx_options ]
```

<i>estat_mfx_options</i>	Description
Main	
<code>varlist(<i>varlist</i>)</code>	display marginal effects for <i>varlist</i>
<code>at(median [<i>atlist</i>])</code>	calculate marginal effects at these values
<code>rank(<i>ranklist</i>)</code>	calculate marginal effects for the simulated probability of these ranked alternatives
Options	
<code>level(#)</code>	set confidence interval level; default is <code>level(95)</code>
<code>noesample</code>	do not restrict calculation of the medians to the estimation sample
<code>nowght</code>	ignore weights when calculating medians

Options for estat

Options for `estat` are presented under the following headings:

Options for estat covariance, estat correlation, and estat facweights
Options for estat mfx

Options for estat covariance, estat correlation, and estat facweights

`format(%fmt)` sets the matrix display format. The default for `estat covariance` and `estat facweights` is `format(%9.0g)`. The default for `estat correlation` is `format(%9.4f)`.

`border(bspec)` sets the matrix display border style. The default is `border(all)`. See [P] [matlist](#).

`left(#)` sets the matrix display left indent. The default is `left(2)`. See [P] [matlist](#).

Options for estat mfx

Main

`varlist(varlist)` specifies the variables for which to display marginal effects. The default is all variables.

`at(median [atlist])` specifies the values at which the marginal effects are to be calculated. *atlist* is `[[alternative:variable = #] [variable = #] [...]]`

The marginal effects are calculated at the medians of the independent variables.

After specifying the summary statistic, you can specify specific values for variables. You can specify values for alternative-specific variables by `alternative`, or you can specify one value for all alternatives. You can specify only one value for case-specific variables. For example, in the `wlsrank` dataset, `female` and `score` are case-specific variables, whereas `high` and `low` are alternative-specific variables. The following would be a legal syntax for `estat mfx`:

```
. estat mfx, at(median high=0 esteem:high=1 low=0 security:low=1 female=1)
```

`at(median [atlist])` has no effect on computing marginal effects for factor variables, which are calculated as the discrete change in the probability as the factor variable changes from the base level to the level specified in option `at()`. If a factor level is not specified in the `at()` option, the first level that is not the base is used.

The median computations respect any `if` or `in` qualifiers, so you can restrict the data over which the medians are computed. You can even restrict the values to a specific case, for example,

```
. estat mfx if case==13
```

`rank(ranklist)` specifies the ranks for the alternatives. `ranklist` is

```
alternative = # alternative = # [...]
```

The default is to rank the calculated latent variables. Alternatives excluded from `rank()` are omitted from the analysis. You must therefore specify at least two alternatives in `rank()`. You may have tied ranks in the rank specification. Only the order in the ranks is relevant.

Options

`level(#)` specifies the confidence level, as a percentage, for confidence intervals. The default is `level(95)` or as set by `set level`; see [U] 20.7 Specifying the width of confidence intervals.

`noesample` specifies that the whole dataset be considered instead of only those marked in the `e(sample)` defined by the `asprobit` command.

`nowght` specifies that weights be ignored when calculating the medians.

Remarks and examples

[stata.com](http://www.stata.com)

Remarks are presented under the following headings:

Predicted probabilities

Obtaining estimation statistics

Predicted probabilities

After fitting an alternative-specific rank-ordered probit model, you can use `predict` to obtain the probabilities of alternative rankings or the probabilities of each alternative being preferred. When evaluating the multivariate normal probabilities via (quasi) Monte Carlo, `predict` uses the same method to generate the (quasi) random sequence of numbers as the previous call to `asprobit`. For example, if you specified `intmethod(halton)` when fitting the model, `predict` also uses Halton sequences.

► Example 1

In [example 1](#) of [R] `asprobit`, we fit a model of job characteristic preferences. This is a study of 1957 Wisconsin high school graduates that were asked to rate their relative preference of four job characteristics: esteem, a job other people regard highly; variety, a job that is not repetitive and allows you to do a variety of things; autonomy, a job where your supervisor does not check on you frequently; and security, a job with a low risk of being laid off. The case-specific covariates are `gender`, `female`, an indicator variable for females, and `score`, a score on a general mental ability test measured in standard deviations. The alternative-specific variables are `high` and `low`, which indicate whether the respondent's current job is high or low in esteem, variety, autonomy, or security. This approach provides three states for a respondent's current job status for each alternative, (1,0), (0,1), and (0,0), using the notation (`high`, `low`). The score (1,1) is omitted because the respondent's current job cannot be considered both high and low in one of the job characteristics. The (0,0) score would indicate that the respondent's current job does not rank high or low (is neutral) in a job characteristic. The alternatives are ranked such that 1 is the preferred alternative and 4 is the least preferred.

We can obtain the probabilities of the observed alternative rankings, the `pr` option, and the probability of each alternative being preferred, the `pr1` option, by using `predict`:

```
. use http://www.stata-press.com/data/r14/wlsrank
(1992 Wisconsin Longitudinal Study data on job values)
. asroprobit rank high low if noties, case(id) alternatives(jobchar)
> casevars(female score) reverse
(output omitted)
. keep if e(sample)
(11,244 observations deleted)
. predict prob, pr
. predict prob1, pr1
. list id jobchar prob prob1 rank female score high low in 1/12
```

	id	jobchar	prob	prob1	rank	female	score	high	low
1.	13	security	.0421807	.2784269	3	0	.3246512	0	1
2.	13	autonomy	.0421807	.1029036	1	0	.3246512	0	0
3.	13	variety	.0421807	.6026725	2	0	.3246512	1	0
4.	13	esteem	.0421807	.0160111	4	0	.3246512	0	1
5.	19	autonomy	.0942025	.1232488	4	1	.0492111	0	0
6.	19	esteem	.0942025	.0140261	3	1	.0492111	0	0
7.	19	security	.0942025	.4601368	1	1	.0492111	1	0
8.	19	variety	.0942025	.4025715	2	1	.0492111	0	0
9.	22	esteem	.1414177	.0255264	4	1	1.426412	1	0
10.	22	variety	.1414177	.4549441	1	1	1.426412	0	0
11.	22	security	.1414177	.2629494	3	1	1.426412	0	0
12.	22	autonomy	.1414177	.2566032	2	1	1.426412	1	0

The `prob` variable is constant for each case because it contains the probability of the ranking in the `rank` variable. On the other hand, the `prob1` variable contains the estimated probability of each alternative being preferred. For each case, the sum of the values in `prob1` will be approximately 1.0. They do not add up to exactly 1.0 because of approximations due to the GHK algorithm.

◀

Obtaining estimation statistics

For [examples](#) of the specialized `estat` subcommands `covariance` and `correlation`, see [\[R\] asmprobit postestimation](#). The entry also has a good [example](#) of computing marginal effects after `asmprobit` that is applicable to `asroprobit`. Below we will elaborate further on marginal effects after `asroprobit` where we manipulate the `rank()` option.

▶ Example 2

We will continue with the preferred job characteristics example where we first compute the marginal effects for case `id = 13`.

```
. estat mfx if id==13, rank(security=3 autonomy=1 variety=2 esteem=4)
```

```
Pr(estesteem=4 variety=2 autonomy=1 security=3) = .04218068
```

variable	dp/dx	Std. Err.	z	P> z	[95% C.I.]	X
high						
esteem	-.008624	.001991	-4.33	0.000	-.012527 -.004722	0
variety	-.009788	.00322	-3.04	0.002	-.0161 -.003477	1
autonomy	.021381	.00513	4.17	0.000	.011326 .031435	0
security	-.002968	.001332	-2.23	0.026	-.005579 -.000356	0
low						
esteem	.001608	.002627	0.61	0.541	-.003541 .006757	1
variety	.001825	.003061	0.60	0.551	-.004175 .007824	0
autonomy	-.003986	.006533	-0.61	0.542	-.01679 .008818	0
security	.000553	.000894	0.62	0.536	-.001199 .002306	1
casevars						
female	.00926	.00767	1.21	0.227	-.005773 .024293	0
score	.008587	.004488	1.91	0.056	-.00021 .017384	.32465

Next we compute the marginal effects for the probability that autonomy is preferred given the profile of case id = 13.

```
. estat mfx if id==13, rank(security=2 autonomy=1 variety=2 esteem=2)
```

```
Pr(estesteem=3 variety=4 autonomy=1 security=2) +
```

```
Pr(estesteem=4 variety=3 autonomy=1 security=2) +
```

```
Pr(estesteem=2 variety=4 autonomy=1 security=3) +
```

```
Pr(estesteem=4 variety=2 autonomy=1 security=3) +
```

```
Pr(estesteem=2 variety=3 autonomy=1 security=4) +
```

```
Pr(estesteem=3 variety=2 autonomy=1 security=4) = .10276103
```

variable	dp/dx	Std. Err.	z	P> z	[95% C.I.]	X
high						
esteem	-.002626	.00092	-2.86	0.004	-.004428 -.000823	0
variety	-.033884	.007748	-4.37	0.000	-.049069 -.018699	1
autonomy	.04883	.010069	4.85	0.000	.029095 .068565	0
security	-.01232	.00259	-4.76	0.000	-.017396 -.007244	0
low						
esteem	.00049	.000746	0.66	0.512	-.000972 .001951	1
variety	.006317	.010299	0.61	0.540	-.013869 .026503	0
autonomy	-.009103	.014655	-0.62	0.534	-.037827 .01962	0
security	.002297	.00364	0.63	0.528	-.004838 .009432	1
casevars						
female	.013537	.01969	0.69	0.492	-.025055 .052128	0
score	.017917	.011062	1.62	0.105	-.003764 .039598	.32465

The probability computed by `estat mfx` matches the probability computed by `predict, pr1` only within three digits. This outcome is because of how the computation is carried out and the numeric inaccuracy of the GHK simulator using a Hammersley point set of length 200. The computation carried out by `estat mfx` literally computes all six probabilities listed in the header of the MFX table and sums them. The computation by `predict, pr1` is the same as `predict` after `asmprobit` (multinomial probit): it computes the probability that `autonomy` is chosen, thus requiring only one call to the GHK simulator. Hence, there is a difference in the reported values even though the two probability statements are equivalent.

Simulated probability marginal effects cannot be computed for a variable that is specified in both the alternative-specific and case-specific variable lists. Computations assume that these two variable lists are mutually exclusive. For example, `estat mfx` exits with an error message if your model has independent variables that are the interaction between alternative-specific variables (*indepvars* specified in `asroprobit`) and case-specific variables (*varlist* specified in the `casevars()` option). Marginal effect computations can proceed if you specify a variable list in the `varlist()` option of `estat mfx` that excludes the variables that are used in both the alternative-specific and case-specific variable lists.

Stored results

`estat mfx` stores the following in `r()`:

Scalars

`r(pr)` scalar containing the computed probability of the ranked alternatives.

Matrices

`r(ranks)` column vector containing the alternative ranks. The rownames identify the alternatives.

`r(mfx)` matrix containing the computed marginal effects and associated statistics. Column 1 of the matrix contains the marginal effects; column 2, their standard errors; column 3, their z statistics; and columns 4 and 5, the confidence intervals. Column 6 contains the values of the independent variables used to compute the probabilities `r(pr)`.

Also see

[R] [asroprobit](#) — Alternative-specific rank-ordered probit regression

[R] [asmprobit](#) — Alternative-specific multinomial probit regression

[U] [20 Estimation and postestimation commands](#)