

op_transpose — Conjugate transpose operator

Description
Diagnostics

Syntax
Also see

Remarks and examples

Conformability

Description

A' returns the [transpose](#) of A or, if A is complex, the conjugate transpose.

Syntax

A'

Remarks and examples

stata.com

The $'$ postfix operator may be used on any type of matrix or vector: real, complex, string, or pointer:

```

: a
      1   2   3
1     1   2   3
2     4   5   6

: a'
      1   2
1     1   4
2     2   5
3     3   6

: s
      1       2
1   alpha   beta

: s'
      1
1   alpha
2   beta

: p
      1
1   0x4367e0a8
2   0x45e00518

: p'
      1       2
1   0x4367e0a8  0x45e00518

```

```

: z
      1      2
1  1 + 2i  3 + 4i
2  5 + 6i  7 + 8i

: z'
      1      2
1  1 - 2i  5 - 6i
2  3 - 4i  7 - 8i

```

When `'` is applied to a complex, returned is the conjugate transpose. If you do not want this, code `conj(z')` or `conj(z)'`—it makes no difference; see [M-5] `conj()`,

```

: conj(z')
      1      2
1  1 + 2i  5 + 6i
2  3 + 4i  7 + 8i

```

Or use the `transposeonly()` function; see [M-5] `transposeonly()`:

```

: transposeonly(z)
      1      2
1  1 + 2i  5 + 6i
2  3 + 4i  7 + 8i

```

`transposeonly()` executes slightly faster than `conj(z')`.

For real and complex A , also see [M-5] `_transpose()`, which provides a way to transpose a matrix in place and so saves memory.

Conformability

```

A':
  A:    r × c
result: c × r

```

Diagnostics

The transpose operator cannot fail, but it is easy to use it incorrectly when working with complex quantities.

A user wanted to form $A*x$ but when he tried, got a conformability error. He thought x was a column vector, but it turned out to be a row vector, or perhaps it was the other way around. Anyway, he then coded $A*x'$, and the program worked and, even better, produced the correct answers. In his test, x was real.

Later, the user ran the program with complex x , and the program generated incorrect results, although it took him a while to notice. Study and study his code he did, before he thought about the innocuous $A*x'$. The transpose operator not only had changed x from being a row into being a column but also had taken the conjugate of each element of x ! He changed the code to read $A*\text{transposeonly}(x)$.

The user no doubt wondered why the `'` transpose operator was not defined at the outset to be equivalent to `transposeonly()`. If it had been, then rather than telling the story of the man who was bitten by conjugate transpose when he only wanted the transpose, we would have told the story of the woman who was bitten by the transpose when she needed the conjugate transpose. There are, in fact, more of the latter stories than there are of the former.

Also see

[M-2] **exp** — Expressions

[M-5] **conj()** — Complex conjugate

[M-5] **_transpose()** — Transposition in place

[M-5] **transposeonly()** — Transposition without conjugation

[M-2] **Intro** — Language definition

Stata, Stata Press, and Mata are registered trademarks of StataCorp LLC. Stata and Stata Press are registered trademarks with the World Intellectual Property Organization of the United Nations. StataNow and NetCourseNow are trademarks of StataCorp LLC. Other brand and product names are registered trademarks or trademarks of their respective companies. Copyright © 1985–2023 StataCorp LLC, College Station, TX, USA. All rights reserved.



For suggested citations, see the FAQ on [citing Stata documentation](#).