

Subject index

A

adaptive quadrature.....124–128
agreement 14
applications
 adolescent-alcohol-use data 99
 antibiotics data 243
 attitudes-to-abortion data 178
 children’s growth data 78, 95
 dairy-cow data 139, 245, 246
 diffusion-of-innovations data.... 96
 epileptic-fit data 212
 essay-grading data.... 29, 165, 177
 Fife school data 257, 269
 general-health-questionnaire data..
 26
 Georgian birthweight data..... 54
 grade-point-average data 52
 Grunfeld investment data 250
 Guatemalan immunization data ..
 229
 headache data 212
 health-care reform data .. 184, 245
 high school and beyond data... 55,
 97
 inner-London schools data 57,
 100
 jaw-growth data 53, 95
 labor-participation data 102
 lip cancer data 197
 math-achievement data 241
 neighborhood-effects data .. 28, 51,
 272
 Ohio wheeze data 135
 patent data 213
 peak-expiratory-flow data ... 1, 26,
 219, 246, 248
 rat-pups data 53

applications, *continued*

 respiratory-illness data 175
 schizophrenia trial data 149
 school retention in Thailand data
 141
 school-absenteeism data 216
 skin-cancer data 214, 244
 smoking-intervention data 177,
 245
 state productivity data 270
 tax-preparer data 31, 51
 toenail infection data 111, 134
 Tower-of-London data 242
 twin-neuroticism data 27
 U.S. production data 242
 unemployment-claims data 98
 union membership data 140
 vaginal-bleeding data 135
 verbal-aggression data 136, 176
 video-ratings data 270
 wage-panel data 54
 women’s employment data 138
attrition 185

B

bar plot 113
best linear unbiased predictor 22
between estimator 39–40
binary response *see* dichotomous
 response
binomial distribution 182
bivariate normal distribution 64, 65
BLUP *see* best linear unbiased
 predictor

C

clogit option, or 131–132

- clustered data 1, 217
 - column name 22
 - command
 - clogit 131
 - describe 55
 - display 23
 - egen 18, 151, 152, 257, 262
 - encode 219
 - eq 275, 278
 - estimates store 13
 - generate 2
 - gllamm 11–13, 75, 117–118, 275–277, 281–292
 - gllapred 23, 46–47, 76–77, 129, 161, 163, 239, 279–280, 293–296
 - gllasim 297–299
 - glm 106, 149, 189
 - graph twoway line 33
 - hausman 45
 - lincom 43, 156
 - logit 103, 149
 - lrtest 192, 264
 - merge 60
 - ologit 148, 155
 - oprobit 148
 - predict 72, 73, 105, 228
 - preserve 33
 - probit 110, 149
 - qnorm 264
 - recode 150
 - regress 17, 55, 58
 - reshape 9, 33, 218
 - restore 33
 - sort 33
 - ssc 12
 - statsby 59
 - summarize 59
 - supclust 267
 - svmat 18, 210
 - table 151
 - tabulate 17, 258
 - test 43, 172
 - twoway function 71, 105
 - use 2
 - command, *continued*
 - xtdes 32, 112, 150, 184
 - xtgee 133
 - xtmixed 10, 70
 - xtreg 9, 40
 - xtsum 38
 - comparative standard error 24
 - complex level-1 variation 92
 - conditional independence 7
 - conditional logistic regression .. 131–132
 - conditional Poisson regression 196
 - constant 276
 - counts 181–216
 - covariance structure 252
 - cross-classification 249, 257
 - cross-level interaction 88, 238
 - crossed error-components model ... 252
 - crossed random effects 249–273
 - crossover trial 212
 - cumulative model 143–149
- D**
- diagnostic standard error 25
 - diagnostics 45–50, 264
 - dichotomous response 101–142
 - dropout 185
- E**
- egen function
 - anymatch() 152
 - group() 262
 - mean() 18, 151
 - tag() 257
 - total() 257
 - egen option, by() 18
 - elasticity 214
 - empirical Bayes ... 19–23, 129–131, 254, 264
 - variances 24–25
 - endogeneity 42–45
 - equation name 22
 - error components 7–8
 - exponential family 276
 - exposure 182

F

fixed effects 5
 fixed part 276
 fixed-effects estimator 40–41,
 131–132, 196

G

gateaux derivative 207
 GEE see generalized estimating
 equations
 generalizability coefficient 272
 generalizability theory 249, 271
 generalized estimating equations .. 132–
 133, 197
 generalized least squares 42
 generalized linear mixed model 116
 generalized linear model 101–102,
 143–144
 gllamm options
 adapt 12, 158, 232
 bmatrix() 285
 cluster() 179
 copy 76, 85, 128
 denom() 182
 eform 117, 158, 191, 233
 eqs() .. 75, 191, 232, 237, 276, 284
 family() 117, 201, 276, 284
 family(binom) 117
 from() 76, 128
 fv() 284
 gateaux() 207
 geqs() 89, 285
 i() 231
 i() 75, 158, 276, 277, 284
 ip() 285
 ip(f) 207
 lf0() 208
 link() 117, 201, 276, 284
 link(logit) 117
 link(ologit) 158
 link(oprobit) 158, 166
 link(soprobit) 168
 lv() 284
 marginal 280
 nip() 12, 13, 208, 237

gllamm options, *continued*

 noconstant 89, 94
 nrf() 75, 237, 276, 277, 284
 offset() 201
 peqs() 278, 285
 robust 193
 s() 92–94, 100, 168, 247, 285
 skip 128, 235
 thresh() .. 170, 172, 175, 278, 285
 us() 121
 weight() 28, 128, 141

gllapred options

 above() 161, 163
 fac 95
 linpred 77, 92, 279
 marginal 120, 161
 mu 120, 121, 130, 161, 163, 204
 nooffset 204
 pearson 46
 u 23, 24, 77, 129, 239, 279
 ustd 46, 129, 279

gllasim options

 fac 298
 linpred 298
 mu 298
 u 298
 y 298

GLM see generalized linear model

glm options

 eform 107, 186
 family() 106
 link() 106
 link(logit) 106
 link(probit) 107
 scale(x2) 189

GLMM see generalized linear mixed
 model

GLS see generalized least squares

graph option, by() 53

graph twoway option,

 connect(ascending) ... 33, 53, 61

growth-curve model 57, 79–87

H

Hausman specification test 44

heteroskedasticity 65, 92, 167
 hierarchical data 217
 higher-level model 217–248
 homoskedasticity 167

I

identification 148–149
 incidence-rate ratio 183
 intensity 182
 intraclass correlation 8, 37, 66,
 224–225, 252, 261
 inverse link function 102

L

latent response 107–110, 144–147
`lincom` options
 `eform` 156
 `or` 156
 linear predictor 102, 276
 link function 102, 276
 local macro 23
 log linear model 182
 log link 183
 log odds *see* `logit`
 logistic regression 102–108
 logit link 102
`logit` option, `or` 103–104, 155
`lrtest` option, `force` 192

M

marginal effect 120, 156
 marginal probability 113, 120, 161
 maximum likelihood 15, 124–128
 missing at random 113
 missing data 113
 MLE *see* maximum likelihood

N

nested random effects 217–248
 nonparametric maximum likelihood ...
 206–210, 285
 nonresponse 185
 NPML *see* nonparametric maximum
 likelihood

O

odds 102
 offset 201, 213
`ologit` options
 `cluster()` 155
 `or` 155
 ordinal logit model 143
 ordinal probit model 143
 ordinal response 143–179
 overdispersion 181, 183, 187–190

P

path diagram 6, 7, 223, 224
 Poisson distribution 182
 Poisson model 182–183
 Poisson regression 185–186
 population averaged *see* marginal
 probability
 posterior distribution 20
 posterior variance 24
`predict` options
 `fitted` 73, 91
 `p` 105
 `reffects` 23, 46, 72, 228, 254
 `rstandard` 46
 `xb` 17
 prior distribution 19
 probit link 102
 probit regression 109–111
 proportional-odds model 147–148,
 154–157

Q

quasilikelihood 183, 188–190

R

random coefficient 276
 random effect 5, 276
 random interaction 264
 random intercept 5, 276
 random slope 276
 random-coefficient logistic regression ..
 235–240
 random-coefficient model 61–68

random-coefficient Poisson regression 193–196

random-coefficient proportional-odds model 159–161

random-intercept logistic regression 116–120, 230–235

random-intercept model 34–36

random-intercept ordinal probit model 165–175

random-intercept Poisson regression 190–193, 201–206

random-intercept proportional-odds model 157–159

reduced form 88

regress options

- `cluster()` 34, 55
- `noconstant` 17
- `robust` 55

reliability 8

REML see restricted maximum likelihood

reshape options

- `i()` 218
- `string` 218

residuals 45–50

restricted maximum likelihood 16

S

sandwich estimator 34, 133, 179

scaled probit link 167

scatterplot 58

shrinkage 22

SSC 267

ssc option, replace 12

standardized mortality ratio 198

subject-specific effect 120

subject-specific probability 161

T

tabulate option, gen() 17

three-level model 218, 222–240

three-stage formulation 225

two-level model 6, 219–222

two-stage formulation 87

two-way error-components model . . 249, 251–256

U

underdispersion 183

use option, `clear` 2

V

variance components 7–8

W

within estimator 40–41

X

xtgee option, eform 133

xtmixed options

- `covariance(exchangeable)` . . 247
- `covariance(identity)` 248
- `covariance(unstructured)` . . 70, 247
- `mle` 11, 16, 38, 68
- `noconstant` 11, 248
- `reml` 16
- `variance` 11, 226

xtreg options

- `be` 40
- `fe` 41
- `i()` 9
- `mle` 9, 16
- `re` 16, 42