

bayes: mvreg — Bayesian multivariate regression

[Description](#)

[Remarks and examples](#)

[Quick start](#)

[Stored results](#)

[Menu](#)

[Methods and formulas](#)

[Syntax](#)

[Also see](#)

Description

`bayes: mvreg` fits a Bayesian multivariate regression to multiple continuous outcomes; see [\[BAYES\] bayes](#) and [\[MV\] mvreg](#) for details.

Quick start

Bayesian multivariate regression of `y1` and `y2` on `x1` and `x2`, using default normal priors for regression coefficients and Jeffreys prior for the covariance matrix

```
bayes: mvreg y1 y2 = x1 x2
```

Use a standard deviation of 10 instead of 100 for the default normal priors

```
bayes, normalprior(10): mvreg y1 y2 = x1 x2
```

Use uniform priors for the slopes and a normal prior for the intercept of the dependent variable `y2`

```
bayes, prior({y2: x1 x2}, uniform(-10,10)) ///
prior({y2:_cons}, normal(0,10)): mvreg y1 y2 = x1 x2
```

Save simulation results to `simdata.dta`, and use a random-number seed for reproducibility

```
bayes, saving(simdata) rseed(123): mvreg y1 y2 = x1 x2
```

Specify 20,000 Markov chain Monte Carlo (MCMC) samples, set length of the burn-in period to 5,000, and request that a dot be displayed every 500 simulations

```
bayes, mcmcsize(20000) burnin(5000) dots(500): mvreg y1 y2 = x1 x2
```

In the above, request that the 90% highest posterior density (HPD) credible interval be displayed instead of the default 95% equal-tailed credible interval

```
bayes, clevel(90) hpd
```

Also see [Quick start](#) in [\[BAYES\] bayes](#) and [Quick start](#) in [\[MV\] mvreg](#).

Menu

Statistics > Linear models and related > Bayesian regression > Multivariate regression

Syntax

```
bayes [ , bayesopts ] : mvreg depvars = indepvars [if] [in] [weight] [ , options ]
```

<i>options</i>	Description
----------------	-------------

Model

<code>noconstant</code>	suppress constant term
-------------------------	------------------------

Reporting

<code>display_options</code>	control spacing, line width, and base and empty cells
------------------------------	---

<code>level(#)</code>	set credible level; default is level(95)
-----------------------	--

indepvars may contain factor variables; see [U] 11.4.3 Factor variables.

fweights are allowed; see [U] 11.1.6 weight.

`bayes: mvreg, level()` is equivalent to `bayes, clevel(): mvreg`.

For a detailed description of *options*, see *Options* in [MV] mvreg.

<i>bayesopts</i>	Description
------------------	-------------

Priors

* <code>gibbs</code>	specify Gibbs sampling; available only with normal priors for regression coefficients and multivariate Jeffreys prior for covariance
----------------------	--

* <code>normalprior(#)</code>	specify standard deviation of default normal priors for regression coefficients; default is <code>normalprior(100)</code>
-------------------------------	---

<code>prior(priorspec)</code>	prior for model parameters; this option may be repeated
-------------------------------	---

<code>dryrun</code>	show model summary without estimation
---------------------	---------------------------------------

Simulation

<code>nchains(#)</code>	number of chains; default is to simulate one chain
-------------------------	--

<code>mcmcsize(#)</code>	MCMC sample size; default is <code>mcmcsize(10000)</code>
--------------------------	---

<code>burnin(#)</code>	burn-in period; default is <code>burnin(2500)</code>
------------------------	--

<code>thinning(#)</code>	thinning interval; default is <code>thinning(1)</code>
--------------------------	--

<code>rseed(#)</code>	random-number seed
-----------------------	--------------------

<code>exclude(paramref)</code>	specify model parameters to be excluded from the simulation results
--------------------------------	---

Blocking

* <code>blocksize(#)</code>	maximum block size; default is <code>blocksize(50)</code>
-----------------------------	---

<code>block(paramref [, blockopts])</code>	specify a block of model parameters; this option may be repeated
--	--

<code>blocksummary</code>	display block summary
---------------------------	-----------------------

* <code>noblocking</code>	do not block parameters by default
---------------------------	------------------------------------

Initialization

<code>initial(initspec)</code>	specify initial values for model parameters with a single chain
--------------------------------	---

<code>init#(initspec)</code>	specify initial values for #th chain; requires <code>nchains()</code>
------------------------------	---

<code>initall(initspec)</code>	specify initial values for all chains; requires <code>nchains()</code>
--------------------------------	--

<code>nomleinitial</code>	suppress the use of maximum likelihood estimates as starting values
---------------------------	---

<code>initransom</code>	specify random initial values
-------------------------	-------------------------------

<code>initsummary</code>	display initial values used for simulation
--------------------------	--

* <code>noisily</code>	display output from the estimation command during initialization
------------------------	--

Adaptation

`adaptation`(*adaptopts*) control the adaptive MCMC procedure
`scale`(#) initial multiplier for scale factor; default is `scale(2.38)`
`covariance`(*cov*) initial proposal covariance; default is the identity matrix

Reporting

`clevel`(#) set credible interval level; default is `clevel(95)`
`hpd` display HPD credible intervals instead of the default equal-tailed credible intervals
`eform`[(*string*)] report exponentiated coefficients and, optionally, label as *string*
`batch`(#) specify length of block for batch-means calculations; default is `batch(0)`
`saving`(*filename*[, `replace`]) save simulation results to *filename.dta*
`nomodelsummary` suppress model summary
`chainsdetail` display detailed simulation summary for each chain
`[no]dots` suppress dots or display dots every 100 iterations and iteration numbers every 1,000 iterations; default is `nodots`
`dots`(#[, `every`(#)]) display dots as simulation is performed
`[no]show`(*paramref*) specify model parameters to be excluded from or included in the output
`notable` suppress estimation table
`noheader` suppress output header
`title`(*string*) display *string* as title above the table of parameter estimates
`display_options` control spacing, line width, and base and empty cells

Advanced

`search`(*search_options*) control the search for feasible initial values
`corrlag`(#) specify maximum autocorrelation lag; default varies
`corrtol`(#) specify autocorrelation tolerance; default is `corrtol(0.01)`

*Starred options are specific to the `bayes` prefix; other options are common between `bayes` and `bayesmh`.
Options `prior`() and `block`() may be repeated.

priorspec and *paramref* are defined in [BAYES] `bayesmh`.

paramref may contain factor variables; see [U] 11.4.3 Factor variables.

`collect` is allowed; see [U] 11.1.10 Prefix commands.

See [U] 20 Estimation and postestimation commands for more capabilities of estimation commands.

Model parameters are regression coefficients `{depvar1:indepvars}`, `{depvar2:indepvars}`, and so on, and covariance matrix `{Sigma,matrix}`. Use the `dryrun` option to see the definitions of model parameters prior to estimation.

Multivariate Jeffreys prior, `jeffreys(d)`, is used by default for the covariance matrix of dimension *d*.

For a detailed description of *bayesopts*, see *Options* in [BAYES] `bayes`.

Remarks and examples

[stata.com](http://www.stata.com)

For a general introduction to Bayesian analysis, see [BAYES] **Intro**. For a general introduction to Bayesian estimation using adaptive Metropolis–Hastings and Gibbs algorithms, see [BAYES] `bayesmh`. For remarks and examples specific to the `bayes` prefix, see [BAYES] `bayes`. For details about the estimation command, see [MV] `mvreg`.

For a simple example of the `bayes` prefix, see *Introductory example* in [BAYES] `bayes`.

Stored results

See *Stored results* in [BAYES] **bayes**.

Methods and formulas

See *Methods and formulas* in [BAYES] **bayesmh**.

Also see

[BAYES] **bayes** — Bayesian regression models using the bayes prefix

[MV] **mvreg** — Multivariate regression

[BAYES] **Bayesian postestimation** — Postestimation tools for bayesmh and the bayes prefix

[BAYES] **Bayesian estimation** — Bayesian estimation commands

[BAYES] **Bayesian commands** — Introduction to commands for Bayesian analysis

[BAYES] **Intro** — Introduction to Bayesian analysis

[BAYES] **Glossary**