

Description

This entry provides a quick reference for data types allowed by Stata. See [\[U\] 12 Data](#) for details.

Remarks and examples

| Storage type | Minimum                         | Maximum                        | Closest to 0<br>without being 0 | Bytes |
|--------------|---------------------------------|--------------------------------|---------------------------------|-------|
| byte         | −127                            | 100                            | ±1                              | 1     |
| int          | −32,767                         | 32,740                         | ±1                              | 2     |
| long         | −2,147,483,647                  | 2,147,483,620                  | ±1                              | 4     |
| float        | $-1.70141173319 \times 10^{38}$ | $1.70141173319 \times 10^{38}$ | $\pm 10^{-38}$                  | 4     |
| double       | $-8.9884656743 \times 10^{307}$ | $8.9884656743 \times 10^{307}$ | $\pm 10^{-323}$                 | 8     |

Precision for float is  $3.795 \times 10^{-8}$ .  
Precision for double is  $1.414 \times 10^{-16}$ .

| String<br>storage type | Maximum<br>length | Bytes      |
|------------------------|-------------------|------------|
| str1                   | 1                 | 1          |
| str2                   | 2                 | 2          |
| ...                    | .                 | .          |
| ...                    | .                 | .          |
| ...                    | .                 | .          |
| str2045                | 2045              | 2045       |
| strL                   | 2000000000        | 2000000000 |

Each element of data is said to be either type numeric or type string. The word “real” is sometimes used in place of numeric. Associated with each data type is a storage type.

Numbers are stored as byte, int, long, float, or double, with the default being float. byte, int, and long are said to be of integer type in that they can hold only integers.

Strings are stored as str#, for instance, str1, str2, str3, ..., str2045, or as strL. The number after the str indicates the maximum length of the string. A str5 could hold the word “male”, but not the word “female” because “female” has six characters. A strL can hold strings of arbitrary lengths, up to 2000000000 characters, and can even hold binary data containing embedded \0 characters.

Stata keeps data in memory, and you should record your data as parsimoniously as possible. If you have a string variable that has maximum length 6, it would waste memory to store it as a str20. Similarly, if you have an integer variable, it would be a waste to store it as a double.

## Precision of numeric storage types

`floats` have about 7 digits of accuracy; the magnitude of the number does not matter. Thus, 1234567 can be stored perfectly as a `float`, as can 1234567e+20. The number 123456789, however, would be rounded to 123456792. In general, this rounding does not matter.

If you are storing identification numbers, the rounding could matter. If the identification numbers are integers and take 9 digits or less, store them as `longs`; otherwise, store them as `doubles`. `doubles` have 16 digits of accuracy.

Stata stores numbers in binary, and this has a second effect on numbers less than 1. 1/10 has no perfect binary representation just as 1/11 has no perfect decimal representation. In `float`, .1 is stored as .10000000149011612. Note that there are 7 digits of accuracy, just as with numbers larger than 1. Stata, however, performs all calculations in double precision. If you were to store 0.1 in a `float` called `x` and then ask, say, `list if x==.1`, there would be nothing in the list. The .1 that you just typed was converted to double, with 16 digits of accuracy (.100000000000000014...), and that number is never equal to 0.1 stored with `float` accuracy.

One solution is to type `list if x==float(.1)`. The `float()` function rounds its argument to float accuracy; see [FN] [Programming functions](#). The other alternative would be store your data as `double`, but this is probably a waste of memory. Few people have data that is accurate to 1 part in 10 to the 7th. Among the exceptions are banks, who keep records accurate to the penny on amounts of billions of dollars. If you are dealing with such financial data, store your dollar amounts as `doubles`.

## Also see

[D] [compress](#) — Compress data in memory

[D] [destring](#) — Convert string variables to numeric variables and vice versa

[D] [encode](#) — Encode string into numeric and vice versa

[D] [format](#) — Set variables' output format

[D] [recast](#) — Change storage type of variable

[U] [12.2.2 Numeric storage types](#)

[U] [12.4 Strings](#)

[U] [12.5 Formats: Controlling how data are displayed](#)

[U] [13.12 Precision and problems therein](#)

Stata, Stata Press, Mata, NetCourse, and NetCourseNow are registered trademarks of StataCorp LLC. Stata and Stata Press are registered trademarks with the World Intellectual Property Organization of the United Nations. StataNow is a trademark of StataCorp LLC. Other brand and product names are registered trademarks or trademarks of their respective companies. Copyright © 1985–2025 StataCorp LLC, College Station, TX, USA. All rights reserved.



For suggested citations, see the FAQ on [citing Stata documentation](#).