

dir — Display filenames

[Description](#)
[Also see](#)[Quick start](#)[Syntax](#)[Option](#)[Remarks and examples](#)

Description

`dir` and `ls`—they work the same way—list the names of files in the specified directory; the names of the commands come from names popular on Unix and Windows computers.

Quick start

List the names of all files in the current directory using Stata for Windows

```
dir
```

As above, but for Mac or Unix

```
ls
```

List Stata datasets in the current directory using Stata for Windows

```
dir *.dta
```

As above, but for Mac or Unix

```
ls *.dta
```

List dataset name for all `.dta` files in the `C:\` directory using Stata for Windows

```
dir C:\*.dta
```

List dataset name for all `.dta` files in the home directory using Stata for Windows

```
dir ~\*.dta
```

As above, but for Mac or Unix

```
ls ~/*.dta
```

Syntax

```
{dir|ls} ["][filespec]" [, wide]
```

filespec is any valid Mac, Unix, or Windows file path or file specification (see [\[U\] 11.6 Filenaming conventions](#)) and may include “*” to indicate any string of characters.

Note: Double quotes must be used to enclose *filespec* if the name contains spaces.

Option

`wide` under Mac and Windows produces an effect similar to specifying `/W` with the DOS `dir` command—it compresses the resulting listing by placing more than one filename on a line. Under Unix, it produces the same effect as typing `ls -F -C`. Without the `wide` option, `ls` is equivalent to typing `ls -F -l`.

Remarks and examples

stata.com

Mac and Unix: The only difference between the Stata and Unix `ls` commands is that piping through the `more(1)` or `pg(1)` filter is unnecessary—Stata always pauses when the screen is full.

Windows: Other than minor differences in presentation format, there is only one difference between the Stata and DOS `dir` commands: the DOS `/P` option is unnecessary, because Stata always pauses when the screen is full.

▷ Example 1

If you use Stata for Windows and wish to obtain a list of all your Stata-format data files, type

```
. dir *.dta
 3.9k 7/07/15 13:51 auto.dta
 0.6k 8/04/15 10:40 cancer.dta
 3.5k 7/06/08 17:06 census.dta
 3.4k 1/25/08 9:20 hsng.dta
 0.3k 1/26/08 16:54 kva.dta
 0.7k 4/27/11 11:39 sysage.dta
 0.5k 5/09/07 2:56 systolic.dta
10.3k 7/13/08 8:37 Household Survey.dta
```

You could also include the `wide` option:

```
. dir *.dta, wide
 3.9k auto.dta          0.6k cancer.dta          3.5k census.dta
 3.4k hsng.dta         0.3k kva.dta             0.7k sysage.dta
 0.5k systolic.dta    10.3k Household Survey.dta
```

Unix users will find it more natural to type

```
. ls *.dta
-rw-r----- 1 roger      2868 Mar  4 15:34 highway.dta
-rw-r----- 1 roger        941 Apr  5 09:43 hoyle.dta
-rw-r----- 1 roger    19312 May 14 10:36 p1.dta
-rw-r----- 1 roger    11838 Apr 11 13:26 p2.dta
```

but they could type `dir` if they preferred. Mac users may also type either command.

```
. dir *.dta
-rw-r----- 1 roger      2868 Mar  4 15:34 highway.dta
-rw-r----- 1 roger        941 Apr  5 09:43 hoyle.dta
-rw-r----- 1 roger    19312 May 14 10:36 p1.dta
-rw-r----- 1 roger    11838 Apr 11 13:26 p2.dta
```

□ Technical note

There is an extended macro function named `dir` which allows you to obtain a list of files in a macro for later processing. See *Macro extended functions for filenames and file paths* in [P] **macro**.



Also see

- [D] **cd** — Change directory
- [D] **copy** — Copy file from disk or URL
- [D] **erase** — Erase a disk file
- [D] **mkdir** — Create directory
- [D] **rmdir** — Remove directory
- [D] **shell** — Temporarily invoke operating system
- [D] **type** — Display contents of a file
- [U] **11.6 Filenaming conventions**