

**import sas** — Import SAS files[Description](#)  
[Options](#)[Quick start](#)  
[Remarks and examples](#)[Menu](#)  
[Stored results](#)[Syntax](#)  
[Also see](#)

## Description

`import sas` reads into memory a version 7 or higher SAS (`.sas7bdat`) file. It can also import SAS value labels from a `.sas7bcat` file. `import sas` can import up to 32,766 variables at one time (up to 2,048 variables in Stata/BE). If your SAS file contains more variables than this, you can break up the SAS file into multiple Stata datasets. You can also import SAS value labels from a `.sas7bcat` file.

## Quick start

Import the SAS file `myfile.sas7bdat` into Stata

```
import sas myfile
```

Same as above, but replace the data in memory

```
import sas myfile, clear
```

Same as above, but import only variables `x1` and `x2`

```
import sas x1 x2 using myfile, clear
```

Import data from SAS file `myfile` and value labels from file `labels.sas7bcat`

```
import sas myfile, bcat(labels)
```

## Menu

File > Import > SAS data (\*.sas7bdat)

## Syntax

Load a SAS file (\*.sas7bdat)

```
import sas [using] filename [, options]
```

Load a subset of a SAS file (\*.sas7bdat)

```
import sas [namelist] [if] [in] using filename [, options]
```

If *filename* is specified without an extension, .sas7bdat is assumed. If *filename* contains embedded spaces, enclose it in double quotes.

*namelist* specifies SAS variable names to be imported.

<i>options</i>	Description
<code>bcat(<i>filename<sub>vl</sub></i>)</code>	load value labels defined in <i>filename<sub>vl</sub></i> into memory
<code>case(lower   upper   preserve)</code>	read variable names as lowercase or uppercase; the default is to preserve the case
<code>clear</code>	replace data in memory
<code>encoding("encoding")</code>	specify the file encoding; see <a href="#">help encodings</a>

`collect` is allowed; see [\[U\] 11.1.10 Prefix commands](#).

`encoding()` does not appear in the dialog box.

## Options

`bcat(filenamevl)` specifies that the value labels defined in *filename<sub>vl</sub>* be loaded into memory along with the dataset. If *filename<sub>vl</sub>* is specified without an extension, .sas7bcat is assumed. If *filename<sub>vl</sub>* contains embedded spaces, enclose it in double quotes.

SAS does not assign value labels to variables; therefore, you must use the [label values](#) command to assign the value labels to specific variables after importing them.

`case(lower | upper | preserve)` specifies the case of the variable names after import. The default is `case(preserve)`.

`clear` specifies that it is okay to replace the data in memory, even though the current data have not been saved to disk.

The following option is available with `import sas` but is not shown in the dialog box:

`encoding("encoding")` specifies the encoding of the file. If your file has an incorrect encoding specified in the file header, you can use this option to specify the correct encoding. See [help encodings](#) for details.

## Remarks and examples

[stata.com](http://www.stata.com)

`import sas` reads into memory version 7 or higher SAS (.sas7bdat) files. If a SAS variable name from the file does not conform to a Stata variable name, a generic `v#` name will be assigned, and the original variable name will be stored as a characteristic for the variable. If a SAS variable label is too long, it will be truncated to 80 characters. The original variable label will be stored as a variable characteristic. If a SAS data label is too long, it will be truncated to 80 characters, and the original label will be stored as a data characteristic.

## ▷ Example 1: Importing a SAS file into Stata

We can import SAS files into Stata, either by selecting the entire file or by selecting subsets of the data, with `import sas`. For example, we have the SAS file `auto.sas7bdat`, which contains data on automobiles, and we have value labels for these data stored in `formats.sas7bcat`. Below, we demonstrate how to import these data into Stata. To follow along, download these files to your working directory by typing the copy commands below:

```
. copy https://www.stata.com/sampledata/auto.sas7bdat auto.sas7bdat
. copy https://www.stata.com/sampledata/formats.sas7bcat formats.sas7bcat
```

To load the file `auto.sas7bdat` into Stata's memory, we type

```
. import sas auto.sas7bdat
(12 vars, 74 obs)
```

We can instead import only the variables `make`, `weight`, and `foreign` from `auto.sas7bdat`. We use the `bcat()` option to add the value labels defined in the `formats.sas7bcat` file and the `clear` option to replace the data in memory without saving them.

```
. import sas make weight foreign using auto, bcat(formats) clear
(3 vars, 74 obs)
. list in 1/5
```

	make	weight	foreign
1.	AMC Concord	2930	0
2.	AMC Pacer	3350	0
3.	AMC Spirit	2640	0
4.	Buick Century	3250	0
5.	Buick Electra	4080	0

We list the value labels that we imported using `label list`

```
. label list
ORIGIN:
      0 Domestic
      1 Foreign
```

`ORIGIN` contains value labels for the variable `foreign`. We need to use the `label values` command to apply this label to `foreign`. Then, we save the data with these labels attached.

```
. label values foreign ORIGIN
. list in 1/5
```

	make	weight	foreign
1.	AMC Concord	2930	Domestic
2.	AMC Pacer	3350	Domestic
3.	AMC Spirit	2640	Domestic
4.	Buick Century	3250	Domestic
5.	Buick Electra	4080	Domestic

```
. save myauto
file myauto.dta saved
```

## Stored results

`import sas` stores the following in `r()`:

Scalars

<code>r(N)</code>	number of observations imported
<code>r(k)</code>	number of variables imported

## Also see

[D] **import sasxport5** — Import and export data in SAS XPORT Version 5 format

[D] **import sasxport8** — Import and export data in SAS XPORT Version 8 format

[D] **import** — Overview of importing data into Stata