

lookfor — Search for string in variable names and labels

[Description](#) [Quick start](#) [Syntax](#) [Remarks and examples](#)
[Stored results](#) [Reference](#) [Also see](#)

Description

lookfor helps you find variables by searching for *string* among all variable names and labels. If multiple *strings* are specified, lookfor will search for each of them separately. You may search for a phrase by enclosing *string* in double quotes.

Quick start

Search variable names and variable labels for the phrase “my text” regardless of case

```
lookfor "my text"
```

Search for “word1” or “word2”

```
lookfor word1 word2
```

Syntax

```
lookfor string [string [...]]
```

collect is allowed; see [U] 11.1.10 Prefix commands.

Remarks and examples

► Example 1

lookfor finds variables by searching for *string*, ignoring case, among the variable names and labels.

```
. use https://www.stata-press.com/data/r18/nlswork
(National Longitudinal Survey of Young Women, 14-24 years old in 1968)
. lookfor code
```

Variable name	Storage type	Display format	Value label	Variable label
idcode	int	%8.0g		NLS ID
ind_code	byte	%8.0g		Industry of employment
occ_code	byte	%8.0g		Occupation

Three variable names contain the word code.

```
. lookfor married
```

Variable name	Storage type	Display format	Value label	Variable label
msp	byte	%8.0g		1 if married, spouse present
nev_mar	byte	%8.0g		1 if never married

Two variable labels contain the word married.

```
. lookfor gnp
```

Variable name	Storage type	Display format	Value label	Variable label
ln_wage	float	%9.0g		ln(wage/GNP deflator)

lookfor ignores case, so lookfor gnp found GNP in a variable label.

Example 2

If multiple strings are specified, all variable names or labels containing any of the strings are listed.

```
. lookfor code married
```

Variable name	Storage type	Display format	Value label	Variable label
idcode	int	%8.0g		NLS ID
msp	byte	%8.0g		1 if married, spouse present
nev_mar	byte	%8.0g		1 if never married
ind_code	byte	%8.0g		Industry of employment
occ_code	byte	%8.0g		Occupation

To search for a phrase, enclose *string* in double quotes.

```
. lookfor "never married"
```

Variable name	Storage type	Display format	Value label	Variable label
nev_mar	byte	%8.0g		1 if never married

Stored results

lookfor stores the following in `r()`:

Macros

```
r(varlist) the varlist of found variables
```

Reference

Cox, N. J. 2010. [Speaking Stata: Finding variables](#). *Stata Journal* 10: 281–296.

Also see

[D] [describe](#) — Describe data in memory or in a file

[D] [ds](#) — Compactly list variables with specified properties

Stata, Stata Press, and Mata are registered trademarks of StataCorp LLC. Stata and Stata Press are registered trademarks with the World Intellectual Property Organization of the United Nations. Other brand and product names are registered trademarks or trademarks of their respective companies. Copyright © 1985–2023 StataCorp LLC, College Station, TX, USA. All rights reserved.

