

mkdir — Create directory[Description](#)
[Also see](#)[Quick start](#)[Syntax](#)[Option](#)[Remarks and examples](#)

Description

`mkdir` creates a new directory (folder).

Quick start

Create `mysubdir` in the current working directory

```
mkdir mysubdir
```

Same as above, but make `mysubdir` readable by everyone regardless of default permissions

```
mkdir mysubdir, public
```

Create `mysubdir` in `C:\mydir` using Stata for Windows

```
mkdir c:\mydir\mysubdir
```

Create `mysubdir` in `~/mydir` using Stata for Mac or Unix

```
mkdir ~/mydir/mysubdir
```

Create `my folder` in `C:\my dir` using Stata for Windows

```
mkdir "c:\my dir\my folder"
```

Syntax

```
mkdir directoryname [ , public ]
```

Double quotes may be used to enclose *directoryname*, and the quotes must be used if *directoryname* contains embedded spaces.

Option

`public` specifies that *directoryname* be readable by everyone; otherwise, the directory will be created according to the default permissions of your operating system.

Remarks and examples

Examples:

Windows

```
. mkdir myproj
. mkdir c:\projects\myproj
. mkdir "c:\My Projects\Project 1"
```

Mac and Unix

```
. mkdir myproj
. mkdir ~/projects/myproj
```

Also see

- [D] **cd** — Change directory
- [D] **copy** — Copy file from disk or URL
- [D] **dir** — Display filenames
- [D] **erase** — Erase a disk file
- [D] **rmdir** — Remove directory
- [D] **shell** — Temporarily invoke operating system
- [D] **type** — Display contents of a file
- [U] **11.6 Filenaming conventions**

Stata, Stata Press, and Mata are registered trademarks of StataCorp LLC. Stata and Stata Press are registered trademarks with the World Intellectual Property Organization of the United Nations. Other brand and product names are registered trademarks or trademarks of their respective companies. Copyright © 1985–2023 StataCorp LLC, College Station, TX, USA. All rights reserved.

