

**use** — Load Stata dataset

[Description](#)[Quick start](#)[Menu](#)[Syntax](#)[Options](#)[Remarks and examples](#)[Also see](#)

## Description

`use` loads into memory a Stata-format dataset previously saved by `save`. If *filename* is specified without an extension, `.dta` is assumed. If your *filename* contains embedded spaces, remember to enclose it in double quotes.

In the second syntax for `use`, a subset of the data may be read.

## Quick start

Load Stata-format dataset `mydata.dta` into memory from current directory

```
use mydata
```

As above, but load data from the `mysubdir` subdirectory in current directory and clear current data from memory first

```
use mysubdir/mydata, clear
```

Load only variables `v1`, `v2`, and `v3` from `mydata.dta`

```
use v1 v2 v3 using mydata
```

As above, and further restrict to the first 100 observations

```
use v1 v2 v3 in 1/100 using mydata
```

Load observations from `mydata.dta` where `catvar = 2`

```
use if catvar==2 using mydata
```

## Menu

File > Open...

## Syntax

*Load Stata-format dataset*

```
use filename [, clear nolabel]
```

*Load subset of Stata-format dataset*

```
use [varlist] [if] [in] using filename [, clear nolabel]
```

## Options

`clear` specifies that it is okay to replace the data in memory, even though the current data have not been saved to disk.

`no`label prevents value labels in the saved data from being loaded. It is unlikely that you will ever want to specify this option.

## Remarks and examples

[stata.com](https://www.stata.com)

### ▷ Example 1

We have no data in memory. In a previous session, we issued the command `save hiway` to save the Minnesota Highway Data that we had been analyzing. We retrieve it now:

```
. use hiway
(Minnesota Highway Data, 1973)
```

Stata loads the data into memory and shows us that the dataset is labeled “Minnesota Highway Data, 1973”.

◀

### ▷ Example 2

We continue to work with our `hiway` data and find an error in our data that needs correcting:

```
. replace spdlimit=70 in 1
(1 real change made)
```

We remember that we need to forward some information from another dataset to a colleague. We use that other dataset:

```
. use accident
no; data in memory would be lost
r(4);
```

Stata refuses to load the data because we have not saved the `hiway` data since we changed it.

```
. save hiway, replace
file hiway.dta saved
. use accident
(Minnesota Accident Data)
```

After we save our `hiway` data, Stata lets us load our `accident` dataset. If we had not cared whether our changed `hiway` dataset were saved, we could have typed `use accident, clear` to tell Stata to load the `accident` data without saving the changed dataset in memory.



## □ Technical note

In example 2, you saved a revised `hiway.dta` dataset, which you forward to your colleague. Your colleague issues the command

```
. use hiway
```

and gets the message

```
file hiway.dta not Stata format
r(610);
```

Your colleague is using a version of Stata older than Stata 14. If your colleague is using Stata 11, 12, or 13, you can save the dataset in Stata 11, 12, or 13 format by using the `saveold` command; see [D] [save](#).

Newer versions of Stata can always read datasets created by older versions of Stata. Stata/MP and Stata/SE can read datasets created by Stata/IC. Stata/IC can read datasets created by Stata/MP and Stata/SE if those datasets conform to Stata/IC's limits; see [R] [limits](#).



## ▷ Example 3

If you are using a dataset that is too large for the amount of memory on your computer, you could load only some of the variables:

```
. use ln_wage grade age tenure race using
> http://www.stata-press.com/data/r15/nlswork
(National Longitudinal Survey. Young Women 14-26 years of age in 1968)
```

```
. describe
```

```
Contains data from http://www.stata-press.com/data/r15/nlswork.dta
  obs:          28,534              National Longitudinal Survey.
                                     Young Women 14-26 years of age
                                     in 1968
  vars:          5                  27 Nov 2016 08:14
  size:         313,874
```

variable name	storage type	display format	value label	variable label
age	byte	%8.0g		age in current year
race	byte	%8.0g	racelbl	race
grade	byte	%8.0g		current grade completed
tenure	float	%9.0g		job tenure, in years
ln_wage	float	%9.0g		ln(wage/GNP deflator)

```
Sorted by:
```

Stata successfully loaded the five variables.



### ▷ Example 4

You are new to Stata and want to try working with a Stata dataset that was used in [example 1](#) of [\[XT\] xtlogit](#). You load the dataset:

```
. use http://www.stata-press.com/data/r15/union
(NLS Women 14-24 in 1968)
```

The dataset is successfully loaded, but it would have been shorter to type

```
. webuse union
(NLS Women 14-24 in 1968)
```

`webuse` is a synonym for `use http://www.stata-press.com/data/r15/`; see [\[D\] webuse](#).



### Also see

[\[D\] compress](#) — Compress data in memory

[\[D\] datasignature](#) — Determine whether data have changed

[\[D\] import](#) — Overview of importing data into Stata

[\[D\] save](#) — Save Stata dataset

[\[D\] sysuse](#) — Use shipped dataset

[\[D\] webuse](#) — Use dataset from Stata website

[\[U\] 11.6 Filenaming conventions](#)

[\[U\] 21 Entering and importing data](#)