

Remarks and examples

Remarks are presented under the following headings:

[Suggested reading order](#)
[A quick tour](#)
[Using the menus](#)

Suggested reading order

We recommend that you read the entries in this manual in the following order:

Read *[A quick tour](#)* below, then read *[Quick start](#)* in [G-1] **Graph Editor**, and then read the following:

Entry	Description
[G-2] graph	Overview of the graph command
[G-2] graph twoway	Overview of the graph twoway command
[G-2] graph twoway scatter	Overview of the graph twoway scatter command

When reading those sections, follow references to other entries that interest you. For example, [G-2] **[graph twoway](#)** lists all the different graph twoway plottypes that are available. You will see the following and many more plottypes.

<i>plottype</i>	Description
line	Line plot
connected	Connected-line plot

When you look at the entries for the various plottypes, you will find details on all the various options available, such as the following:

Entry	Description
[G-3] marker_label_options	Options for specifying marker labels
[G-3] by_option	Option for repeating graph command
[G-3] title_options	Options for specifying titles
[G-3] legend_options	Option for specifying legend

We could list more, but you will find them on your own. Follow the references that interest you, and ignore the rest. Afterward, you will have a working knowledge of two-way graphs.

Now is the time to understand schemes, which have a great effect on how graphs look. You may want to specify a different scheme before printing your graphs.

Entry	Description
[G-4] Schemes intro	Schemes and what they do
[G-2] set printcolor	Set how colors are treated when graphs are printed
[G-2] graph print	Printing graphs the easy way
[G-2] graph export	Exporting graphs to other file formats

Now you are an expert on the `graph twoway` command, and you can even print the graphs it produces.

To learn about the other types of graphs, see

Entry	Description
[G-2] graph matrix	Scatterplot matrices
[G-2] graph bar	Bar and dot charts
[G-2] graph box	Box plots
[G-2] graph dot	Dot charts (summary statistics)
[G-2] graph pie	Pie charts

To learn tricks of the trade, see


Entry	Description
[G-2] graph save	Saving graphs to disk
[G-2] graph use	Redisplaying graphs from disk
[G-2] graph describe	Finding out what is in a .gph file
[G-3] name_option	How to name a graph in memory
[G-2] graph display	Display graph stored in memory
[G-2] graph dir	Obtaining directory of named graphs
[G-2] graph rename	Renaming a named graph
[G-2] graph copy	Copying a named graph
[G-2] graph drop	Eliminating graphs in memory
[G-2] graph close	Closing Graph windows
[G-2] graph replay	Replaying multiple graphs
[P] discard	Clearing memory

For a completely different and highly visual approach to learning Stata graphics, see [Mitchell \(2022\)](#). For a mix of scholarly review and tutorial exposition, see [Cox \(2014\)](#). [Hamilton \(2013\)](#) offers a concise 40-page overview within the larger context of statistical analysis with Stata. Excellent suggestions for presenting information clearly in graphs can be found in [Cleveland \(1993, 1994\)](#), in [Wallgren et al. \(1996\)](#), and even in chapters of books treating larger subjects, such as [Good and Hardin \(2012\)](#).

A quick tour

graph is easy to use:

```
. use https://www.stata-press.com/data/r19/auto  
(1978 automobile data)  
. graph twoway scatter mpg weight
```



All the commands documented in this manual begin with the word `graph`, but often the `graph` is optional. You could get the same graph by typing

```
. twoway scatter mpg weight
```


and, for `scatter`, you could omit the `twoway`, too:

```
. scatter mpg weight
```

We, however, will continue to type `twoway` to emphasize when the graphs we are demonstrating are in the two-way family.


Two-way graphs can be combined with `by()`:

```
. twoway scatter mpg weight, by(foreign)
```



Graphs in the `twoway` family can also be overlaid. The members of the `twoway` family are called *plottypes*; `scatter` is a plotype, and another plotype is `lfit`, which calculates the linear prediction and plots it as a line chart. When we want one plotype overlaid on another, we combine the commands, putting `||` in between:

```
. twoway scatter mpg weight || lfit mpg weight
```




Another notation for this is called the `()`-binding notation:

```
. twoway (scatter mpg weight) (lfit mpg weight)
```

It does not matter which notation you use.

Overlaying can be combined with `by()`. This time, substitute `qfitci` for `lfit`. `qfitci` plots the prediction from a quadratic regression, and it adds a confidence interval. Then, add the confidence interval on the basis of the standard error of the forecast:

```
. twoway (qfitci mpg weight, stdf) (scatter mpg weight), by(foreign)
```



We used the `()`-binding notation just because it makes it easier to see what modifies what:

```

      stdf is an option
        of qfitci
      ┌──────────┴──────────┐
. twoway (qfitci mpg weight, stdf) (scatter mpg weight), by(foreign)
      └──────────┬──────────┘
                  overlay this      with this
      └────────────────────────────────────────────────────────┘
                    by(foreign) is an option of twoway

```

We could just as well have typed this command with the `||`-separator notation,

```
. twoway qfitci mpg weight, stdf || scatter mpg weight ||, by(foreign)
```

and, as a matter of fact, we do not have to separate the `twoway` option `by(foreign)` (or any other `twoway` option) from the `qfitci` and `scatter` options, so we can type

```
. twoway qfitci mpg weight, stdf || scatter mpg weight, by(foreign)
```

or even

```
. twoway qfitci mpg weight, stdf by(foreign) || scatter mpg weight
```

All of these syntax issues are discussed in [\[G-2\] graph twoway](#). In our opinion, the `()`-binding notation is easier to read, but the `||`-separator notation is easier to type. You will see us using both.


You may have noticed that listing `scatter` second changed the color of the plotted points from blue in the previous graphs to green in our last graph. The colors are determined by the order in which the plots are drawn.

It was not an accident that we put `qfitci` first and `scatter` second. `qfitci` shades an area, and had we done it the other way around, that shading would have been put right on top of our scattered points and erased (or at least hidden) them. You can see this for yourself by typing the following:

```
. twoway scatter mpg weight || qfitci mpg weight, stdf by(foreign)
```

For this particular graph, it would be useful to set the opacity for the color used to fill the area representing the confidence interval; below, we set the opacity to 30%:

```
. twoway scatter mpg weight || qfitci mpg weight, stdf fcolor(%30)
  by(foreign, title("Millaje de los automóviles"))
```




Because we set the opacity to 30%, the shaded area does not fully hide the background, and we are better able to see the scatterplot. We might still prefer to place the scatterplot on top of the quadratic fit plot, but this is an improvement.

We also specified a title for the graph in Spanish to demonstrate that text elements in Stata graphs can contain Unicode characters. In other words, we could use mathematical symbols, Chinese characters, and many other characters throughout our graphs.


Plots of different types or the same type may be overlaid. For example, below we load data on life expectancy and overlay line plots for the life expectancy for males:

```
. use https://www.stata-press.com/data/r19/uslifeexp
  (US life expectancy, 1900–1999)
. twoway line le_wm year || line le_bm year
```



Here is a rather fancy version of the same graph:

```
. generate diff = le_wm - le_bm
. label var diff "Difference"
. twoway line le_wm year, yaxis(1 2) xaxis(1 2)
    || line le_bm year
    || line diff year
    || lfit diff year
    ||,
        ytitle("", axis(2))
        xtitle("", axis(2))
        xlabel(1918, axis(2))
        ylabel(0(5)20, axis(2) grid)
        ylabel(0 20(10)80 )
        ytitle("Life expectancy at birth (years)")
        title("White and black life expectancy")
        subtitle("USA, 1900 to 1999")
        note("Source: National Vital Statistics, Vol 50, No. 6"
            "(1918 dip caused by 1918 influenza pandemic)")
        legend(label(1 "White male") label(2 "Black male"))
```



There are many options on this command. (All except the first two options could have been accomplished in the Graph Editor; see [\[G-1\] Graph Editor](#) for an overview of the Editor.) Strip away the obvious options, such as `title()`, `subtitle()`, and `note()`, and you are left with

```
. twoway line le_wm year, yaxis(1 2) xaxis(1 2)
    || line le_bm year
    || line diff year
    || lfit diff year
    ||,
        ytitle( "", axis(2) )
        xtitle( "", axis(2) )
        xlabel( 1918, axis(2) )
        ylabel( 0(5)20, axis(2) grid )
        ylabel( 0 20(10)80 )
        legend( label(1 "White male") label(2 "Black male") )
```

Let's discuss the following option first:

```
ylabel( 0(5)20, axis(2) grid )
```

The first thing to note is that options have options:

```
ylabel( 0(5)20,      axis(2) grid )
```

```
axis(2) grid
      are options of ylabel()
```

Now look back at our graph. It has two y axes, one on the right and a second on the left. Typing

```
ylabel( 0(5)20,      axis(2) grid )
```

caused the right axis—axis(2)—to have labels at 0, 5, 10, 15, and 20—0(5)20. grid requested grid lines for each labeled tick on this right axis.

You can now guess what

```
ylabel( 0 20(10)80 )
```

did. It labeled the left y axis—`axis(1)` in the jargon—but we did not have to specify an `axis(1)` suboption because that is what `ylabel()` assumes. The purpose of

```
xlabel( 1918,      axis(2) )
```

is now obvious, too. That labeled a value on the second x axis.

So now we are left with

```
. twoway line le_wm year, yaxis(1 2) xaxis(1 2)
|| line le_bm year
|| line diff year
|| lfit diff year
||,
    ytitle( "", axis(2) )
    xtitle( "", axis(2) )
    legend( label(1 "White male") label(2 "Black male") )
```

Options `yttitle()` and `xttitle()` specify the axis titles. We did not want titles on the second axes, so we got rid of them. The `legend()` option,

```
legend( label(1 "White male") label(2 "Black male") )
```

merely respecified the text to be used for the first two keys. By default, `legend()` uses the variable label, which in this case would be the labels of variables `le_wm` and `le_bm`. In our dataset, those labels are “Life expectancy, white male” and “Life expectancy, black male”. It was not necessary—and undesirable—to repeat “Life expectancy”, so we specified an option to change the label. It was either do that or change the variable label.

So now we are left with

```
. twoway line le_wm year, yaxis(1 2) xaxis(1 2)
      || line le_bm year
      || line diff year
      || lfit diff year
```

and that is almost perfectly understandable. The `yaxis()` and `xaxis()` options caused the creation of two y and two x axes rather than, as usual, one.

Understand how we arrived at

```
. twoway line le_wm year, yaxis(1 2) xaxis(1 2)
    || line le_bm year
    || line diff year
    || lfit diff year
    ||,
    ytitle( "", axis(2) )
    xtitle( "", axis(2) )
    xlabel( 1918, axis(2) )
    ylabel( 0(5)20, axis(2) grid )
    ylabel( 0 20(10)80, )
    ytitle( "Life expectancy at birth (years)" )
    title( "White and black life expectancy" )
    subtitle( "USA, 1900 to 1999" )
    note( "Source: National Vital Statistics, Vol 50, No. 6"
          "(1918 dip caused by 1918 influenza pandemic)" )
    legend( label(1 "White male") label(2 "Black male") )
```

We started with the first graph we showed you,

```
. twoway line le_wm year || line le_bm year
```

and then, to emphasize the comparison of life expectancy for whites and blacks, we added the difference,

```
. twoway line le_wm year,
    || line le_bm year
    || line diff year
```

and then, to emphasize the linear trend in the difference, we added “lfit diff year”,

```
. twoway line le_wm year,
    || line le_bm year
    || line diff year,
    || lfit diff year
```


and then we added options to make the graph look more like what we wanted. We introduced the options one at a time. It was rather fun, really.

When your graph commands grow to be long and complicated, as ours did, you may find it easier to type them in the Do-file Editor, rather than in the Command window. This method of working would allow you to easily run your commands after making any changes and reproduce your graphs at a later time. See [U] [16 Do-files](#) for an explanation of do-files, and then read [GSW] [13 Using the Do-file Editor—automating Stata](#) to learn how to use the Do-file Editor.

Many of the options we used above are common to most of the graph families, including `twoway`, `bar`, `box`, `dot`, and `pie`. If you understand how the `title()` or `legend()` option is used with one family, you can apply that knowledge to all graphs, because these options work the same across families.

While we are on the subject of life expectancy, we will reproduce the graph created in [G-3] [marker_label_options](#). We first load data on life expectancy by country. Then we create a scatterplot of life expectancy versus the log of GNP per capita. We also overlay a plot of the linear prediction from regressing life expectancy on the log of GNP per capita.

```
. use https://www.stata-press.com/data/r19/lifeexp2
(Life expectancy, 1998)
. twoway (scatter lexp gnppc, mlabel(country) mlabv(pos))
(line hat gnppc, sort)
, xscale(log) xlabel(.5 5 10 15 20 25 30) legend(off)
title("Life expectancy vs. GNP per capita")
subtitle("North, Central, and South America")
note("Data source: World Bank, 1998")
ytittle("Life expectancy at birth (years)")
```



In [G-2] **graph combine**, we separately created three rather easy graphs by using the commands

```
. twoway scatter lexp loggnp,
    yscale(alt) xscale(alt)
    ylabel(,labelminlen(3))
    xlabel(, grid gmax)          saving(yx)


. twoway histogram lexp, fraction
    xscale(alt reverse) horiz    saving(hy)

. twoway histogram loggnp, fraction
    yscale(alt reverse)
    ylabel(, nogrid labelminlen(3))
    xlabel(, grid gmax)          saving(hx)
```

and then combined the graphs with the command

```
. graph combine hy.gph yx.gph hx.gph,
    hole(3)
    imargin(0 0 0 0) grapharea(margin(l=22 r=22))
    title("Life expectancy at birth vs. GNP per capita")
    note("Source: 1998 data from The World Bank Group")
```

to produce the following graph:




Source: 1998 data from The World Bank Group

See [G-2] [graph combine](#) for more information.

Back to our tour, `twoway, by()` can produce graphs that look like this


```
. use https://www.stata.press.com/data/r19/auto, clear
(1978 automobile data)
. scatter mpg weight, by(foreign, total row(1))
```



Graphs by Car origin

or this


```
. scatter mpg weight, by(foreign, total col(1))
```



Graphs by Car origin

or this

```
. scatter mpg weight, by(foreign, total)
```



Graphs by Car origin

See [G-3] *by_option*.


`by()` is another of those options that is common across all graph families. If you know how to use it on one type of graph, then you know how to use it on any type of graph.

There are many plottypes within the twoway family, including areas, bars, spikes, dropped lines, and dots. Just to illustrate a few, we load a dataset with values for the S&P 500 in 2001:

```
. use https://www.stata-press.com/data/r19/sp500
(S&P 500)

. replace volume = volume/1000
(248 real changes made)

. twoway
    rspike hi low date ||
    line   close date ||
    bar    volume date, barw(.25) yaxis(2) ||
in 1/57
, yscale(axis(1) r(900 1400))
  yscale(axis(2) r( 9 45))
  ytitle("Low, high, and closing prices", placement(neast))
  ytitle(" Volume (millions)", axis(2) bexpand just(left))
  legend(off)
  subtitle("S&P 500", margin(b+2.5))
  note("Source: Yahoo!Finance and Commodity Systems, Inc.")
```



The above graph is explained in [\[G-2\] graph twoway rspike](#). See [\[G-2\] graph twoway](#) for a listing of all available twoway plottypes.

Many of the twoway plottypes allow you to change the color of their items based on levels of a numeric variable. For example, below we create a spike plot to show the change in the closing price from the previous date. We use the `colorvar()` option so that the color of the spike represents the volume:

```
. twoway spike change date in 1/57, colorvar(volume)
```




We get blue spikes for days when the volume is 10,000 or less, turquoise spikes for days when the volume is greater than 10,000 but less than 15,000, and so on. See [\[G-3\] colorvar_options](#) to learn more.

Moving outside the twoway family, graph can draw scatterplot matrices, box plots, pie charts, and bar and dot plots. Here are examples of each.


A scatterplot matrix of the variables `popgr`, `lexp`, `lgnppc`, and `safe`:

```
. use https://www.stata-press.com/data/r19/lifeexp, clear
(Life expectancy, 1998)
. generate lgnppc = ln(gnppc)
(5 missing values generated)
. label variable lgnppc "Log GNP"
. graph matrix popgr lgnppc safe lexp
```



Or, with grid lines and more axis labels:


```
. graph matrix popgr lgnppc safe lexp, maxes(ylab(#4, grid) xlab(#4, grid))
```



See [G-2] [graph matrix](#).


A box plot of blood pressure, variable `bp`, over each group in the variable `when` and each group in the variable `sex`:

```
. use https://www.stata-press.com/data/r19/bplong, clear
(Fictional blood-pressure data)
. graph box bp, over(when) over(sex)
```



Or, for a graph with complete titles:


```
. graph box bp, over(when) over(sex)
  ytitle("Systolic blood pressure")
  title("Response to treatment by sex")
  subtitle("(120 preoperative patients)" " ")
  note("Source: Fictional drug trial")
```



See [G-2] [graph box](#).

A pie chart showing the proportions of the variables sales, marketing, research, and development. See [G-2] **graph pie** for details on the data.

```
. graph pie sales marketing research development
```



Or, for a graph with nice titles and better labeling of the pie slices:

```
. graph pie sales marketing research development,  
  plabel(_all name, size(*1.5) color(white))  
  legend(off)  
  title("Expenditures, XYZ Corp.")  
  subtitle("2021")  
  note("Source: Financial report (fictional data)")
```

Expenditures, XYZ Corp.
2021




Source: Financial report (fictional data)

See [G-2] **graph pie**.

A vertical bar chart of average wages over each group in the variables `smsa`, `married`, and `collgrad`:


```
. use https://www.stata-press.com/data/r19/nls88
(NLSW, 1988 extract)
. graph bar wage, over(smsa) over(married) over(collgrad)
```



Or, for a prettier graph with overlapping bars, titles, and better labels:

```
. graph bar wage,
    over( smsa, descend gap(-30) )
    over( married )
    over( collgrad, relabel(1 "Not college graduate"
                          2 "College graduate" ) )
    ytitle("")
    title("Average hourly wage, 1988, women aged 34 to 46")
    subtitle("by college graduation, marital status,
            and SMSA residence")
    note("Source: 1988 data from NLS, US Dept of Labor,
        Bureau of Labor Statistics")
```

Average hourly wage, 1988, women aged 34 to 46
by college graduation, marital status, and SMSA residence




Source: 1988 data from NLS, US Dept. of Labor, Bureau of Labor Statistics

See [G-2] [graph bar](#).

A horizontal bar chart of private versus public spending over countries:


```
. use https://www.stata-press.com/data/r19/educ99gdp
(Education and GDP)
. generate total = private + public
. graph hbar (asis) public private, over(country)
```



Or, the same information with stacked bars, an informative sorting of total spending, and nice titles:

```
. graph hbar (asis) public private,
    over(country, sort(total) descending)
    stack
    title("Spending on tertiary education as % of GDP,
    1999", span position(11) )
    subtitle(" ")
    note("Source: OECD, Education at a Glance 2002", span)
```

Spending on tertiary education as % of GDP, 1999




Source: OECD, Education at a Glance 2002

See [G-2] **graph bar**.

A dot chart of average hourly wage over occupation, variable `occ`, with separate subgraphs for college graduates and not college graduates, variable `collgrad`:

```
. use https://www.stata-press.com/data/r19/nls88, clear
(NLSW, 1988 extract)

. graph dot wage, over(occ) by(collgrad)
```



Or, for a plot that orders the occupations by wage and has nice titles:

```
. graph dot wage,
    over(occ, sort(1))
    by(collgrad,
        title("Average hourly wage, 1988, women aged 34 to 46", span)
        subtitle(" ")
        note("Source: 1988 data from NLS, US Dept. of Labor,
            Bureau of Labor Statistics", span)
    )
```

Average hourly wage, 1988, women aged 34 to 46



See [G-2] [graph dot](#).

Have fun. Follow our advice in the *Suggested reading order* above: turn to [G-2] [graph](#), [G-2] [graph twoway](#), and [G-2] [graph twoway scatter](#).

Using the menus

In addition to using the command-line interface, you can access most of graph’s features by Stata’s pulldown menus. To start, load a dataset, select **Graphics**, and select what interests you.

When you have finished filling in the dialog box (do not forget to click on the tabs—lots of useful features are hidden there), rather than click on **OK**, click on **Submit**. This way, once the graph appears, you can easily modify it and click on **Submit** again.

Feel free to experiment. Clicking on **Submit** (or **OK**) never hurts; if you have left a required field blank, you will be told. The dialog boxes make it easy to spot what you can change.

References

- Cleveland, W. S. 1993. *Visualizing Data*. Summit, NJ: Hobart.
- . 1994. *The Elements of Graphing Data*. Rev. ed. Summit, NJ: Hobart.
- Cox, N. J. 2004a. *Speaking Stata: Graphing distributions*. *Stata Journal* 4: 66–88.
- . 2004b. *Speaking Stata: Graphing categorical and compositional data*. *Stata Journal* 4: 190–215.
- . 2004c. *Speaking Stata: Graphing agreement and disagreement*. *Stata Journal* 4: 329–349.
- . 2004d. *Speaking Stata: Graphing model diagnostics*. *Stata Journal* 4: 449–475.
- . 2014. *Speaking Stata Graphics*. College Station, TX: Stata Press.
- . 2019. *Speaking Stata: Some simple devices to ease the spaghetti problem*. *Stata Journal* 19: 989–1008.
- . 2021. *Speaking Stata: Front-and-back plots to ease spaghetti and paella problems*. *Stata Journal* 21: 539–554.
- Good, P. I., and J. W. Hardin. 2012. *Common Errors in Statistics (and How to Avoid Them)*. 4th ed. Hoboken, NJ: Wiley. <https://doi.org/10.1002/9781118360125>.
- Hamilton, L. C. 2013. *Statistics with Stata: Updated for Version 12*. 8th ed. Boston: Brooks/Cole.
- Hoffmann, J. P. 2017. *Principles of Data Management and Presentation*. Oakland, CA: University of California Press.
- Mitchell, M. N. 2022. *A Visual Guide to Stata Graphics*. 4th ed. College Station, TX: Stata Press.
- Wallgren, A., B. Wallgren, R. Persson, U. Jorner, and J.-A. Haaland. 1996. *Graphing Statistics and Data: Creating Better Charts*. Newbury Park, CA: Sage.

Also see

- [G-2] **graph** — The graph command
- [G-2] **graph other** — Other graphics commands
- [G-1] **Graph Editor** — Graph Editor

Stata, Stata Press, Mata, NetCourse, and NetCourseNow are registered trademarks of StataCorp LLC. Stata and Stata Press are registered trademarks with the World Intellectual Property Organization of the United Nations. StataNow is a trademark of StataCorp LLC. Other brand and product names are registered trademarks or trademarks of their respective companies. Copyright © 1985–2025 StataCorp LLC, College Station, TX, USA. All rights reserved.



For suggested citations, see the FAQ on [citing Stata documentation](#).