

Description

The above options are allowed with

Command	Manual entry
graph bar and graph hbar	[G-2] graph bar
graph dot	[G-2] graph dot
graph box	[G-2] graph box
graph pie	[G-2] graph pie

See [G-3] *twoway_options* for the standard options allowed with graph twoway.

Syntax

<i>std_options</i>	Description
<i>title_options</i>	titles, subtitles, notes, captions
<i>scale</i> (#)	resize text and markers
<i>region_options</i>	outlining, shading, graph size
<i>scheme</i> (<i>schemename</i>)	overall look
<i>play</i> (<i>recordingname</i>)	play edits from <i>recordingname</i>
<i>nodraw</i>	suppress display of graph
<i>name</i> (<i>name</i> , ...)	specify name for graph
<i>saving</i> (<i>filename</i> , ...)	save graph in file

Options

title_options allow you to specify titles, subtitles, notes, and captions to be placed on the graph; see [G-3] *title_options*.

scale(#) specifies a multiplier that affects the size of all text and markers in a graph. *scale*(1) is the default, and *scale*(1.2) would make all text and markers 20% larger.

See [G-3] *scale_option*.

region_options allow outlining the plot region (such as placing or suppressing a border around the graph), specifying a background shading for the region, and the controlling of the graph size. See [G-3] *region_options*.

scheme(*schemename*) specifies the overall look of the graph; see [G-3] *scheme_option*.

play(*recordingname*) applies the edits from *recordingname* to the graph, where *recordingname* is the name under which edits previously made in the Graph Editor have been recorded and stored. See *Graph Recorder* in [G-1] **Graph Editor**.

nodraw causes the graph to be constructed but not displayed; see [G-3] *nodraw_option*.

`name(name[, replace])` specifies the name of the graph. `name(Graph, replace)` is the default. See [G-3] [name_option](#).

`saving(filename[, asis replace])` specifies that the graph be saved as *filename*. If *filename* is specified without an extension, `.gph` is assumed. `asis` specifies that the graph be saved just as it is. `replace` specifies that, if the file already exists, it is okay to replace it. See [G-3] [saving_option](#).

Remarks and examples

The above options may be used with any of the graph commands listed above.

Also see

[G-3] [name_option](#) — Option for naming graph in memory

[G-3] [nodraw_option](#) — Option for suppressing display of graph

[G-3] [region_options](#) — Options for shading and outlining regions and controlling graph size

[G-3] [saving_option](#) — Option for saving graph to disk

[G-3] [scale_option](#) — Option for resizing text, markers, and line widths

[G-3] [title_options](#) — Options for specifying titles

