

5 Opening and saving Stata datasets

How to load your dataset from disk and save it to disk

Opening and saving datasets in Stata works similarly to those tasks in other computer applications. There are a few differences, however. First, it is possible to save and open files from within Stata's Command window. Second, Stata allows just one dataset to be active at any one time. That is, while it is possible to have multiple datasets in memory at once (see [\[D\] frames intro](#)), only one dataset may be active. Keeping this in mind will make Stata's care in opening new datasets clear. This chapter outlines all the possible ways to open and save datasets.

A Stata dataset can be opened in a variety of ways, most of which are probably familiar to you from other applications:

- Double-click on a Stata data file, which is a file whose extension is `.dta`. Note: The file extension may not be visible, depending on what options you have set in your operating system.
- Select **File > Open...** and navigate to the file.
- Select **File > Open data subset...**, navigate to the file, specify the observation range, and select variables from the dataset.
- Select **File > Open recent > *filename***.
- Type `use filename` in the Command window. Stata will look for *filename* in the current working directory. If the file is located elsewhere, you will need to give its path. Be aware that if there is a space anywhere in the path or filename, you will need to put the filename inside quotation marks. See [\[U\] 11.6 Filenaming conventions](#).
- Type `sysuse filename` in the Command window. Stata will look for *filename* in a series of directories called the `adopath`. Typically, this is for finding example datasets installed when you installed Stata, but it can also be used for easy access to your own datasets. For more information on the `adopath`, see [\[P\] sysdir](#).
- Type `webuse filename` in the Command window. The `webuse` command is used to access datasets used in the Stata manuals; for example, `webuse 1bw` loads the `1bw` dataset used in the documentation of the `logistic` command. For more information, see [\[D\] webuse](#).

Opening a dataset in the current frame (see [\[D\] frames intro](#)) will replace the dataset, if any, that is currently in memory for that frame. Stata shows the current (working) frame in the title bar when multiple frames are present. Datasets in other frames are unaffected. If there have been changes to the data in the dataset in the current frame, Stata will refuse to discard the dataset unless you force it to do so. If you open the file with any method other than the Command window, you will be prompted. If you use the Command window and the current data have changed, you will get the following error message:

```
. sysuse auto
no; dataset in memory has changed since last saved
r(4);
```

These behaviors protect you from mistakenly losing data.

To save an unnamed dataset (or an old dataset under a new name):

1. select **File > Save as...**; or
2. type `save filename` in the Command window.

To save a dataset for use with Stata 13,

1. select **File > Save as...**, and select **Stata 13 Data (*.dta)** from the **File format** pop-up menu; or
2. type `saveold filename` in the Command window.

To save a dataset that has been changed (overwriting the original data file),

1. select **File > Save**;
2. click on the **Save** button; or
3. type `save, replace` in the Command window.

Once you overwrite a dataset, there is no way to recover your original dataset. With important datasets, you may want to either keep a backup copy of your original `filename.dta` or save your changes to a dataset under a new name. This is no different from working with a word-processing document, except that recovering from an inadvertent save of a dataset is nearly impossible.

Important note: Changes you have made to a dataset are not permanent until you save them. You work with a copy of the dataset in memory, not with the data file itself. This should not be surprising, because it is the way that you work with almost all applications on your computer.

If you do not want to save your dataset, you can clear the dataset in memory and open a new dataset by typing `use filename, clear`.

How to load a set of frames from disk and save them to disk

A set of frames, or frameset, can be saved in a single `.dtas` file using `frames save`. A frameset can be opened with `frames use`.

Stata, Stata Press, and Mata are registered trademarks of StataCorp LLC. Stata and Stata Press are registered trademarks with the World Intellectual Property Organization of the United Nations. StataNow and NetCourseNow are trademarks of StataCorp LLC. Other brand and product names are registered trademarks or trademarks of their respective companies. Copyright © 1985–2025 StataCorp LLC, College Station, TX, USA. All rights reserved.



For suggested citations, see the FAQ on [citing Stata documentation](#).