

C More on Stata for Mac

Contents

- C.1 Using Stata datasets and graphs created on other platforms
- C.2 Exporting a Stata graph to another document
- C.3 Stata and the Notification Manager
- C.4 Stata(console) for Mac

C.1 Using Stata datasets and graphs created on other platforms

Stata will open any Stata `.dta` dataset or `.gph` graph file, regardless of the platform on which it was created, even if it was a Windows or Unix system. Also, Stata for Windows and Stata for Unix users can use any files that you create. Remember that `.dta` and `.gph` files are binary files, not text files, so they need no translation; simply copy them over to your hard disk as is.

Files created on other platforms can be directly opened in the Command window; for example, you can load a dataset by typing `use filename` or by double-clicking on the file in the Finder.

C.2 Exporting a Stata graph to another document

Suppose that you wish to export a Stata graph to a document created by your favorite word processor or presentation application. You have two main choices for exporting graphs: you may copy and paste the graph by using the Clipboard, or you may save the graph in one of several formats and import the graph into the application.

C.2.1 Exporting the graph by using the Clipboard

The easiest way to export a Stata graph into another application is to use drag and drop. You can select the graph in the Graph window and drag it to the location you would like it in another open application.

You can also export graphs by copying and pasting.

Either create your graph or redisplay an existing graph. To copy it to the Clipboard, right-click on the Graph window, and select **Copy**. Stata will copy the graph in PDF format. This is the native graphics format for macOS. Programs made to edit vector graphics can be used to edit the elements of the graph.

After you have copied the graph to the Clipboard, switch to the application into which you wish to import the graph and paste it. In most applications, this is accomplished by selecting **Edit > Paste**. Some applications require you to first create a bounding box for the image to be placed in. If pasting does not immediately work, see your application's documentation on pasting images from the Clipboard into documents.

C.2.2 Exporting the graph to a file

Stata can export graphs to several different file formats. If you right-click on a graph, select **Save as...**, and then click on the drop-down menu next to *File format*, you will see that Stata can save in the following file types: Portable Document Format (PDF, `.pdf`), Portable Network Graphics (PNG, `.png`), Graphics Interchange Format (GIF, `.gif`), Joint Photographic Experts Group (JPEG, `.jpg`), Tag Image File Format (TIFF, `.tif`), PostScript (PS, `.ps`), Enhanced PostScript (EPS, `.eps`), with or without a TIFF, and Scalable Vector Graphics (SVG `.svg`). PDF, PS, EPS, and SVG formats are vector formats, whereas JPEG, GIF, PNG, and TIFF are bitmap formats. EPS files are recommended when you want to export your graph to an application on another platform, such as $\text{T}_\text{E}\text{X}$ or $\text{L}\text{A}\text{T}_\text{E}\text{X}$ on Unix (which is how all the graphs in Stata's manuals were created), or for the best output on a PostScript printer. If you wish to include a thumbnail of the graph, choose **EPS with TIFF Preview**. Choosing the preview option does not affect how the graph is printed. PNG is well suited for placing graphs on a webpage. See [G-2] **graph export** for more information.

C.3 Stata and the Notification Manager

You may work in another application while Stata is processing a time-intensive command or do-file. Stata will notify you when it has finished by playing a sound and bouncing its application icon on the Dock. The default notification behavior is for Stata to bounce its application icon on the Dock once. The notification feature works only if Stata is put into the background while it is executing a command or do-file. Stata will not notify you if it is in the foreground or requires further interaction from you (such as a `—more—` condition). You can control how notifications work in Stata's preferences.

C.4 Stata(console) for Mac

C.4.1 Requirements

Stata(console) is included with both Stata/SE and Stata/MP for the Mac. It runs in a Terminal window without a graphical user interface (GUI)—there are no Data Editor, Viewer, or Graph windows. Graphs and datasets can be saved, as usual, they simply cannot be viewed interactively. Stata(console) is meant for running Stata remotely and for running batch jobs in the background.

You can also run background jobs by using your standard Stata installation. The command line options are given in [GSM] **B.3 Stata batch mode**.

You must already have Stata/SE or Stata/MP for the Mac installed and your license initialized before installing Stata(console). If you have a single-user license and wish to have more than one login ID use Stata at a time, please contact our sales department to purchase an upgrade to a multiuser license. You should have some experience in working from a shell in Unix before attempting to set up Stata(console). You must also have administrator access to your computer to complete the setup. With administrator access, there is always the potential damaging your computer.

In the instructions that follow, use `stata-mp` in place of `stata-se` if you are installing the console version of Stata/MP.

C.4.2 Installing Stata(console) using the Terminal utility

If you have installed Stata in its default location `/Applications/Stata`, Stata(console) can be installed by selecting **Stata > Install Terminal Utility...** You can then start the console version by typing `stata-se` or `stata-mp` in a Terminal window.

If you rename Stata's folder or move it out of the Applications folder after installing the utility, the symbolic link to the console application will be broken. In this case, just reinstall the utility by selecting **Stata > Install Terminal Utility...** again.

C.4.3 Installing Stata(console) by hand

If you would rather install Stata(console) by hand instead of using the built-in utility, read this section. If you are not comfortable with Unix or are wary of damaging your computer, skip the rest of this section. If you do not know when to use

```
setenv PATH /Applications/Stata:$PATH
```

and when to use

```
PATH=/Applications/Stata:$PATH
```

you should not attempt the installation.

1. Log in to your Mac with an account that has administrator privileges.
2. Install Stata/SE or Stata/MP in `/Applications/Stata` and initialize your license if Stata is not already installed.

You have completed the installation process. We now wish to verify that everything is installed properly as a regular user. To use Stata as a regular user, your path must include `/Applications/Stata/StataSE.app/Contents/MacOS`. For a quick test, we are going to be crude.

```
mymac: > export PATH=$PATH:/Applications/Stata/StataSE.app/Contents/MacOS
```

```
mymac: > stata-se
```

Stata should come up. Once you have verified that everything is working, make sure that your users modify their shell startup script to include `/Applications/Stata/StataSE.app/Contents/MacOS` in their path. If they do not have a `.bash_profile` file already, they should make one and include the following line:

```
export PATH=$PATH:/Applications/Stata/StataSE.app/Contents/MacOS
```

C.4.4 Updating Stata(console) in the future

Stata(console) is automatically updated when the regular Stata(GUI) application is updated. All updating should be performed from within Stata(GUI).