

<a href="#">Description</a>	<a href="#">Syntax</a>	<a href="#">Option</a>	<a href="#">Remarks and examples</a>
<a href="#">Acknowledgments</a>	<a href="#">References</a>	<a href="#">Also see</a>	

## Description

LAPACK stands for linear algebra package and is a freely available set of Fortran 90 routines for solving systems of simultaneous equations, eigenvalue problems, and singular value problems. Many of the LAPACK routines are based on older EISPACK and LINPACK routines, and the more modern LAPACK does much of its computation by using basic linear algebra subprograms (BLAS).

Stata contains two sets of LAPACK and BLAS libraries. The first is from Netlib, and the second is either from OpenBLAS when working on Mac with Apple Silicon or from the Intel Math Kernel Library (MKL) when working on any other platform.

`set lapack_mkl` sets whether the LAPACK library from MKL will be used (if it is available on the platform).

`set lapack_mkl_cnr` sets the conditional numerical reproducibility mode for the Intel MKL LAPACK routines.

`set lapack_openblas` sets whether the LAPACK library from OpenBLAS will be used (if it is available on the platform).

## Syntax

*Set whether Intel MKL LAPACK routines will be used*

```
set lapack_mkl { on | off } [ , permanently ]
```

*Set the conditional numerical reproducibility mode for the Intel MKL LAPACK routines*

```
set lapack_mkl_cnr { default | auto | compatible | off }
```

*Set whether OpenBLAS LAPACK routines will be used on Mac with Apple silicon*

```
set lapack_openblas { on | off } [ , permanently ]
```

## Option

`permanently` specifies that, in addition to making the change right now, the setting be remembered and become the default setting when you invoke Stata in the future.

## Remarks and examples

Remarks are presented under the following headings:

*LAPACK in Mata*  
*set lapack\_mkl*  
*Intel MKL conditional numerical reproducibility*  
*set lapack\_mkl\_cnr*  
*set lapack\_openblas*

### LAPACK in Mata

The LAPACK and BLAS routines form the basis for many of Mata’s linear algebra capabilities. Individual functions of Mata that use LAPACK routines always make note of that fact.

Stata on all platforms, except Mac with Apple silicon, contains two sets of LAPACK and BLAS libraries. One is based on the source code from Netlib’s LAPACK and has been used in Stata since Stata 9. The other, available since Stata 17, is based on the LAPACK and BLAS libraries from the Intel MKL. Because the Intel MKL does not support Mac with Apple silicon, Mac with Apple silicon supports OpenBLAS LAPACK library instead, in addition to Netlib’s LAPACK library.

For up-to-date information on Netlib’s LAPACK library, see <http://www.netlib.org/lapack/>.

For up-to-date information on Intel MKL, see <https://software.intel.com/mkl>.

For up-to-date information on the OpenBLAS library, see <http://www.openmathlib.org/OpenBLAS/>.

Advanced programmers can directly access the LAPACK functions; see [M-5] **lapack()**.

### set lapack\_mkl

For platforms that support both the Intel MKL and Netlib’s LAPACK libraries, the default is `set lapack_mkl on`, meaning that the Intel MKL LAPACK routines are used. To instead use Netlib’s LAPACK library, you can set `lapack_mkl off`. To determine which library is being used, check the contents of `c(lapack_mkl)`. On Mac with Apple silicon, `lapack_mkl` cannot be set and is always off.

Note that `set lapack_mkl` should be specified in Stata, not in Mata.

### Intel MKL conditional numerical reproducibility

Regardless of which LAPACK routine you use, you may encounter slight numeric differences when you run the same code in the same version and platform of Stata on a different operating system. This is normal and can be caused by several reasons. For example, Stata is compiled with different compilers on different operating systems, and different compilers could produce slightly different numeric results.

You might also get different results on the same operating system if you use the Intel MKL routines. Rosenquist (2011) explains why: “To get the best performance wherever a program is run, Intel MKL will check on the processor type at run time and can dispatch processor-specific code accordingly. If a particular instruction set or cache of a certain size is available a specialized code path may exploit it. These code paths are different enough that they will again cause a different order of operations and will

cause slightly different results on different processors.” This means that there could be slight numeric differences when running the same code on two machines with the same flavor of Stata, the same operating system, but with different CPUs. That said, you can obtain different levels of numerical reproducibility with `set lapack_mkl_cnr`, as discussed below.

## set lapack\_mkl\_cnr

Intel offers a couple of different conditional numerical reproducibility (CNR) functions for obtaining different levels of reproducibility, and the type of reproducibility desired can be specified with the `lapack_mkl_cnr` setting. The `lapack_mkl_cnr` setting should be specified in Stata, not Mata, and it will take effect the next time you launch Stata.

The possible values for `set lapack_mkl_cnr` are `default`, `auto`, `compatible`, or `off`.

`set lapack_mkl_cnr default` sets the reproducibility level to SSE4\_2 on Intel CPUs. On non-Intel CPUs, `set lapack_mkl_cnr default` does the same as `set lapack_mkl_cnr auto`.

`set lapack_mkl_cnr auto` allows the Intel MKL to automatically determine the code path based on the different features the CPU supports. The setting takes advantage of the specific features of the CPU, hence the improved performance. The cost is the lower level of numerical reproducibility; the same LAPACK function may return different results on different CPUs, assuming you are using the function on the same operating system and flavor of Stata.

Note that the automatically determined code path will not necessarily be the most efficient. For example, we noticed that the AVX instruction set caused excessively high CPU usage on Intel CPUs when Stata was idle.

`set lapack_mkl_cnr compatible` provides a higher level of numerical reproducibility compared with `set lapack_mkl_cnr auto`. In this setting, the LAPACK functions try to produce the same results by using a set of the most common features supported by different CPUs. This setting is also the slowest in terms of performance.

`set lapack_mkl_cnr off` turns off the code that tries to maintain conditional numerical reproducibility, which results in greater performance. With this setting, you may get different results across different runs of the same LAPACK function on the same copy of Stata and on the same machine.

For a detailed introduction to the Intel MKL conditional numerical reproducibility, see [Rosenquist \(2011\)](#).

## set lapack\_openblas

For Mac with Apple silicon, the default is `set lapack_openblas on`, meaning that the OpenBLAS LAPACK routines are used. To instead use Netlib’s LAPACK library, you can `set lapack_openblas off`. To determine which library is being used, check the contents of `c(lapack_openblas)`. On any platforms other than Mac with Apple silicon, `lapack_openblas` is not settable and is always `off`.

Note that `set lapack_openblas` should be specified in Stata, not in Mata.

## Acknowledgments

We thank the authors of LAPACK for their excellent work.

## References

- Anderson, E., Z. Bai, C. Bischof, S. Blackford, J. Demmel, J. J. Dongarra, J. Du Croz, A. Greenbaum, S. Hammarling, A. McKenney, and D. Sorensen. 1999. *LAPACK Users' Guide*. 3rd ed. Philadelphia: Society for Industrial and Applied Mathematics. <https://doi.org/10.1137/1.9780898719604>.
- Rosenquist, T. 2011. Getting reproducible results with Intel MKL. <https://software.intel.com/content/www/us/en/develop/articles/getting-reproducible-results-with-intel-mkl.html>.

## Also see

- [M-5] **lapack()** — Linear algebra package (LAPACK) functions
- [R] **Copyright LAPACK** — LAPACK copyright notification
- [M-1] **Intro** — Introduction and advice

Stata, Stata Press, and Mata are registered trademarks of StataCorp LLC. Stata and Stata Press are registered trademarks with the World Intellectual Property Organization of the United Nations. StataNow and NetCourseNow are trademarks of StataCorp LLC. Other brand and product names are registered trademarks or trademarks of their respective companies. Copyright © 1985–2025 StataCorp LLC, College Station, TX, USA. All rights reserved.

For suggested citations, see the FAQ on [citing Stata documentation](#).

