

return — return and return(*exp*)

[Description](#)

[Syntax](#)

[Remarks and examples](#)

[Also see](#)

Description

`return` causes the function to stop execution and return to the caller, returning nothing.

`return(exp)` causes the function to stop execution and return to the caller, returning the evaluation of *exp*.

Syntax

```
return
```

```
return(exp)
```

Remarks and examples

Remarks are presented under the following headings:

Functions that return results

Functions that return nothing (void functions)

Functions that return results

`return(exp)` specifies the value to be returned. For instance, you have written a program to return the sum of two numbers:

```
function mysum(a, b)
{
    return(a+b)
}
```

`return(exp)` may appear multiple times in the program. The following program calculates *x* factorial; it assumes *x* is an integer greater than 0:

```
real scalar myfactorial(real scalar x)
{
    if (x<=0) return(1)
    return(x*factorial(x-1))
}
```

If $x \leq 0$, the function returns 1; execution does not continue to the next line.

Functions that return a result always include one or more `return(exp)` statements.

Functions that return nothing (void functions)

A function is said to be void if it returns nothing. The following program changes the diagonal of a matrix to be 1:

```
function fixdiag(matrix A)
{
    real scalar    i

    for (i=1; i<=rows(A); i++) A[i,i] = 1
}
```

This function does not even include a `return` statement; execution just ends. That is fine, although the function could just as well read

```
function fixdiag(matrix A)
{
    real scalar    i

    for (i=1; i<=rows(A); i++) A[i,i] = 1
    return
}
```

The use of `return` is when the function has reason to end early:

```
void fixmatrix(matrix A, scalar how)
{
    real scalar    i, j

    for (i=1; i<=rows(A); i++) A[i,i] = 1
    if (how==0) return
    for (i=1; i<=rows(A); i++) {
        for (j=1; j<i; j++) A[i,j] = 0
    }
}
```

Also see

[M-5] [exit\(\)](#) — Terminate execution

[M-2] [Intro](#) — Language definition

Stata, Stata Press, Mata, NetCourse, and NetCourseNow are registered trademarks of StataCorp LLC. Stata and Stata Press are registered trademarks with the World Intellectual Property Organization of the United Nations. StataNow is a trademark of StataCorp LLC. Other brand and product names are registered trademarks or trademarks of their respective companies. Copyright © 1985–2025 StataCorp LLC, College Station, TX, USA. All rights reserved.



For suggested citations, see the FAQ on [citing Stata documentation](#).