

Description

$\text{Re}(Z)$ returns a real matrix containing the real part of Z . Z may be real or complex.

$\text{Im}(Z)$ returns a real matrix containing the imaginary part of Z . Z may be a real or complex. If Z is real, $\text{Im}(Z)$ returns a matrix of zeros.

Syntax

real matrix $\text{Re}(\text{numeric matrix } Z)$

real matrix $\text{Im}(\text{numeric matrix } Z)$

Conformability

$\text{Re}(Z)$, $\text{Im}(Z)$:

Z :	$r \times c$
<i>result</i> :	$r \times c$

Diagnostics

$\text{Re}(Z)$, if Z is real, literally returns Z and not a copy of Z . This makes execution of $\text{Re}()$ applied to real arguments instant.

Also see

[\[M-5\] C\(\)](#) — Make complex

[\[M-4\] Scalar](#) — Scalar mathematical functions

[\[M-4\] Utility](#) — Matrix utility functions

Stata, Stata Press, Mata, NetCourse, and NetCourseNow are registered trademarks of StataCorp LLC. Stata and Stata Press are registered trademarks with the World Intellectual Property Organization of the United Nations. StataNow is a trademark of StataCorp LLC. Other brand and product names are registered trademarks or trademarks of their respective companies. Copyright © 1985–2025 StataCorp LLC, College Station, TX, USA. All rights reserved.



For suggested citations, see the FAQ on [citing Stata documentation](#).