

Description

`stroofreal(R)` returns *R* as a string using Stata's %9.0g format. `stroofreal(R)` is equivalent to `stroofreal(R, "%9.0g")`.

`stroofreal(R, format)` returns *R* as a string formatted using *format*.

Leading blanks are trimmed from the result.

When arguments are not scalar, `stroofreal()` returns element-by-element results.

Syntax

string matrix `stroofreal(real matrix R)`

string matrix `stroofreal(real matrix R, string matrix format)`

Remarks and examples

`stroofreal()` will ignore the format specified with `set dp`. To display numeric values as strings while respecting the format specified with `set dp`, use `sprintf()`.

Conformability

`stroofreal(R, format):`

<i>R</i> :	$r_1 \times c_1$	
<i>format</i> :	$r_2 \times c_2$,	<i>R</i> and <i>format</i> r-conformable (optional)
<i>result</i> :	$\max(r_1, r_2) \times \max(c_1, c_2)$	

Diagnostics

`stroofreal(R, format)` returns "." if *format* is invalid.

Also see

[M-5] `strtooreal()` — Convert string to real

[M-4] **String** — String manipulation functions

Stata, Stata Press, Mata, NetCourse, and NetCourseNow are registered trademarks of StataCorp LLC. Stata and Stata Press are registered trademarks with the World Intellectual Property Organization of the United Nations. StataNow is a trademark of StataCorp LLC. Other brand and product names are registered trademarks or trademarks of their respective companies. Copyright © 1985–2025 StataCorp LLC, College Station, TX, USA. All rights reserved.



For suggested citations, see the FAQ on [citing Stata documentation](#).