

estat recovariance — Display estimated random-effects covariance matrices

[Description](#)[Remarks and examples](#)[Menu for estat](#)[Stored results](#)[Syntax](#)[Also see](#)[Options](#)

Description

`estat recovariance` is for use after estimation with `menl`, `mixed`, `meqrlogit`, and `meqrpoisson`.

`estat recovariance` displays the estimated variance–covariance matrix of the random effects for each level in the model.

Menu for estat

Statistics > Postestimation

Syntax

```
estat recovariance [ , relevel(levelvar) correlation matlist_options ]
```

Options

`relevel(levelvar)` specifies the level in the model for which the random-effects covariance matrix is to be displayed. By default, the covariance matrices for all levels in the model are displayed. *levelvar* is the name of the model level and is either the name of the variable describing the grouping at that level or is `_all`, a special designation for a group comprising all the estimation data. The `_all` designation is not supported with `menl`.

`correlation` displays the covariance matrix as a correlation matrix.

matlist_options are style and formatting options that control how the matrix (or matrices) is displayed; see [P] [matlist](#) for a list of options that are available.

Remarks and examples

[stata.com](#)

For `menl`, the rows and columns of the matrix are labeled with [full random-effects names](#) as they are defined in the model.

For other commands, the rows and columns of the matrix are labeled as `_cons` for the random intercepts; for random coefficients, the label is the name of the associated variable in the data.

See [example 1](#) in [ME] [mixed postestimation](#).

Stored results

`estat recovariance` stores the following in `r()`:

Scalars

`r(relevels)` number of levels

Matrices

`r(Cov#)` level-# random-effects covariance matrix

`r(Corr#)` level-# random-effects correlation matrix (if option `correlation` was specified)

For a G -level nested model, # can be any integer between 2 and G .

Also see

[ME] **menl** — Nonlinear mixed-effects regression

[ME] **meqrlogit** — Multilevel mixed-effects logistic regression (QR decomposition)

[ME] **meqrpoisson** — Multilevel mixed-effects Poisson regression (QR decomposition)

[ME] **mixed** — Multilevel mixed-effects linear regression

[U] **20 Estimation and postestimation commands**