

Postestimation commands

predict

margins

Remarks and examples

Methods and formulas

Also see

## Postestimation commands

The following postestimation command is of special interest after `menbreg`:

Command	Description
<code>estat group</code>	summarize the composition of the nested groups
<code>estat sd</code>	display variance components as standard deviations and correlations

The following standard postestimation commands are also available:

Command	Description
<code>contrast</code>	contrasts and ANOVA-style joint tests of parameters
<code>estat ic</code>	Akaike's, consistent Akaike's, corrected Akaike's, and Schwarz's Bayesian information criteria (AIC, CAIC, AICc, and BIC, respectively)
<code>estat summarize</code>	summary statistics for the estimation sample
<code>estat vce</code>	variance-covariance matrix of the estimators (VCE)
<code>estat (svy)</code>	postestimation statistics for survey data
<code>estimates</code>	cataloging estimation results
<code>etable</code>	table of estimation results
* <code>hausman</code>	Hausman's specification test
<code>lincom</code>	point estimates, standard errors, testing, and inference for linear combinations of parameters
* <code>lrtest</code>	likelihood-ratio test
<code>margins</code>	marginal means, predictive margins, marginal effects, and average marginal effects
<code>marginsplot</code>	graph the results from margins (profile plots, interaction plots, etc.)
<code>nlcom</code>	point estimates, standard errors, testing, and inference for nonlinear combinations of parameters
<code>predict</code>	means, probabilities, densities, RES, residuals, etc.
<code>predictnl</code>	point estimates, standard errors, testing, and inference for generalized predictions
<code>pwcompare</code>	pairwise comparisons of parameters
<code>test</code>	Wald tests of simple and composite linear hypotheses
<code>testnl</code>	Wald tests of nonlinear hypotheses

\*`hausman` and `lrtest` are not appropriate with `svy` estimation results.

# predict

## Description for predict

predict creates a new variable containing predictions such as mean responses; linear predictions; density and distribution functions; standard errors; and Pearson, deviance, and Anscombe residuals.

## Menu for predict

Statistics > Postestimation

## Syntax for predict

*Syntax for obtaining predictions of the outcome and other statistics*

```
predict [type] { stub* | newvarlist } [if] [in] [ , statistic options ]
```

*Syntax for obtaining estimated random effects and their standard errors*

```
predict [type] { stub* | newvarlist } [if] [in] , reffects [re_options]
```

*Syntax for obtaining ML scores*

```
predict [type] { stub* | newvarlist } [if] [in] , scores
```

statistic	Description
Main	
mu	mean response; the default
eta	fitted linear predictor
xb	linear predictor for the fixed portion of the model only
stdp	standard error of the fixed-portion linear prediction
density	predicted density function
distribution	predicted distribution function
pearson	Pearson residuals
deviance	deviance residuals
anscombe	Anscombe residuals

These statistics are available both in and out of sample; type predict ... if e(sample) ... if wanted only for the estimation sample.

options	Description
Main	
<code>conditional(ctype)</code>	compute <i>statistic</i> conditional on estimated random effects; default is <code>conditional(ebmeans)</code>
<code>marginal</code>	compute <i>statistic</i> marginally with respect to the random effects
<code>nooffset</code>	make calculation ignoring offset or exposure
Integration	
<code>int_options</code>	integration options
pearson, deviance, anscombe may not be combined with marginal.	
ctype	Description
<code>ebmeans</code>	empirical Bayes means of random effects; the default
<code>ebmodes</code>	empirical Bayes modes of random effects
<code>fixedonly</code>	prediction for the fixed portion of the model only
re_options	Description
Main	
<code>ebmeans</code>	use empirical Bayes means of random effects; the default
<code>ebmodes</code>	use empirical Bayes modes of random effects
<code>reses(stub*   newvarlist)</code>	calculate standard errors of empirical Bayes estimates
Integration	
<code>int_options</code>	integration options
int_options	Description
<code>intpoints(#)</code>	use # quadrature points to compute marginal predictions and empirical Bayes means
<code>iterate(#)</code>	set maximum number of iterations in computing statistics involving empirical Bayes estimators
<code>tolerance(#)</code>	set convergence tolerance for computing statistics involving empirical Bayes estimators

Options for predict

Main
mu, the default, calculates the predicted mean, that is, the predicted number of events.
eta, xb, stdp, density, distribution, pearson, deviance, anscombe, scores, conditional(), marginal, and nooffset; see [ME] <a href="#">meglm postestimation</a> .
reffects, ebmeans, ebmodes, and reses(); see [ME] <a href="#">meglm postestimation</a> .
Integration
intpoints(), iterate(), and tolerance(); see [ME] <a href="#">meglm postestimation</a> .

# margins

## Description for margins

margins estimates margins of response for mean responses and linear predictions.

## Menu for margins

Statistics > Postestimation

## Syntax for margins

```
margins [marginlist] [ , options ]
margins [marginlist] , predict(statistic ...) [predict(statistic ...) ...] [options]
```

statistic	Description
mu	mean response; the default
eta	fitted linear predictor
xb	linear predictor for the fixed portion of the model only
stdp	not allowed with margins
density	not allowed with margins
distribution	not allowed with margins
pearson	not allowed with margins
deviance	not allowed with margins
anscombe	not allowed with margins
reffects	not allowed with margins
scores	not allowed with margins

Options conditional(ebmeans) and conditional(ebmodes) are not allowed with margins.  
Option marginal is assumed where applicable if conditional(fixedonly) is not specified.

Statistics not allowed with margins are functions of stochastic quantities other than e(b).  
For the full syntax, see [R] margins.

## Remarks and examples

Various predictions, statistics, and diagnostic measures are available after fitting a mixed-effects negative binomial model with menbreg. For the most part, calculation centers around obtaining estimates of the subject/group-specific random effects. Random effects are not estimated when the model is fit but instead need to be predicted after estimation.

Here we show a short example of predicted counts and predicted random effects; refer to [ME] meglm postestimation for additional examples applicable to mixed-effects generalized linear models.

### ► Example 1: Predicting counts and random effects

In example 2 of [ME] menbreg, we modeled the number of deaths among males in nine European nations as a function of exposure to ultraviolet radiation (uv). We used a three-level negative binomial model with random effects at the nation and region levels.

```
. use https://www.stata-press.com/data/r19/melanoma
(Skin cancer (melanoma) data)

. menbreg deaths uv, exposure(expected) || nation: || region:
(output omitted)
```

We can use `predict` to obtain the predicted counts as well as the estimates of the random effects at the nation and region levels.

```
. predict mu
(option mu assumed)
(predictions based on fixed effects and posterior means of random effects)
(using 7 quadrature points)

. predict re_nat re_reg, reffects
(calculating posterior means of random effects)
(using 7 quadrature points)
```

Stata displays a note that the predicted values of `mu` are based on the posterior means of random effects. You can use option `modes` to obtain predictions based on the posterior modes of random effects.

Here we list the data for the first nation in the dataset, which happens to be Belgium:

```
. list nation region deaths mu re_nat re_reg if nation==1, sepby(region)
```

	nation	region	deaths	mu	re_nat	re_reg
1.	Belgium	1	79	64.4892	-.0819939	.2937711
2.	Belgium	2	80	77.64736	-.0819939	.024005
3.	Belgium	2	51	44.56528	-.0819939	.024005
4.	Belgium	2	43	53.10434	-.0819939	.024005
5.	Belgium	2	89	65.35963	-.0819939	.024005
6.	Belgium	2	19	35.18457	-.0819939	.024005
7.	Belgium	3	19	8.770186	-.0819939	-.3434432
8.	Belgium	3	15	43.95521	-.0819939	-.3434432
9.	Belgium	3	33	34.17878	-.0819939	-.3434432
10.	Belgium	3	9	7.332448	-.0819939	-.3434432
11.	Belgium	3	12	12.93873	-.0819939	-.3434432

We can see that the predicted random effects at the nation level, `re_nat`, are the same for all the observations. Similarly, the predicted random effects at the region level, `re_reg`, are the same within each region.

◀

## Methods and formulas

Methods and formulas for predicting random effects and other statistics are given in [Methods and formulas](#) of [\[ME\] meglm postestimation](#).

## Also see

[\[ME\] menbreg](#) — Multilevel mixed-effects negative binomial regression

[\[ME\] meglm postestimation](#) — Postestimation tools for meglm

[\[U\] 20 Estimation and postestimation commands](#)

Stata, Stata Press, Mata, NetCourse, and NetCourseNow are registered trademarks of StataCorp LLC. Stata and Stata Press are registered trademarks with the World Intellectual Property Organization of the United Nations. StataNow is a trademark of StataCorp LLC. Other brand and product names are registered trademarks or trademarks of their respective companies. Copyright © 1985–2025 StataCorp LLC, College Station, TX, USA. All rights reserved.



For suggested citations, see the FAQ on [citing Stata documentation](#).