

workflow — Suggested workflow

[Description](#)[Remarks and examples](#)[Also see](#)

Description

Provided below are suggested workflows for working with original data and for working with data that already have imputations.

Remarks and examples

stata.com

Remarks are presented under the following headings:

[Suggested workflow for original data](#)

[Suggested workflow for data that already have imputations](#)

[Example](#)

Suggested workflow for original data

By original data, we mean data with missing values for which you do not already have imputations. Your task is to identify the missing values, impute values for them, and perform estimation.

`mi` does not have a fixed order in which you must perform tasks except that you must `mi set` the data first.

1. `mi set` your data; see [\[MI\] mi set](#).

Set the data to be wide, mlong, flong, or flongsep. Choose flongsep only if your data are bumping up against the constraints of memory. Choose flong or flongsep if you will need super-varying variables.

Memory is not usually a problem, and super-varying variables are seldom necessary, so we generally start with the data as wide:

```
. use originaldata
. mi set wide
```

If you need to use flongsep, you also need to specify a name for the flongsep dataset collection. Choose a name different from the current name of the dataset:

```
. use originaldata
. mi set flongsep newname
```

If the original dataset is `chd.dta`, you might choose `chdm` for `newname`. `newname` does not include the `.dta` suffix. If you choose `chdm`, the data will then be stored in `chdm.dta`, `_1_chdm.dta`, and so on. It is important that you choose a name different from `originaldata` because you do not want your `mi` data to overwrite the original. Stata users are used to working with a copy of the data in memory, meaning that the changes made to the data are not reflected in the `.dta` dataset until the user saves them. With flongsep data, however, changes are made to the `mi .dta` dataset collection as you work. See [Advice for using flongsep](#) in [\[MI\] styles](#).

2. Use `mi describe` often; see [\[MI\] mi describe](#).

`mi describe` will not tell you anything useful yet, but as you set more about the data, `mi describe` will be more informative.

```
. mi describe
```

3. Use `mi misstable` to identify missing values; see [\[MI\] mi misstable](#).

`mi misstable` is the standard `misstable` (see [\[R\] misstable](#)) but tailored for `mi` data. Several Stata commands have `mi` variants—become familiar with them. If there is no `mi` variant, then it is generally safe to use the standard command directly, although it may not be appropriate. For instance, typing `misstable` rather than `mi misstable` would produce appropriate results right now, but it would not produce appropriate results later. If `mi` datasets $m = 0, m = 1, \dots, m = M$ exist and you run `misstable`, you might end up running the command on a strange combination of the m 's. We recommend the wide style because general Stata commands will do what you expect. The same is true for the `flongsep` style. It is your responsibility to get this right.

So what is the difference between `mi misstable` and `misstable`? `mi misstable` amounts to `mi xeq 0: misstable, exok`, which is to say it runs on $m = 0$ and specifies the `exok` option so that extended missing values are treated as [hard missings](#).

In general, you need to become familiar with all the `mi` commands, use the `mi` variant of regular Stata commands whenever one exists, and think twice before using a command without an `mi` prefix. Doing the right thing will become automatic once you gain familiarity with the styles; see [\[MI\] styles](#).

To learn about the missing values in your data, type

```
. mi misstable summarize
```

4. Use `mi register imputed` to register the variables you wish to impute; see [\[MI\] mi set](#).

The only variables that `mi` will impute are those registered as `imputed`. You can register variables one at a time or all at once. If you register a variable mistakenly, use `mi unregister` to unregister it.

```
. mi register imputed varname [varname ...]
```

5. Use `mi impute` to impute (fill in) the missing values; see [\[MI\] mi impute](#).

There is a lot to be said here. For instance, in a dataset where variables `age` and `bmi` contain missing, you might type

```
. mi register imputed age bmi
. mi impute mvn age bmi = attack smokes hsgard, add(10)
```

`mi impute`'s `add(#)` option specifies the number of imputations to be added. We currently have 0 imputations, so after imputation, we will have 10. We usually start with a small number of imputations and add more later.

6. Use `mi describe` to verify that all missing values are filled in; see [\[MI\] mi describe](#).

```
. mi describe
```

You might also want to use `mi xeq` (see [\[MI\] mi xeq](#)) to look at summary statistics in each of the imputation datasets:

```
. mi xeq: summarize
```

7. Generate passive variables; see [MI] [mi passive](#).

Passive variables are variables that are functions of imputed variables, such as `lnage` when some values of `age` are imputed. The values of passive variables differ across m just as the values of imputed variables do. The official way to generate imputed values is by using `mi passive`:

```
. mi passive: generate lnage = ln(age)
```

Rather than use the official way, however, we often switch our data to `mlong` and just generate the passive variables directly:

```
. mi convert mlong
. generate lnage = ln(age)
. mi register passive lnage
```

If you work as we do, remember to register any passive variables you create. When you are done, you may `mi convert` your data back to wide, but there is no reason to do that.

8. Use `mi estimate` (see [MI] [mi estimate](#)) to fit models:

```
. mi estimate: logistic attack smokes age bmi hsgrad
```

You fit your model just as you would ordinarily except that you add `mi estimate:` in front of the command.

To see an example of the advice applied to a simple dataset, see [Example](#) below.

In theory, you should get your data cleaning and data management out of the way before `mi` setting your data. In practice that will not happen, so you will want to become familiar with the other `mi` commands. Among the data management commands available are `mi append` (see [MI] [mi append](#)), `mi merge` (see [MI] [mi merge](#)), `mi expand` (see [MI] [mi expand](#)), and `mi reshape` (see [MI] [mi reshape](#)). If you are working with survival-time data, also see [MI] [mi stsplit](#). To `stset` your data, or `svyset`, or `xtset`, see [MI] [mi set](#) and [MI] [mi XXXset](#).

Suggested workflow for data that already have imputations

Data sometimes come with imputations included. The data might be made by another researcher for you or the data might come from an official source. Either way, we will assume that the data are not in Stata format, because if they were, you would just use the data and would type `mi describe`.

`mi` can import officially produced datasets created by the National Health and Nutrition Examination Survey (NHANES) with the `mi import nhanes1` command, and `mi` can import more informally created datasets that are wide-, flong-, or flongsep-like with `mi import wide`, `mi import flong`, or `mi import flongsep`; see [MI] [mi import](#).

The required workflow is hardly different from [Suggested workflow for original data](#), presented above. The differences are that you will use `mi import` rather than `mi set` and you will skip using `mi impute` to generate the imputations. In this sense, your job is easier.

On the other hand, you need to verify that you have imported your data correctly, and we have a lot to say about that. Basically, after importing, you need to be careful about which `mi` commands you use until you have verified that you have the variables registered correctly. That is discussed in [MI] [mi import](#).

Example

We are going to repeat *A simple example* from [MI] [intro](#), but this time we are going to follow the advice given above in *Suggested workflow for original data*.

We have fictional data on 154 patients and want to examine the relationship between binary outcome attack, recording heart attacks, and variables smokes, age, bmi, hsgrad, and female. We will use logistic regression. Below we load our original data and show you a little about it using the standard commands describe and summarize. We emphasize that mheart5.dta is just a standard Stata dataset; it has not been mi set.

```
. use http://www.stata-press.com/data/r15/mheart5
(Fictional heart attack data)
. describe
Contains data from http://www.stata-press.com/data/r15/mheart5.dta
  obs:          154          Fictional heart attack data
  vars:          6           19 Jun 2016 10:50
  size:         1,848
```

variable name	storage type	display format	value label	variable label
attack	byte	%9.0g		Outcome (heart attack)
smokes	byte	%9.0g		Current smoker
age	float	%9.0g		Age, in years
bmi	float	%9.0g		Body Mass Index, kg/m ²
female	byte	%9.0g		Gender
hsgrad	byte	%9.0g		High school graduate

Sorted by:

```
. summarize
```

Variable	Obs	Mean	Std. Dev.	Min	Max
attack	154	.4480519	.4989166	0	1
smokes	154	.4155844	.4944304	0	1
age	142	56.43324	11.59131	20.73613	83.78423
bmi	126	25.23523	4.029325	17.22643	38.24214
female	154	.2467532	.4325285	0	1
hsgrad	154	.7532468	.4325285	0	1

The first guideline is

1. mi set your data; see [MI] [mi set](#).

We will set the data to be flong even though in *A simple example* we set the data to be mlong. mi provides four styles—flong, mlong, wide, and flongsep—and at this point it does not matter which we choose. mi commands work the same way regardless of style. Four styles are provided because, should we decide to step outside of mi and attack the data with standard Stata commands, we will find different styles more convenient depending on what we want to do. It is easy to switch styles.

Below we type mi set flong and then, to show you what that command did to the data, we show you the output from a standard describe:

```
. mi set flong
. describe
Contains data from http://www.stata-press.com/data/r15/mheart5.dta
  obs:          154          Fictional heart attack data
  vars:          9          19 Jun 2016 10:50
  size:         2,618
```

variable name	storage type	display format	value label	variable label
attack	byte	%9.0g		Outcome (heart attack)
smokes	byte	%9.0g		Current smoker
age	float	%9.0g		Age, in years
bmi	float	%9.0g		Body Mass Index, kg/m ²
female	byte	%9.0g		Gender
hsgrad	byte	%9.0g		High school graduate
_mi_miss	byte	%8.0g		
_mi_m	int	%8.0g		
_mi_id	int	%8.0g		

Sorted by:

Typing `mi set flong` added three variables to our data: `_mi_miss`, `_mi_m`, and `_mi_id`. Those variables belong to `mi`. If you are curious about them, see [\[MI\] styles](#). Advanced users can even use them. No matter how advanced you are, however, you must never change their contents.

Except for the three added variables, the data are unchanged, and we would see that if we typed `summarize`. The three added variables are due to the style we chose. When you `mi set` your data, different styles will change the data differently, but the changes will be just around the edges.

The second guideline is

2. Use `mi describe` often; see [\[MI\] mi describe](#).

The guideline is to use `mi describe`, not `describe` as we just did. Here is the result:

```
. mi describe
Style: flong
      last mi update 21jan2017 12:53:53, 0 seconds ago

Obs.:  complete          154
      incomplete          0 (M = 0 imputations)
      -----
      total              154

Vars.: imputed: 0
      passive: 0
      regular: 0
      system: 3; _mi_m _mi_id _mi_miss
      (there are 6 unregistered variables)
```

As the guideline warned us, “`mi describe` will not tell you anything useful yet.”

The third guideline is

3. Use `mi misstable` to identify missing values; see [MI] [mi misstable](#).

Below we type `mi misstable summarize` and `mi misstable nested`:

```
. mi misstable summarize
```

Variable	Obs=.	Obs>.	Obs<.	Unique values	Min	Max
age	12		142	142	20.73613	83.78423
bmi	28		126	126	17.22643	38.24214

```
. mi misstable nested
1. age(12) -> bmi(28)
```

`mi misstable summarize` reports the variables containing missing values. Those variables in our data are `age` and `bmi`. Notice that `mi misstable summarize` draws a distinction between, as it puts it, “Obs=.” and “Obs>.”, which is to say between standard missing (.) and extended missing (.a, .b, ..., .z). That is because `mi` has a concept of soft and hard missing, and it associates soft missing with system missing and hard missing with extended missing. Hard missing values—extended missings—are taken to mean missing values that are not to be imputed. Our data have no missing values like that.

After typing `mi misstable summarize`, we typed `mi misstable nested` because we were curious whether the missing values were nested or, to use the jargon, monotone. We discovered that they were. That is, `age` has 12 missing values in the data, and in every observation in which `age` is missing, so is `bmi`, although `bmi` has another 16 missing values scattered around the data. That means we can use a monotone imputation method, and that is good news because monotone methods are more flexible and faster. We will discuss the implications of that shortly. There is a mechanical detail we must handle first.

The fourth guideline is

4. Use `mi register imputed` to register the variables you wish to impute; see [MI] [mi set](#).

We know that `age` and `bmi` have missing values, and before we can impute replacements for those missing values, we must register the variables as to-be-imputed, which we do by typing

```
. mi register imputed age bmi
(28 m=0 obs. now marked as incomplete)
```

Guideline 2 suggested that we type `mi describe` often. Perhaps now would be a good time:

```
. mi describe
Style: flong
      last mi update 21jan2017 12:53:53, 0 seconds ago
Obs.: complete      126
      incomplete    28  (M = 0 imputations)
-----
total              154
Vars.: imputed:    2; age(12) bmi(28)
      passive:    0
      regular:    0
      system:    3; _mi_m _mi_id _mi_miss
      (there are 4 unregistered variables; attack smokes female hsggrad)
```

The output has indeed changed. `mi` knows just as it did before that we have 154 observations, and it now knows that 126 of them are complete and 28 of them are incomplete. It also knows that `age` and `bmi` are to be imputed. The numbers in parentheses are the number of missing values.

The fifth guideline is

5. Use `mi impute` to impute (fill in) the missing values; see [MI] [mi impute](#).

In *A simple example* from [MI] [intro](#), we imputed values for `age` and `bmi` by typing

```
. mi impute mvn age bmi = attack smokes hsgrad female, add(10)
```

This time, we will impute values by typing

```
. mi impute monotone (regress) age bmi = attack smokes hsgrad female, add(20)
```

We changed `add(10)` to `add(20)` for no other reason than to show that we could, although we admit to a preference for more imputations whenever possible. `add()` specifies the number of imputations to be added to the data. For every missing value, we will impute 20 nonmissing replacements.

We switched from `mi impute mvn` to `mi impute monotone` because our data are monotone. Here `mi impute monotone` will be faster than `mi impute mvn` but will offer no statistical advantage. In other cases, there might be statistical advantages. All of which is to say that when you get to the imputation step, you have important decisions to make and you need to become knowledgeable about the subject. You can start by reading [MI] [mi impute](#).

```
. set seed 20039
. mi impute monotone (regress) age bmi = attack smokes hsgrad female,
> add(20)
```

Conditional models:

```
age: regress age attack smokes hsgrad female
bmi: regress bmi age attack smokes hsgrad female
```

```
Multivariate imputation          Imputations =      20
Monotone method                   added =         20
Imputed: m=1 through m=20        updated =         0
```

```
age: linear regression
bmi: linear regression
```

Variable	Observations per <i>m</i>			
	Complete	Incomplete	Imputed	Total
age	142	12	12	154
bmi	126	28	28	154

(complete + incomplete = total; imputed is the minimum across *m* of the number of filled-in observations.)

Note that we typed `set seed 20039` before issuing the `mi impute` command. Doing that made our results reproducible. We could have specified `mi impute's` `rseed(20039)` option instead. Or we could have skipped setting the random-number seed altogether, and then we would not be able to reproduce our results.

The sixth guideline is

6. Use `mi describe` to verify that all missing values are filled in; see [MI] [mi describe](#).

```

. mi describe, detail
Style:  flong
      last mi update 21jan2017 12:53:53, 0 seconds ago
Obs.:  complete      126
      incomplete     28  (M = 20 imputations)
-----
      total          154
Vars.:  imputed:    2; age(12; 20*0) bmi(28; 20*0)
      passive:     0
      regular:     0
      system:     3; _mi_m _mi_id _mi_miss
      (there are 4 unregistered variables; attack smokes female hsgrad)

```

This time, we specified `mi describe`'s `detail` option, although you have to look closely at the output to see the effect. When you do not specify `detail`, `mi describe` reports results for the original, unimputed data only, what we call $m = 0$ throughout this documentation. When you specify `detail`, `mi describe` also includes information about the imputation data, what we call $m > 0$ and is $m = 1, m = 2, \dots, m = 20$ here. Previously, `mi describe` reported “age(12)”, meaning that `age` in $m = 0$ has 12 missing values. This time, it reports “age(12; 20*0)”, meaning that `age` still has 12 missing values in $m = 0$, and it has 0 missing values in the 20 imputations. `bmi` also has 0 missing values in the imputations. Success!

Let's take a detour to see how our data really look. Let's type Stata's standard `describe` command. The last time we looked, our data had three extra variables.

```

. describe
Contains data from http://www.stata-press.com/data/r15/mheart5.dta
  obs:      3,234      Fictional heart attack data
  vars:      9         21 Jan 2017 12:53
  size:     54,978

```

variable name	storage type	display format	value label	variable label
attack	byte	%9.0g		Outcome (heart attack)
smokes	byte	%9.0g		Current smoker
age	float	%9.0g		Age, in years
bmi	float	%9.0g		Body Mass Index, kg/m ²
female	byte	%9.0g		Gender
hsgrad	byte	%9.0g		High school graduate
_mi_id	int	%8.0g		
_mi_miss	byte	%8.0g		
_mi_m	int	%8.0g		

```

Sorted by: _mi_m _mi_id
Note: Dataset has changed since last saved.

```

Nothing has changed as far as variables are concerned, but notice the number of observations. Previously, we had 154 observations. Now we have 3,234! That works out to 21×154 . Stored is our original data plus 20 imputations. The `flong` style makes extra copies of the data.

We chose style `flong` only because it is so easy to explain. In [A simple example](#) from [\[MI\] intro](#) using this same data, we choose style `mlong`. It is not too late:

```

. mi convert mlong

```

All that is required to change styles is typing `mi convert`. The style of the data changes, but not the contents. Let's see what `describe` has to report:


```
. describe
```

```
Contains data from http://www.stata-press.com/data/r15/mheart5.dta
obs:          714          Fictional heart attack data
vars:         9           21 Jan 2017 12:53
size:        12,138
```

variable name	storage type	display format	value label	variable label
attack	byte	%9.0g		Outcome (heart attack)
smokes	byte	%9.0g		Current smoker
age	float	%9.0g		Age, in years
bmi	float	%9.0g		Body Mass Index, kg/m ²
female	byte	%9.0g		Gender
hsgrad	byte	%9.0g		High school graduate
_mi_id	int	%8.0g		
_mi_miss	byte	%8.0g		
_mi_m	int	%8.0g		

```
Sorted by: _mi_m _mi_id
```

```
Note: Dataset has changed since last saved.
```

The data look much like they did when they were flong, except that the number of observations has fallen from 3,234 to 714! Style mlong is an efficient style in that rather than storing the full data for every imputation, it stores only the changes. Back when the data were flong, mi describe reported that we had 28 incomplete observations. We get 714 from the 154 original observations plus 20×28 replacement observations for the incomplete observations.

We recommend style mlong. Style wide is also recommended. Below we type mi convert to convert our mlong data to wide, and then we run the standard describe command:

```
. mi convert wide, clear
```

```
. describe
```

```
Contains data from http://www.stata-press.com/data/r15/mheart5.dta
obs:          154          Fictional heart attack data
vars:         47          21 Jan 2017 12:53
size:        26,642
```

variable name	storage type	display format	value label	variable label
attack	byte	%9.0g		Outcome (heart attack)
smokes	byte	%9.0g		Current smoker
age	float	%9.0g		Age, in years
bmi	float	%9.0g		Body Mass Index, kg/m ²
female	byte	%9.0g		Gender
hsgrad	byte	%9.0g		High school graduate
_mi_miss	byte	%8.0g		
_1_age	float	%9.0g		Age, in years
_1_bmi	float	%9.0g		Body Mass Index, kg/m ²
_2_age	float	%9.0g		Age, in years
_2_bmi	float	%9.0g		Body Mass Index, kg/m ²
_3_age	float	%9.0g		Age, in years
_3_bmi	float	%9.0g		Body Mass Index, kg/m ²
_4_age	float	%9.0g		Age, in years
_4_bmi	float	%9.0g		Body Mass Index, kg/m ²
_5_age	float	%9.0g		Age, in years
_5_bmi	float	%9.0g		Body Mass Index, kg/m ²
_6_age	float	%9.0g		Age, in years
_6_bmi	float	%9.0g		Body Mass Index, kg/m ²
_7_age	float	%9.0g		Age, in years

_7_bmi	float	%9.0g	Body Mass Index, kg/m ²
_8_age	float	%9.0g	Age, in years
_8_bmi	float	%9.0g	Body Mass Index, kg/m ²
_9_age	float	%9.0g	Age, in years
_9_bmi	float	%9.0g	Body Mass Index, kg/m ²
_10_age	float	%9.0g	Age, in years
_10_bmi	float	%9.0g	Body Mass Index, kg/m ²
_11_age	float	%9.0g	Age, in years
_11_bmi	float	%9.0g	Body Mass Index, kg/m ²
_12_age	float	%9.0g	Age, in years
_12_bmi	float	%9.0g	Body Mass Index, kg/m ²
_13_age	float	%9.0g	Age, in years
_13_bmi	float	%9.0g	Body Mass Index, kg/m ²
_14_age	float	%9.0g	Age, in years
_14_bmi	float	%9.0g	Body Mass Index, kg/m ²
_15_age	float	%9.0g	Age, in years
_15_bmi	float	%9.0g	Body Mass Index, kg/m ²
_16_age	float	%9.0g	Age, in years
_16_bmi	float	%9.0g	Body Mass Index, kg/m ²
_17_age	float	%9.0g	Age, in years
_17_bmi	float	%9.0g	Body Mass Index, kg/m ²
_18_age	float	%9.0g	Age, in years
_18_bmi	float	%9.0g	Body Mass Index, kg/m ²
_19_age	float	%9.0g	Age, in years
_19_bmi	float	%9.0g	Body Mass Index, kg/m ²
_20_age	float	%9.0g	Age, in years
_20_bmi	float	%9.0g	Body Mass Index, kg/m ²

Sorted by:

Note: Dataset has changed since last saved.

In the wide style, our data are back to having 154 observations, but now we have 47 variables! Variable `_1_age` contains `age` for $m = 1$, `_1_bmi` contains `bmi` for $m = 1$, `_2_age` contains `age` for $m = 2$, and so on.

Guideline 7 is

7. Generate passive variables.

Passive variables are variables derived from imputed variables. For instance, if we needed `lnage = ln(age)`, variable `lnage` would be passive. Passive variables are easy to create; see [\[MI\] mi passive](#). We are not going to need any passive variables in this example.

Guideline 8 is

8. Use `mi estimate` to fit models; see [\[MI\] mi estimate](#).

Our data are wide right now, but that does not matter. We fit our model:

```
. mi estimate: logistic attack smokes age bmi hsgrad female
Multiple-imputation estimates      Imputations      =          20
Logistic regression                Number of obs    =         154
                                   Average RVI       =         0.1104
                                   Largest FMI       =         0.3267
DF adjustment: Large sample        DF: min         =         186.13
                                   avg              =        67,625.01
                                   max              =        220,747.20
Model F test: Equal FMI           F( 5, 6512.5)   =          3.08
Within VCE type: OIM              Prob > F         =         0.0089
```

attack	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]
smokes	1.171797	.3573997	3.28	0.001	.4712929 1.8723
age	.028737	.0165865	1.73	0.083	-.0038133 .0612873
bmi	.1017045	.0535639	1.90	0.059	-.003966 .2073749
hsgrad	.1501389	.4038092	0.37	0.710	-.6413206 .9415985
female	-.1022359	.4138162	-0.25	0.805	-.9133052 .7088334
_cons	-4.979444	1.829307	-2.72	0.007	-8.580825 -1.378062

Those familiar with the `logistic` command will be surprised that `mi estimate: logistic` reported coefficients rather than odds ratios. That is because the estimation command is not `logistic` using `mi estimate`, it is `mi estimate` using `logistic`. If we wanted to see odds ratios at estimation time, we could have typed

```
. mi estimate, or: logistic ...
```

By the same token, if we wanted to replay results, we would not type `logistic`, we would type `mi estimate`:

```
. mi estimate
(output omitted)
```

If we wanted to replay results with odds ratios, we would type

```
. mi estimate, or
```

And that concludes the guidelines.

Also see

[\[MI\] intro](#) — Introduction to `mi`

[\[MI\] Glossary](#)