

Description

`include` is a variation on `do` and `run` that causes Stata to execute the commands stored in the specified file as if they were entered from the keyboard. `include` is for advanced programming to share common definitions among several do-files. `include` may also be used in Mata to create a library of routines with shared concepts.

Syntax

```
include filename [ , adopath ]
```

If *filename* is specified without an extension, `.do` is assumed.

Option

adopath indicates to search Stata's system directories for *filename* if it is not found in the default location.

Remarks and examples

Remarks are presented under the following headings:

Use with do-files

Use with Mata

Warning

Use with do-files

`include` can be used in advanced programming situations where you have several do-files among which you wish to share common definitions. `include` differs from `do` and `run` in that any local macros (changed settings, etc.) created by executing the file are not dropped or reset when execution of the file concludes. Rather, results are as if the commands in *filename* appeared in the session or file that included *filename*.

Say that you have do-files `step1.do`, `step2.do`, and `step3.do` that perform a data management task. You want the do-files to include a common definition of the local macros `'inname'` and `'outname'`, which are, respectively, the names of the files to be read and created. One way to do this is

```

-----begin step1.do-----
...
include common.doh
...
-----end step1.do-----

-----begin step2.do-----
...
include common.doh
...
-----end step2.do-----

-----begin step3.do-----
...
include common.doh
...
-----end step3.do-----

-----begin common.doh-----
local inname "inputdata.dta"
local outname "outputdata.dta"
-----end common.doh-----

```

Presumably, files `step1.do`, `step2.do`, and `step3.do` include lines such as

```
. use 'inname', clear
```

and

```
. save 'outname', replace
```

Our use of the `.doh` suffix in naming file `common.doh` is not a typo. We called the file `.doh` to emphasize that it is a header for do-files, but you can name the file as you wish, including `common.do`.

You could call the file `common.do`, but you could not use the `do` command to run it because the local macros that the file defines would automatically be dropped when the file finished executing; thus in `step1.do`, `step2.do`, and `step3.do`, the macros would be undefined.

Use with Mata

`include` is sometimes used in advanced Mata situations where you are creating a library of routines with shared concepts:

```

-----begin inpivot.mata-----
version 19.5      // (or version 19 if you do not have StataNow)
include limits.matah

mata:
real matrix inpivot(real matrix X)
{
    real matrix    y1, yz
    real scalar    n

    if (rows(X)>'MAXDIM' | cols(X)>'MAXDIM') {
        errprintf("inpivot:  matrix too large\n")
        exit(1000)
    }
    ...
}
end
-----end inpivot.mata-----

```

```
-----begin limits.matah-----  
...  
local MAXDIM    800  
...  
-----end limits.matah-----
```

Presumably, many .mata files include limits.matah.

Warning

Do not use command `include` in the body of a Stata program:

```
program ...  
...  
    include ...  
...  
end
```

`include` will not be executed, as you might have hoped, when the program is compiled. Instead, `include` will be stored in your program and executed every time your program runs. The result will be the same as if the lines had been included at compile time, but the execution will be slower.

Also see

[R] [do](#) — Execute commands from a file

[R] [doedit](#) — Edit do-files and other text files

